

Catalogue of the type and figured specimens of fossil Asteroidea and Ophiuroidea in The Natural History Museum

D.N. LEWIS

Department of Palaeontology, The Natural History Museum, Cromwell Road, London SW7 5BD

INTRODUCTION

This is a catalogue index of the type and figured fossil starfishes and brittle-stars in the collections of the Department of Palaeontology, The Natural History Museum, London, and is complete up to May 1990. Only primary types have been included (i.e. holotype, lectotype, syntype, neotype), whether figured or not. Paratypes have been included only if they have been figured.

Like the preceding catalogue on the type and figured fossil Echinoidea (Lewis, D. N. 1986 *Catalogue of the Type and Figured Specimens of Fossil Echinoidea in the British Museum (Natural History)*), it is divided into three parts. In the first part, which is divided into Asteroidea and Ophiuroidea, the genera are arranged alphabetically, with all the information about each specimen included therein. The second part is a bibliography of the works referred to in each entry. The third part is an alphabetical index of species, each being paired with the genus in which it is placed in the first part of the catalogue. The index also contains generic synonyms to which species had been previously assigned; these are printed in italics. At the end of the catalogue there are figures of type specimens which were not figured either in their original descriptions, or in subsequent publications.

The generic assignment of each species in the main entry of this catalogue is the name in current use for storage of the specimens in the collections. Where a name has been changed from that in a description or figuring, the original name is cross-referenced to the current name, where details of the specimen will be found.

The registration number of most specimens is prefixed by 'E' which refers to the registers (or catalogues) of fossil echinoderms in the Department of Palaeontology; no other invertebrate phylum has this prefix letter. Some registration numbers have the prefix 'OR' which refers to an older series of registers (**Old Register**) in which specimens of *all* phyla were registered. From the Spring of 1990, computerised registration of specimens commenced and the prefix 'EE' is given to registration numbers. However, there are no 'EE' prefixes in this catalogue.

Unless replicas of specimens have actually been figured, all the entries in the catalogue refer to real specimens.

Locality details are recorded in the catalogue as they appear in the register entry, on specimen labels and in the references. No county or country names have been brought up-to-date, as such alterations can be misleading or even incorrect. Stratigraphic

details are recorded as they appear in register entries, references, and on specimen labels, and where possible have been brought up-to-date with current stratigraphic usage.

Records which include references to monographs published over a number of years by several authors, include in the entry the range of dates of the monograph. This is followed by a single date and the pagination for the record (e.g. Sladen, W. P. & Spencer, W. K. (1891-1908) 1905: 77, pl. 21 figs 2, 2a). The exact authorship can be found in the bibliography. Similarly, records which include references to monographs published over a number of years by a single author, include in the entry the range of dates of the monograph. This is followed by a single date and the pagination for the record (e.g. Spencer, W. K. (1914-1940) 1922: pl. 16 fig. 1). Because these monographs are frequently referred to by unofficial titles (e.g. 'Sladen & Spencer's Monograph', 'Spencer's Palaeozoic Monograph') this is probably less confusing than giving the actual author and date (e.g. Spencer, W. K. 1905: 77, pl. 21 figs 2, 2a).

It is inevitable that over a number of years information about specimens, or even specimens themselves, may be lost, particularly if collections are moved from place to place for various reasons. Fossils may also suffer from less than adequate storage methods and undergo decay. A prime example of this is a specimen of *Coulonia colei* (Forbes), a syntype of *Astropecten crispatus* Forbes, number OR 57501, figured herein, which was destroyed by pyritic decomposition probably as long ago as the 1920s. Included with the specimen are notes of treatment given to it in 1919, indicating that deterioration had already commenced.

The catalogue was compiled firstly on index-cards, then entered into the Museum Data-base System (MDS) via an Olivetti M 290 micro-computer linked to an Olivetti M 380 multi-user computer. MDS was devised and developed by Museum staff, principally by Mr. David French, and allows an ordered entry of data, with repeatable fields, into a data-base package written in 'C' under the 'Unix' operating system. Subsequent manipulation of data, report generation, and editing, can be carried out easily using the MDS. Editing can also be effected by conversion of the data to WordPerfect word-processing. A version of MDS is available for use on IBM AT and compatible micro-computers using MS-DOS.

I wish to thank Mr. Adrian Rissoné of the Department of Palaeontology for his considerable and essential help in all matters relating to the computers, Mr. Phil Hurst and Mr. Phil Crabb of the photographic staff of the Museum for the photographs and to Dr. Andrew Smith for helpful criticism.

TYPE AND FIGURED FOSSIL ASTEROIDEA

A

Archastropecten of *huxleyi* (Wright)

E 28383 See: *Pentasteria* (*Archastropecten*) cf *huxleyi* (Wright)

Archastropecten *huxleyi* (Wright)

OR 33848 See: *Pentasteria* (*Archastropecten*) *huxleyi* (Wright)

Archastropecten *portlandicus* Hess

E 13739, E 13740a See: *Pentasteria* (*Archastropecten*) *portlandicus* (Hess)

Archophiactis *grayae* Spencer

E 52489 Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs. R. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1927: 361, 362, 363, 364, text fig. 234, pl. 24 fig. 2 as *Archophiactis grayae* Spencer.

E 52642 Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs. R. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1927: 356, 361, 362, text fig. 233A, 364, pl. 24 fig. 5 as *Archophiactis grayae* Spencer.

E 52693a,b Holotype of *Archophiactis grayae* Spencer. Type species of *Archophiactis* Spencer 1927: 361. Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs. R. Purchd 1920. Type figd Spencer, W. K. (1914–1940) 1927: 361, 362, 363, pl. 24 fig. 4 (E 52693a); 356, 361, 362, 364, text fig. 232A, pl. 24 fig. 3 (E 52693b) as *Archophiactis grayae* Spencer.

Arisaigaster *leintwardinensis* (Spencer)

E 13153 Holotype of *Mesopalaeaster*(?) *leintwardinensis* Spencer. Silurian. Lower Ludlow Shales. Leintwardine, Hereford, England. Colld Morton, G. H. Purchd of Miss Morton July 1900. Type figd Spencer, W. K. (1914–1940) 1916: 89–90, text fig. 49; 1919: 179, pl. 2 fig. 5 as *Mesopalaeaster*(?) *leintwardinensis* Spencer.

Arthraster *cristatus* Spencer

E 13252 Cretaceous, Campanian, upper *mucronata* Zone. Rügen, Germany. Purchd Laur, A. 27th October 1906. Figd Spencer, W. K. 1913: 140, 177, pl. 16 fig. 7.

E 20266 Holotype. Cretaceous, Santonian, *coranguinum* Zone. Micheldever, Hampshire, England. Blackmore, H. P.

Colln. Presd Trustees, Salisbury Museum January 1935. Type figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 93, pl. 29 figs 10, 10a,b.

Arthraster *dixoni* Forbes

E 5024 Cretaceous, Upper Santonian. *Marsupites* band. Cliffs, east of Brighton, Sussex, England. Presd McPherson, W. 3rd May 1902. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 91, pl. 29 figs 11, 11a.

OR 47000 Holotype. Type species of *Arthraster* Forbes 1848: 467. Cretaceous, Cenomanian. Lower Chalk. Balcombe Pit, near Amberley, Sussex, England. Dixon, F. Colln 1850. Type refd Forbes, E. 1848: 467. Figd Forbes, E. in Dixon, F. 1850: 336, pl. 23 fig. 1. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: 369, 370, 440, pl. 23 fig. 1. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: pl. 18 figs 1, 1a; 1907: 91–93.

'*Asterias*' *gaveyi* (Forbes)

E 1638 Holotype of *Uraster* *gaveyi* Forbes. Jurassic, Pliensbachian, *capricornus* Zone. Middle Lias. Mickleton Tunnel, near Chipping Campden, Gloucestershire, England. Colld Gavvy, G. E. Wright, T. Colln. Purchd Butler, F. H. May 1887. Type figd Forbes, E. 1850b: 1–2, pl. 2 figs 1, 2 as *Uraster* *gaveyi* Forbes. Figd Wright, T. (1863–1880) 1863: 100–101, pl. 1 figs 1a,b as *Uraster* *gaveyi* Forbes.

Astropecten *armatus* Forbes

OR 57503 See: *Coulonia colei* (Forbes)

Astropecten *cotteswoldiae* Buckman

E 1633, E 1634, E 1635, E 1636 See: *Pentasteria* (*Archastropecten*) *cotteswoldiae* (Buckman)

Astropecten *cotteswoldiae* var. *stamfordensis* Wright

OR 75797 See: *Pentasteria* (*Archastropecten*) *cotteswoldiae* (Buckman) var. *stamfordensis* (Wright)

Astropecten *cotteswoldiae* var. *stonesfieldenses* Wright

E 2588 See: *Pentasteria* (*Archastropecten*) *cotteswoldiae* (Buckman) var. *stonesfieldensis* (Wright)

Astropecten *crispatus* Forbes

OR 57501 See: *Coulonia colei* (Forbes)

Astropecten *granulatus* Rasmussen

E 53626, 28–29 Eocene, Bartonian. Middle Barton Beds, horizon E. Barton-on-Sea, Hampshire, England. Davis, A.G. Colln. Figd Rasmussen, H. W. 1972: pl. 3 figs 5a,b (E 53626), 7a,b (E 53628), 8a,b (E 53629). E 53629 was noted missing in May/June 1973 during curation and has not been found.

Fig. 1 *Siluraster caractaci* (Gregory), E 52857a,b, holotype, from the Ordovician, Caradoc, of Church Stretton, Shropshire: (a) aboral; (b) oral views of the specimen in the nodule. The specimen was photographed, lightly coated with ammonium chloride sublimate. Mag. x 1.8.

Fig. 2 *Stauranderaster gibbosus* Spencer, E 13239, holotype, from the Cretaceous *A. quadratus* zone, of Rottingdean, Sussex; two views of the specimen showing considerable disruption of the structure: (a) aboral view; (b) oral view. Mag. x 0.9.

Fig. 3 *Coulonia colei* (Forbes), OR 57501, syntype of *Astropecten crispatus* Forbes, from the Eocene, London Clay, of the Isle of Sheppey, Kent. Compare its present condition with the original figuring by Forbes, 1849, pl. 3 fig. 3a. This is a prime example of what happens to some specimens when storage conditions are inadequate; even the labels were affected by the decomposition of the specimen, but fortunately not sufficient to erase all data. Mag. x 0.9.

Fig. 4 *Ophiura wetherelli* Forbes, E 2670, syntype, from the Eocene, London Clay, of the Isle of Sheppey, Kent. This was not the specimen figured by Forbes even though a label with the specimen says so. The first figuring of the specimen was by Busk, 1866, pl. 12 figs 4a-d, but although the figure is too small to be useful, it does show that the specimen was not the one figured by Forbes. Mag. x 2.7.

Fig. 5 *Ophiura wetherelli* Forbes, E 2650, ?syntype, from the Eocene, London Clay, of Highgate Archway, north London. This block contains many specimens throughout its structure and is one of three blocks from the same locality and from the Wetherell Collection. It is probably one of the specimens referred to by Forbes and if so, is a syntype. Mag. x 1.8.



1a




3



1b



4



2a



2b



E 53627 Holotype. Eocene, Bartonian. Middle Barton Beds, horizon E. Barton-on-Sea, Hampshire, England. Davis, A.G. Colln. Type figd Rasmussen, H. W. 1972: 38–40, pl. 3 figs 6a,b.

Astropecten huxleyi Wright

OR 33848 See: *Pentasteria (Archastropecten) huxleyi* (Wright)

Astropecten lorioli Wright

E 1639 See: *Pentasteria (Archastropecten) lorioli* (de Lorioli)

'Astropecten' pichleri von Wöhramann

E 53794 Triassic. Cassian, bed e4. Section VI, Veszprém, Bakony, Hungary. No collection data. Figd Bather, F. A. 1909: 235–236, pl. 13 figs. 435–437 as *Astropecten pichleri* von Wöhramann.

'Astropecten' sp.

E 13573–4 Jurassic, Bathonian. Great Oolite. Bath, Somerset, England. Wright, T. Colln? Figd Wright, T. (1863–1880) 1863: pl. 8 fig. 3 (E 13573), 4 (E 13574) as ossicula of Asteridae.

E 13575–7 Jurassic, Bathonian. Great Oolite. Bath, Somerset. Wright, T. Colln? Figd Wright, T. (1863–1880) 1863: pl. 8 fig. 6 (E 13575), 7 (E 13576), 8 (E 13577) as *Astropecten* sp.

Astropecten wittsii Wright

E 1637 See: *Pentasteria (Archastropecten) wittsii* (Wright)

B

Baliactis devonicus Spencer

E 13628 **Holotype.** Lower Devonian. Bundenthal, Germany. Stürz, B. Colln. Purchd April 1910. Type figd Spencer, W. K. (1914–1940) 1927: 376, 378, 379, text figs 243, 244, pl. 24 fig. 1 (all referred to as E 13625).

Baliactis ordovicus Spencer

E 52348 **Holotype.** Type species of *Baliactis* Spencer, 1927: 375–376. Upper Ordovician, Caradocian. Habberley Brook, Pontesford, Shropshire, England. Colld Audley, A. Shrewsbury Museum. Exch. November 1956. Figd Spencer, W. K. (1914–1940) 1922: pl. 17 fig. 1; 1927: 376, text fig. 242, 377–378. Type refd Owen, H. G. 1965: 560. Selected by Owen as the type by monotypy. See also his note on p. 560.

C

Caletaster sp

E 54083 Cretaceous, Cenomanian. Wilmington Sands, 6.58m below datum. The White Hart Sand Pit, Wilmington, Devon, England. Presd Gale, A. S. November 1988. Figd Gale, A. S., in Smith, A. B., Paul, C. R. C., Gale, A. S. & Donovan, S. K. 1988: 202, 203, 207, pl. 42 figs 6a,b.

Calliderma hamptonensis (Wright)

E 1066 **Holotype** of *Goniaster hamptonensis* Wright. Jurassic, Bathonian. Great Oolite, 'planking beds' freestone. Minchinghampton Common, Gloucestershire, England. Colld Day, E., purchd from him by Buckman. Buckman, J. Colln. Type figd Wright, T. (1863–1880) 1863: 109–110, pl. 2 figs 2a,b as *Goniaster hamptonensis* Wright.

Calliderma latum Forbes

E 3347, E 3348, OR 35504, OR 47001 See: *Calliderma latum* (Forbes)

Calliderma latum (Forbes)

E 3347 Cretaceous. England. Capron, J. R. Colln. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: 13, 14, pl. 2 figs 2a–d as *Calliderma latum* Forbes.

E 3348 (ex. 76002) Cretaceous, Cenomanian, *subglobosus* Zone. Sussex, England. Capron, J. R. Colln. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: 13, 14, pl. 2 figs 1a–e as *Calliderma latum* Forbes.

OR 35504 **Syntype** of *Goniaster (Astrogonium) latus* Forbes. Cretaceous, Cenomanian, *subglobosus* Zone. Amberley, Sussex, England. Dixon, F. Colln. Type refd Forbes, E. 1848: 474 as *Goniaster (Astrogonium) latus* Forbes. Figd Forbes, E. in Dixon, F. 1850: 333, pl. 23 fig. 4 as *Goniaster (Astrogonium) latus* Forbes. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: 367, 370, 440, pl. 23 fig. 4 as *Goniaster (Astrogonium) latus* Forbes. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: 12–14, pl. 3 figs 1a–e as *Calliderma latum* Forbes.

OR 35505 See: *Calliderma smithiae* (Forbes)

OR 47001 Cretaceous, Cenomanian, *subglobosus* Zone. Grey Chalk. Dover, Kent, England. Old Colln. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: 13, 14, pl. 3 figs 2a,b as *Calliderma latum* Forbes.

Calliderma mosaicum Forbes

E 2574, E 2602, E 2620, E 13049 See: *Calliderma smithiae* (Forbes)

'Calliderma smithiae' (Forbes)

E 3346 See: *Calliderma smithiae* (Forbes)

Calliderma smithiae Forbes

OR 48080, OR 75997, E 20973–74 See: *Calliderma smithiae* (Forbes) *Calliderma smithiae* (Forbes)

E 5063 See: *Ophryaster sulcatus* (Sladen)

Calliderma smithiae (Forbes)

E 2574 Cretaceous, Cenomanian. Lower Chalk. England. Old Colln. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: 10, 11, pl. 5 figs 2a–e as *Calliderma mosaicum* Forbes; 1907: 123 as *Calliderma smithiae* (Forbes). Figd Gale, A. S. 1988 (1987a): 159, 170, 171, pl. 1 fig. 1.

E 2602 Cretaceous, Cenomanian, *subglobosus* Zone. Grey Chalk. Dover, Kent, England. Smith, Mrs M. H. Colln. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: pl. 6 fig. 1 as *Calliderma mosaicum* Forbes; 1907: 123 as *Calliderma smithiae* (Forbes).

E 2620 Cretaceous, Cenomanian, *subglobosus* Zone. Grey Chalk. Dover, Kent, England. Smith, Mrs M. H. Colln. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: 11, pl. 6 fig. 2a–c as *Calliderma mosaicum* Forbes; 1907: 123 as *Calliderma smithiae* (Forbes).

E 3346 (ex. 76002) Cretaceous, Cenomanian. Lower Chalk. Dorking, Surrey, England. No collection data. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: 5, 10, pl. 7 figs 4a–c as *Calliderma mosaicum* Forbes; 1907: 123 as *'Calliderma smithiae'* (Forbes).

E 13049 (ex. 76002) Cretaceous, Cenomanian. Lower Chalk. Cowslip Pit, county unknown, England. Purchd Capron, H. 1879. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: pl. 12 figs 4a–d as *Calliderma mosaicum* Forbes. No other information, either in the registers or with

CATALOGUE OF FOSSIL ASTEROIDEA AND OPHIUROIDEA

the specimen, indicates the location of Cowslip Pit.

E 20969–70 Cretaceous, Campanian, *mucronata* Zone, 'L'. Norfolk, England. Rowe, A. W. Colln. Purchd November 1926. Figg Spencer, W. K. 1913: 173, pl. 12 figs 25 upper (E 20969), lower (E 20970).

E 20973–74 Cretaceous, Turonian, *cuvieri* Zone. Branscombe, Devon, England. Rowe, A. W. Colln. Purchd November 1926. Figg Spencer, W. K. 1913: 127, 173, pl. 12 figs 22 upper (E 20973), lower (E 20974) as *Calliderma smithiae* Forbes.

OR 35505 Syntype of *Calliderma latum* (Forbes). Cretaceous, Cenomanian, *subglobosus* Zone. Washington, Sussex, England. Dixon, F. Colln. Type refd Forbes, E. 1848: 474 as *Goniaster (Astrogonium) latus* Forbes. Figg Forbes, E. in Dixon, F. 1850: 333–334, pl. 23 fig. 5 as *Goniaster (Astrogonium) latus* Forbes. Figg Forbes, E. in Dixon, F. & Jones, T. R. 1878: 367, 370, 440, pl. 23 fig. 5 as *Goniaster (Astrogonium) latus* Forbes. Figg Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: 5, 13, pl. 3 figs 3a,b as *Calliderma latum* (Forbes). Figg Gale, A. S. 1988 (1987a): 161, 170, 171, pl. 2 fig. 2.

OR 48080 Cretaceous, Cenomanian, *subglobosus* Zone. Grey Chalk. Dover, Kent, England. No collection data. Figg Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: 5, 7, 9, pl. 8 figs 2a–e as *Calliderma smithiae* Forbes.

OR 75997 Holotype of *Goniaster (Astrogonium) smithii* Forbes. Cretaceous, Cenomanian, *subglobosus* Zone. Grey Chalk. Burham, Kent, England. Smith, Mrs M. H. Colln. Type refd Forbes, E. 1848: 474–475 as *Goniaster (Astrogonium) smithii* Forbes. Figg Forbes, E. in Dixon, F. 1850: 334, pl. 22 figs 1, 2 as *Goniaster (Astrogonium) smithii* Forbes. Figg Forbes, E. in Dixon, F. & Jones, T. R. 1878: 367, 370, 439, pl. 22 figs 1, 2 as *Goniaster (Astrogonium) smithiae* Forbes. Figg Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: 5–9, pl. 1 figs 1a–f as *Calliderma smithiae* Forbes. Figg Gale, A. S. 1988 (1987a): 159, 170, 171, pl. 1 fig. 2 (referred to E 3349).

Chomataster acules Spencer

E 13255 Holotype. Type species of *Chomataster* Spencer 1913: 128–129. Cretaceous, Upper Campanian, upper *mucronata* Zone. Rügen, Germany. Purchd Laur, A. 27th October 1906. Type figd Spencer, W. K. 1913: 128–129, 177, pl. 16 figs 8, 9.

E 13256–59 Paratypes. Cretaceous, Upper Campanian, upper *mucronata* Zone. Rügen, Germany. Purchd Laur, A. 27th October 1906. Type figd Spencer, W. K. 1913: 177, pl. 16 figs 10 (E 13256), 11, 11a (E 13257), 12 (E 13258), 13 (E 13259).

E 13260–61 Paratypes. Cretaceous, Upper Campanian, upper *mucronata* Zone. Rügen, Germany. Purchd Laur, A. 27th October 1906. Type figd Spencer, W. K. 1913: 128–129, 173, pl. 12 figs 28 upper (E 13260), lower (E 13261).

E 13262 Paratype. Cretaceous, Upper Campanian, upper *mucronata* Zone. Rügen, Germany. Purchd Laur, A. 27th October 1906. Type figd Spencer, W. K. 1913: 128–129, 173, pl. 12 fig. 3. Fig. 3 is an arm reconstructed from several ossicles.

Chomataster coombii (Forbes)

E 13724 See: *Nymphaster coombii* (Forbes)

Chomataster humilis Schulz & Weitschat

E 28407a,b See: *Nymphaster humilis* (Schulz & Weitschat)

Chomataster marginatus (Sladen)

OR 35484 See: *Nymphaster marginatus* Sladen

Chomataster praecursor Spence

E 20971–72 Cretaceous, Campanian, *mucronata* Zone, 'M'. Studland, Dorset, England. Rowe, A. W. Colln. Purchd November 1926. Figg Spencer, W. K. 1913: 129, 173, pl. 12 figs 26 upper (E 20971), lower (E 20972).

Cnemidactis girvanensis (Schuchert)

E 52383 Holotype of *Urasterella girvanensis* Schuchert. Type species of *Cnemidactis* Spencer, 1918: 156. Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs. R. Purchd 1920. Figg Nicholson, H. A. & Etheridge, R. 1880: 325–326, pl. 21 figs 9, 10 as *Tetraster* sp. Type figd Schuchert, C. 1915: 165, 175, 186, pl. 28 fig. 5 as *Urasterella girvanensis* Schuchert. Type refd Spencer, W. K. (1914–1940) 1918: 156 as *Cnemidactis*. The figuring by Schuchert is of a squeeze made from the actual specimen which is stored in the United States National Museum, numbered 60611.

E 52397a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs R. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1918: 156, 159, text figs 102, 161, pl. 11 fig. 2 (E 52397b).

E 52444a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs R. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1918: 156, 158, pl. 12 fig. 2 (E 52444a); 156, 157, text figs 101, 158, 161, 168, pl. 12 fig. 4 (E 52444b).

E 52453a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs R. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1918: 156, 157, text figs 100, 158, (E 52453a).

E 52484a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs R. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1918: 156, 161, pl. 12 fig. 5 (E 52484b).

E 52499 Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs R. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1918: 156, 157, pl. 13 fig. 2.

E 52589a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs R. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1918: 156, 159, pl. 11 fig. 1 (E 52589a).

E 52590a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs R. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1918: 156, 157, 158, 159, pl. 12 fig. 1 (E 52590a); 156, 158, pl. 12 fig. 3 (E 52590b).

E 52897a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs R. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1918: 156, 157, 158, Presd by Misses Gray June 1937. Figg Smith, A. B. in Murray, J. W. (editor) 1985: fig. 7.6.2 (E 52897a).

E 53835a–c Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan,

Ayrshire, Scotland. Gray, Mrs R. Colln. Figd Gale, A. S. 1987b: 119 figs 7A,C (E 53835a).

Coccaster bulbiferus Spencer

E 13956 Holotype counterpart. Type species of *Coccaster* Spencer, 1916: 75. Silurian. Lower Ludlow. Church Hill, Leintwardine, Herefordshire, England. Ludlow Museum Colln. Purchased January 1947. Type figd Spencer, W. K. (1914–1940) 1916: 62, 66, 75–78, text figs 32I, 33, 39, 97; 1919: 179, text fig. 122a, pl. 3 fig. 2. The specimen is the counterpart of the part which is in the Royal Scottish Museum, Edinburgh, number 65/158a (as given by Spencer, pl. 2 fig. 1).

Compsaster petaliformis (Stürz)

E 5003 Holotype of *Jaekelaster petaliformis* Stürz. Lower Devonian. Hunsrückshiefer. Bundenbach, near Birkenfeld, south slope of Hunsrück, Rhineland, Germany. Stürz, B. Colln. Purchd June 1900. Type figd Stürz, B. 1900 (1899): 235–236, pl. 4 figs 13–16 as *Jaekelaster petaliformis* Stürz.

Compsaster spiniger (Wright)

E 1642 Holotype of *Uraster spiniger* Wright. Jurassic, Bathonian. Forest Marble. Near Road, Wiltshire, England. Colld Parsons, H. F., Wright, T. Colln. Purchd Butler, F. H. May 1887. Type figd Wright, T. (1863–1880) 1880: 166–168, text fig. 41 (fig. is reversed), pl. 21 fig. 1 as *Uraster spiniger* Wright. Figd Wright, T. 1886a: 50–52, text fig. on p. 51 as *Uraster spiniger* Wright. The text figure on p. 51 of Wright, 1886a, is reversed.

Comptonia comptoni Forbes

OR 34311 See: *Comptoniaster comptoni* (Forbes)

Comptonia elegans Gray

E 2567 Neotype. Type species of *Comptonia* Gray 1840: 278. Cretaceous, Albian. Upper Greensand. Blackdown, Devon, England. Bowerbank Colln. Type refd Gray, J. E. 1840: 278. Figd Forbes, E. in Dixon, F. 1850: 336, pl. 22 fig. 9. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: 369, 370, 439, pl. 22 fig. 9. Type figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 71–72, pl. 17 figs 4, 4a. The justification for the selection of this specimen as the neotype is given by Spencer on p. 71.

Comptoniaster comptoni (Forbes)

E 54081 Cretaceous, Cenomanian. Wilmington Sands, 6.71m below datum. The White Hart Sand Pit, Wilmington, Devon, England, SY 208 999. Presd Gale, A. S. November 1988. Figd Gale, A. S., in Smith, A. B., Paul, C. R. C., Gale, A. S. & Donovan, S. K. 1988: 197, 202, pl. 41 figs 5a,b. OR 34311 Syntype of *Goniaster (Stellaster) comptoni* Forbes. Cretaceous. Upper Greensand. England. Bowerbank Colln. Type refd Forbes, E. 1848: 476 as *Goniaster (Stellaster) comptoni* Forbes. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 69, 70, pl. 17 figs 3, 3a–b as *Comptonia comptoni* Forbes.

Coulonia colei (Forbes)

E 428a–g Eocene, Ypresian. London Clay, division 5. Highgate, North London, Middlesex, England. Presd Maitland, R. 1st October 1884. Figd Rasmussen, H. W. 1972: 43, pl. 3 fig. 9, pl. 12 fig. 1 (E 428a), pl. 3 figs 10a,b (E 428b), figs 11a,b (E 428c), figs 12 left (E 428d), right (E 428e), 13 left (E 428f), right (E 428g) (under E 428). E 428b–g are individual components of a single arm – E 428a – with suffixes for identification.

OR 38490 Eocene. London Clay. Sheppey, Kent, England. Griffiths, W. Colln January 1858. Figd Rasmussen, H. W. 1972: 43, pl. 3 fig. 14 (under E 38490).

OR 57501 Syntype of *Astropecten crispatus* Forbes. Eocene. London Clay. Isle of Sheppey, Kent, England. Bowerbank Colln. Purchd 1865. Type refd Forbes, E. 1848: 479 as *Astropecten crispatus* Forbes. Figd Forbes E. 1849: 3, fig. 3 as *Astropecten crispatus* Forbes. The specimen has been totally destroyed by pyrite decomposition. According to a note included with the specimen, this occurred perhaps between 1931–1939, but probably started long before, as treatment with paraffin wax had been given in 1919. Figured herein, fig. 3.

OR 57503 Holotype of *Astropecten armatus* Forbes. Eocene. London Clay. Isle of Sheppey, Kent, England. Bowerbank Colln. Type refd Forbes, E. 1848: 479 as *Astropecten armatus* Forbes. Figd Forbes E. 1849: 3, fig. 4 as *Astropecten armatus* Forbes. Figd Forbes, E. 1852: 29, pl. 4 figs 1a,b as *Astropecten armatus* Forbes. Fig. 1a in Forbes 1852, is reversed left–right; it is a mirror image.

Coulonia sp

E 54168 Cretaceous, Lower Cenomanian. Loose, or 11.5m below datum, Bed A1. The White Hart Sand Pit, Wilmington, Devon, England, SY 208 999. Presd Gale, A. S. November 1988. Figd Gale, A. S., in Smith, A. B., Paul, C. R. C., Gale, A. S. & Donovan, S. K. 1988: 207, 208 pl. 43 fig. 4. The text (p.207) states that E 54168 was found loose, but the plate explanation indicates 11.5m below datum, from Bed A1. The explanation of pl. 43 gives the specimen as fig. 7, but there is no fig. 7 on pl. 43; the correct figure is that labelled 4, centre left on the plate.

Crateraster favosus (Spencer)

E 13238 Holotype of *Teichaster favosus* Spencer. Cretaceous, Upper Campanian, *mucronata* Zone. Studland, Dorset, England. Faber Colln. Exch Mineralogy Museum, University of Copenhagen 7th October 1912. Type figd Spencer, W. K. 1913: 122–123, pl. 12 fig. 14 as *Teichaster favosus* Spencer. Locality information given by Spencer on p. 173 is 'Isle of Wight'. Elsewhere – on p. 122, on labels and in the register – the locality given is Studland, Dorset.

E 13297–301 Paratypes of *Teichaster favosus* Spencer. Cretaceous, Upper Campanian, upper *mucronata* Zone. Rügen, Germany. Purchd Laur, A. 27th October 1906. Figd Spencer, W. K. 1913: E 13297–8: 122, 173, pl. 12 figs 16 (E 13297 = upper, E 13298 = lower); 177, pl. 16 figs 14 (E 13299), 15 (E 13300), 16a,b (E 13301) as *Teichaster favosus* Spencer.

E 20280 Cretaceous, Campanian, *mucronata* Zone. Clarendon, near Salisbury, Wiltshire, England. Blackmore, H. P. Colln. Presd Trustees, Salisbury Museum January 1935. Figd Gale, A. S. 1988 (1987a): 181, 183, pl. 7 fig. 11.

Crateraster quinqueloba (Goldfuss)

E 2036 Cretaceous. Upper Chalk. Kent, England. Purchd Harford, F. June 1888. Figd Gale, A. S. 1988 (1987a): 172, 177, pl. 5 fig. 17.

E 2582 Paratype of *Pentagonaster megaloplax* Sladen. Cretaceous, Senonian. Upper Chalk. South-east England, England. Old Colln. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: 28, pl. 4 figs 3a–c as *Pentagonaster megaloplax* Sladen; 1907: 108 as *Pentagonaster quinqueloba* (Goldfuss).

E 5064 (ex. 46782) Paratype of *Pentagonaster megaloplax*

Sladen. Cretaceous, Senonian. Upper Chalk. Near Bromley, Kent, England. Simmons, J. Colln. Purchd 1869. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: 28, 29, pl. 4 figs 4a–e as *Pentagonaster megaloplax* Sladen; 1907: 108 as *Pentagonaster quinqueloba* (Goldfuss).

E 5065 (ex. 35500) Holotype of *Pentagonaster megaloplax* Sladen. Cretaceous, Senonian. Upper Chalk. Sussex, England. Dixon, F. Colln. Figd Forbes, E. in Dixon, F. 1850: 333, pl. 23 fig. 9 as *Goniaster (Astrogonium) lunatus* Woodward. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: 366, 370, 440, pl. 23 fig. 9 as *Goniaster (Astrogonium) lunatus* Woodward. Type figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: 27–29, pl. 4 figs 2a–c as *Pentagonaster megaloplax* Sladen; 1907: 108 as *Pentagonaster quinqueloba* (Goldfuss).

E 20279 Cretaceous, Santonian, *coranguinum* Zone. Micheldever, Hampshire, England. Blackmore, H. P. Colln. Presd Trustees, Salisbury Museum January 1935. Figd Wright, C. W. & Smith, A. B. 1987: 216, pl. 47 fig. 4. Figd Gale, A. S. 1988 (1987a): 177, 179, pl. 6 fig. 7.

E 20968 Cretaceous, Campanian, *mucronata* Zone. Studland, Dorset, or Isle of Wight, England. Rowe, A. W. Colln. Purchd November 1926. Figd Spencer, W. K. 1913: 121, 173, pl. 12 fig. 13. On a label with the specimen, E. R. Bush (once an Experimental Officer curator in the Department of Palaeontology) wrote ‘ . . . According to W. K. Spencer’s small card label, the locality for this specimen is Studland, but in the Explanation of Plate 12 figures (. . . p.173) it is given as Isle of Wight.’ The label is dated 6/12/51.

E 20975–76 Cretaceous, Turonian, *cuvieri* Zone. Branscombe, Devon, England. Rowe, A. W. Colln. Purchd November 1926. Figd Spencer, W. K. 1913: 121, 173, pl. 12 figs 1 upper, 2 upper, 3 (E 20975); 1 lower, 2 lower, 4 (E 20976).

OR 46779 Cretaceous, Senonian. Upper Chalk. Near Bromley, Kent, England. Purchd Simmons, J. 10th May 1869. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 30, pl. 13 figs 1a,b as *Pentagonaster megaloplax* Sladen; 1907: 108 as *Pentagonaster quinqueloba* (Goldfuss).

D

Devonistella filiciformis (Woodward)

E 13638 Syntype of *Helianthaster filiciformis* Woodward. Paralectotype. Devonian. Great Inglebourne, Harberton, South Devon, England. Champernowne, A. Colln. Purchd July 1909. Type figd Woodward, H. 1874: 7–10, fig. on p. 8 as *Helianthaster filiciformis* Woodward. Figd Spencer, W. K. (1914–1940) 1927: 369, 370; 1930: pl. 25 fig. 3 (in error as E 13639a).

E 13639 Syntype of *Helianthaster filiciformis* Woodward. Lectotype. Type species of *Devonistella* Spencer, 1927: 369. Devonian. Great Inglebourne, Harberton, South Devon, England. Champernowne, A. Colln. Purchd July 1909. Type refd Woodward, H. 1874: 7–10 as *Helianthaster filiciformis* Woodward. Figd Spencer, W. K. (1914–1940) 1927: 369, 370 text fig. 236; 1930: pl. 25 figs 1, 2 (in error numbered E 13639b).

E

Echinasterella sladeni Stürz

E 3468 Syntype. Type species of *Echinasterella* Stürz, 1890: 225. Lower Devonian. Bundenbach, Germany. Stürz, B. Colln. Purchd July 1891. Figd Stürz, B. 1890: 225, pl. 28 figs 26, 26a,b.

E 3489 Syntype. Type species of *Echinasterella* Stürz 1890: 225. Lower Devonian. Bundenbach, Germany. Stürz, B. Colln. Purchd July 1891. Figd Stürz, B. 1890: 225, pl. 28 fig. 27.

Echinasterias spinosus Stürz

E 5000, E 5001 See: *Palaeosolaster gregoryi* Stürz

Echinodiscus multidactylus Stürz

E 4998, E 4999 See: *Palaeosolaster gregoryi* Stürz

Echinostella traquairi Stürz

E 4997 See: *Palaeosolaster gregoryi* Stürz

Eoactis simplex Spencer

E 13154 Holotype. Type species of *Eoactis* Spencer, 1914: 205. Silurian. Lower Ludlow, or Wenlock. Hafod, Llandover, Dyfed, Wales. Morton, G. H. Colln. Purchd from Miss Morton July 1900. Type figd Spencer, W. K. (1914–1940) 1914: 30, pl. 1 fig. 4; 1922: 205–208, text figs 147, 148, pl. 15 fig. 8.

G

Gasterometra polycirra Gislén

E 7401 See: *Stauranderaster* sp.

Girvanaster sculptus Spencer

E 52539 Syntype. Type species. Lectotype of *Protopalaeaster sculptus* (Spencer). Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs R. Purchd 1920. Type figd Spencer, W. K. (1914–1940) 1916: 61, 70, text figs 35, 72, pl. 3 fig. 6. Type refd Owen, H. G. 1965: 568 as *Protopalaeaster sculptus* (Spencer). Selected by Owen as lectotype of species.

Goniaster (Astrogonium) coombii Forbes

OR 35503 See: *Nymphaster coombii* (Forbes)

Goniaster (Astrogonium) latus Forbes

OR 35504, OR 35505 See: *Calliderma latum* (Forbes)

Goniaster (Astrogonium) lunatus Woodward

E 5065 See: *Crateraster quinqueloba* (Goldfuss)

Goniaster (Astrogonium) smithiae Forbes

OR 75997 See: *Calliderma smithiae* (Forbes)

Goniaster (Astrogonium) smithii Forbes

OR 75997 See: *Calliderma smithiae* (Forbes)

Goniaster (Goniodiscus) bowerbankii Forbes

E 2578 See: *Metopaster bowerbankii* (Forbes)

Goniaster (Goniodiscus) mantelli Forbes

OR 76002, E 2570 See: *Metopaster mantelli* (Forbes)

Goniaster (Goniodiscus) parkinsoni Forbes

E 2569 See: *Metopaster parkinsoni* (Forbes)

Goniaster (Goniodiscus) rugatus Forbes**E 2585** See: *Metopaster rugatus* (Forbes)**Goniaster (Goniodiscus) uncatus Forbes****E 2577** See: *Metopaster parkinsoni* (Forbes)**OR 57518** See: *Metopaster rugatus* (Forbes)**Goniaster hamptonensis Wright****E 1066** See: *Calliderma hamptonensis* (Wright)**Goniaster mantelli Forbes****OR 76002, E 2570** See: *Metopaster mantelli* (Forbes)**Goniaster rugatus Forbes****E 2585** See: *Metopaster rugatus* (Forbes)

'... fragment of Goniaster sp. . . . '

E 2568 See: *Stauranderaster* sp.**Goniaster (Stellaster) comptoni Forbes****OR 34311** See: *Comptoniaster comptoni* (Forbes)**Goniaster stokesii Forbes****E 52239,44** See: *Teichaster stokesii* (Forbes)**Goniaster uncatus Forbes****OR 57518** See: *Metopaster rugatus* (Forbes)**Goniasteridae sp. A**

E 54112 Cretaceous, Cenomanian. Grizzle, 2.66 m below datum. The White Hart Sand Pit, Wilmington, Devon, England, SY 208 999. Presd Gale, A. S. November 1988. Figd Gale, A. S., in Smith, A. B., Paul, C. R. C., Gale, A. S. & Donovan, S. K. 1988: 205, 207, pl. 43 figs 2a-c.

E 54358 (ex. 21029)(ex. Wright & Wright coll. No. 21029) Cretaceous, Cenomanian. Pit 2, Wilmington, Devon, England. C. W. & E. V. Wright Colln. Presd March 1977. Figd Gale, A. S., in Smith, A. B., Paul, C. R. C., Gale, A. S. & Donovan, S. K. 1988: 205, 207, pl. 43 figs 1a-c.

Goniasteridae sp. B

E 54115 Cretaceous, Cenomanian. The White Hart Sand Pit, Wilmington, Devon, England. Presd Gale, A. S. November 1988. Figd Gale, A. S., in Smith, A. B., Paul, C. R. C., Gale, A. S. & Donovan, S. K. 1988: 205, 207, pl. 43 figs 5a,b.

H**Hadrandaster abbreviatus (Spencer)**

OR 57538 Holotype of *Pentaceros abbreviatus* Spencer. Type species of *Hadrandaster* Spencer 1907 : 125. Cretaceous. Upper Chalk. Charlton, Kent, England. Tennant, J. Colln. Purchd 16th November 1870. Type figd Sladen, W. P. & Spencer, W. K. (1891-1908) 1905: 86-87, pl. 24 figs 1, 1a-c as *Pentaceros abbreviatus* Spencer; 1907: 125 referred to as *Hadrandaster abbreviatus* (Spencer).

Helianthaster filiciformis Woodward

E 13638, E 13639 See: *Devonistella filiciformis* (Woodward)

Helianthaster rhenanus Roemer

E 3361 Lower Devonian. Bundenbach, Germany. Stürtz, B. Colln. Purchd July 1891. Figd Stürtz, B. 1890: 218-219, pl. 26 figs 14a, 15 (fig. 15 is schematic with E 3362 and E 3363). Figd Spencer, W. K. (1914-1940) 1927: 372, 373, text fig. 237; 1930: 389, 390, 391, 392, text figs 249, 250.

E 3362 Lower Devonian. Bundenbach, Germany. Stürtz, B. Colln. Purchd July 1891. Figd Stürtz, B. 1890: 218-219, pl.

26 fig. 15 (fig. 15 is schematic with E 3361 and E 3363). Figd Spencer, W. K. (1914-1940) 1927: 373, 374, text fig. 240; 1930: 390.

E 3363 Lower Devonian. Bundenbach, Germany. Stürtz, B. Colln. Purchd July 1891. Figd Stürtz, B. 1890: 218-219, pl. 26 fig. 15 (fig. 15 is schematic with E 3361 and E 3362), pl. 27 fig. 14.

E 3513 Lower Devonian. Bundenbach, Germany. Stürtz, B. Colln. Purchd 1894. Figd Stürtz, B. 1893: 12-13, pl. 1 fig. 4. Figd Spencer, W. K. (1914-1940) 1927: 372, 373, 387, text fig. 239, pl. 24 fig. 9 (as E 3368); 1930: 390.

E 52860 Lower Devonian. Hunsrückshiefer. Bundenbach, near Birkenfeld, Rhineland, Germany. Stürtz, B. then Spencer, W. K. Colln. Presd Egerton, Mrs H. October 1955. Figd Spencer, W. K. (1914-1940) 1927: 372, 373; 1930: 390, 391, 392, text figs 238, 251.

Hippasteria tuberculata (Forbes)

E 52242 (ex. 57502) Eocene. London Clay. Isle of Sheppey, Kent, England. Bowerbank Colln 1850. Figd Rasmussen, H. W. 1972: 49, pl. 4 figs 5a,b.

E 53295 Eocene. London Clay. Foreshore, near Warden Point, Isle of Sheppey, Kent, England. Colld Sancto, R. G. Presd September 1963. Figd Rasmussen, H. W. 1972: 49, pl. 4 figs 2a,b.

OR 33832a,b Eocene. London Clay. Isle of Sheppey, Kent, England. Griffiths, W. Colln November 1854. Figd Rasmussen, H. W. 1972: 49, pl. 4 figs 3a,b (33832a), 4a-c (33832b) (both with 'E' prefix).

J**Jaekelaster petaliformis Stürtz****E 5003** See: *Compsaster petaliformis* (Stürtz)**L****Lepidactis wenlocki Spencer**

OR 57476 Holotype. Type species of *Lepidactis* Spencer, 1918 : 113. Silurian. Wenlock Limestone. Dudley, Worcestershire, England. Allport, Samuel Colln. Purchd 1871. Type figd Spencer, W. K. (1914-1940) 1918: 113-116, text figs 68-70, pl. 6 fig. 5.

Lepidaster grayi Forbes

OR 40215 Holotype. Type species of *Lepidaster* Forbes, 1850 : 1-2. Silurian. Wenlock Limestone. Quarries at Castle Hill, Dudley, Worcestershire, England. Gray, John Colln. Type figd Forbes, E. 1850a: 1-2, pl. 1 figs 1-3.

Linckia sp.

E 5055 (ex. 76002) Cretaceous. Lower Chalk. No locality data. Purchd Capron, J. R. 1879. Figd Sladen, W. P. & Spencer, W. K. (1891-1908) 1907: 100-101, pl. 27 figs 1, 1a.

Lophidiaster concavus Rasmussen

E 53630-31,33-34 Eocene, Ypresian. London Clay, division 3. Wraysbury Reservoir, Poyle, Buckinghamshire, England. Colld Rundle, A. J. & Cooper, J. Presd. Type figd Rasmussen, H. W. 1972: pl. 3 figs 20 (E 53630), 21 (E 53631), 23 (E 53633), 24 (E 53634).

E 53632 Holotype. Eocene, Ypresian. London Clay, division 5. Wraysbury Reservoir, Poyle, Buckinghamshire, England. Colld Rundle, A. J. & Cooper, J. Presd. Type figd

Rasmussen, H. W. 1972: 47–48, pl. 3 figs 22a,b.

E 53675 Eocene, Ypresian. London Clay, division 2. Aveley, Essex, England. Rundle, A. J. Colln. Type figd Rasmussen, H. W. 1972: pl. 3 fig. 25.

Lophidiaster pygmaeus Spencer

E 13263–4 Syntypes. Cretaceous, Upper Senonian, upper *mucronata* Zone. Rügen, Germany. Purchd Laur, A. 27th October 1906. Type figd Spencer, W. K. 1913: 139, 172, pl. 11 figs 20 upper (E 13263), lower (E 13264).

M

Mastaster sp.

E 54109 Cretaceous, Cenomanian. The White Hart Sand Pit, Wilmington, Devon, England, SY 208 999. Presd Gale, A. S. November 1988. Figd Gale, A. S., in Smith, A. B., Paul, C. R. C., Gale, A. S. & Donovan, S. K. 1988: 204, 207, pl. 43 figs 4a,b.

Mastaster vandersensis Mercier

E 54096 Cretaceous, Cenomanian. Wilmington sands, 4.56m–9.4m below datum. The White Hart Sand Pit, Wilmington, Devon, England, SY 208 999. Presd Gale, A. S. November 1988. Figd Gale, A. S., in Smith, A. B., Paul, C. R. C., Gale, A. S. & Donovan, S. K. 1988: 203, 204, 207, pl. 43 figs 3a,b.

E 54106,7 Cretaceous, Cenomanian. The White Hart Sand Pit, Wilmington, Devon, England, SY 208 999. Presd Gale, A. S. November 1988. Figd Gale, A. S., in Smith, A. B., Paul, C. R. C., Gale, A. S. & Donovan, S. K. 1988: 200, 203, 204, pl. 42 figs 5a,b (E 54107), 7a,b (E 54107).

E 54169 Cretaceous, Lower Cenomanian. The White Hart Sand Pit, Wilmington, Devon, England, SY 208 999. Presd Gale, A. S. November 1988. Figd Gale, A. S., in Smith, A. B., Paul, C. R. C., Gale, A. S. & Donovan, S. K. 1988: 200, 204, pl. 42 figs 6a,b.

E 54370,1 (ex. Wright & Wright colln no. 2009, 2120) Cretaceous, Cenomanian. Hooken, Devon, England. Wright, C. W. & E. V. Colln. Presd March 1977. Figd Wright, C. W. & Wright, E. V. 1940: pl. 15 figs 2 left (E 54370), 2 right (E 54371). Figd Breton, G. 1979: 42, text fig. 24 (pars.).

E 54372 (ex. Wright & Wright colln no. 10414) Cretaceous, Cenomanian. sandy facies. Hooken, Devon, England. Wright, C. W. & E. V. Colln. Presd March 1977. Figd Wright, C. W. & Wright, E. V. 1940: 247, pl. 14 figs 14, 15, pl. 15 fig. 7.

E 54373 (ex. Wright & Wright colln no. 10414) Cretaceous, Cenomanian. Pit 2 Wilmington, Devon, England. Wright, C. W. & E. V. Colln. Presd March 1977. Figd Wright, C. W. & Wright, E. V. 1940: pl. 15 fig. 1.

E 54374 (ex. Wright & Wright colln no. 3535) Cretaceous, Cenomanian. Pit 2 Wilmington, Devon, England. Wright, C. W. & E. V. Colln. Presd March 1977. Figd Wright, C. W. & Wright, E. V. 1940: pl. 15 fig. 4. Figd Gale, A. S., in Smith, A. B., Paul, C. R. C., Gale, A. S. & Donovan, S. K. 1988: 200, 203, pl. 42 fig. 3.

Mesopalaeaaster complicatus Spencer

E 52445Aa,b,Ba,b Holotype. Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thrive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs R. Purchd 1920. Type figd Spencer, W. K. (1914–1940) E

52445Aa,b; 1916: 86–89, text figs 46, 47, 48; 1922: 226; E 52445Ba,b; 1916: 86–89, text fig. 47, pl. 3 fig. 5; 1919: 179; 1922: 226. Figd Gale, A. S. 1987b: fig. 7G (E 52445Ab). The holotype is specimen E 52445Aa,b.

E 52504 Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thrive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs R. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1916: 86–89, text fig. 46; 1919: 179; 1922: 226, pl. 2 fig. 9.

Mesopalaeaaster primus Spencer

E 52441a,b Syntype. Lectotype. Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thrive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs R. Purchd 1920. Type figd Spencer, W. K. (1914–1940) E 52441a; 1916: 84–87, text fig. 44; 1919: 179, pl. 2 fig. 2; E 52441b; 1916: 80, 84–87, text fig. 45; 1919: 179, pl. 3 fig. 8. Type refd Owen, H. G. 1965: 568. Selected by Owen as the Lectotype.

E 52542 Syntype. Paralectotype. Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thrive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs R. Purchd 1920. Type refd Spencer, W. K. (1914–1940) 1916: 84–87.

Mesopalaeaaster(?) leintwardinensis Spencer

E 13153 See: *Arisaigaster leintwardinensis* (Spencer)

Metopaster A

E 54367 See: *Metopaster* sp. A

Metopaster albocervus Gale

E 54287 Paratype. Cretaceous, Cenomanian. probably Wilmington Sands. The White Hart Sand Pit, Wilmington, Devon, England. Presd Gale, A. S. November 1988. Figd Gale, A. S. 1986: 21, pl. 9 fig. 15.

E 54288 Holotype. Cretaceous, Cenomanian. probably Wilmington Sands. The White Hart Sand Pit, Wilmington, Devon, England. Presd Gale, A. S. November 1988. Type figd Gale, A. S. 1986: 21, pl. 9 figs 16A–C.

Metopaster andreae Gale

E 54289 Holotype. Cretaceous, Cenomanian. The White Hart Sand Pit, Wilmington, Devon, England. Presd Gale, A. S. 1987. Type figd Gale, A. S. 1986: 22, pl. 9 figs 17A,B.

E 54290 Paratype. Cretaceous, Cenomanian. The White Hart Sand Pit, Wilmington, Devon, England. Presd Gale, A. S. 1987. Figd Gale, A. S. 1986: 22, pl. 9 figs 18A,B.

Metopaster bowerbankii Forbes

E 2578 See: *Metopaster bowerbankii* (Forbes)

Metopaster bowerbankii (Forbes)

E 2578 Holotype of *Goniaster (Goniodiscus) bowerbankii* Forbes. Cretaceous. Chalk. Kent, England. Bowerbank Colln. Type refd Forbes, E. 1848: 473 as *Goniaster (Goniodiscus) bowerbankii* Forbes. Figd Forbes, E. in Dixon, F. 1850: 333, pl. 22 fig. 4 as *Goniaster (Goniodiscus) bowerbankii* Forbes. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: 366, 370, 439, pl. 22 fig. 4 as *Goniaster (Goniodiscus) bowerbankii* Forbes. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 42, 43, 45, pl. 16 figs 1a–c as *Metopaster bowerbankii* Forbes.

Metopaster bromleyi Gale

E 13304 Syntype of *Metopaster parkinsoni* (Forbes) var. *calcar* Spencer. Holotype. Cretaceous, uppermost Lower

Campanian. Trümmerkreide. Balsberg, North-east Skania, Sweden. Presd University of Lund. Type figd Spencer, W. K. 1913: 119–120, 176, pl. 15 fig. 13 as *Metopaster parkinsoni* (Forbes) var. *calcar* Spencer. Type refd Gale, A. S. 1986: 22, 24.

E 54192–4 Paratypes. Cretaceous, uppermost Lower Campanian. Ivö Klack, Skania, Sweden. Presd Gale, A. S. 1987. Figd Gale, A. S. 1986: pl. 2 figs 14A,B (E 54192), 15A,B (E 54193), 16A,B (E 54194).

E 54341–6 Paratypes. Cretaceous, uppermost Lower Campanian. Ivö Klack, Skania, Sweden. Presd Gale, A. S. 1987. Figd Gale, A. S. 1986: pl. 3 figs 1A,B (E 54341), 2A,B (E 54342), 3 left (E 54343), 3 right (E 54344), 4A,b (E 54345), 5 (54346).

Metopaster calcar Spencer

E 13305 Syntype of *Metopaster parkinsoni* (Forbes) var. *calcar* Spencer. **Lectotype.** Cretaceous, uppermost Lower Campanian. Trümmerkreide. Balsberg, North-east Skania, Sweden. Presd University of Lund. Type figd Spencer, W. K. 1913: 119–120, 176, pl. 15 figs 14–16 as *Metopaster parkinsoni* (Forbes) var. *calcar* Spencer. Type refd Gale, A. S. 1986: 24–25. Selected by Gale as the lectotype.

E 54245–67 Cretaceous, uppermost Lower Campanian. Ivö Klack, Skania, Sweden. Presd Gale, A. S. 1987. Figd Gale, A. S. 1986: 24, pl. 8 figs 12A,B (E 54245), 13 (E 54246), 14A,B (E 54247), 15A,B (E 54248), 16A,B (E 54249), 17 (E 54250–63 in a group), 18 (E 54264), 19 (E 54265), 20 (E 54266), 21 (E 54267).

E 54270 Cretaceous, Santonian. Conglomerate horizon. Ringeslätte, Skania, Sweden. Presd Gale, A. S. 1987. Figd Gale, A. S. 1986: pl. 8 fig. 22.

Metopaster chilipora (Desmoulins)

E 34340 Cretaceous, Upper Campanian. Road cutting on the Autoroute de Charente, Gironde, Aquitaine, France. Presd Gale, A. S. 1987. Figd Gale, A. S. 1986: pl. 4 figs 3A,B (not 2B as in plate explanation).

E 54218 Cretaceous, Upper Campanian. Talmont, near Royan, Charente, France. Presd Gale, A. S. 1987. Figd Gale, A. S. 1986: pl. 4 figs 1A,B.

E 54220 Cretaceous, Upper Campanian. Road cutting on the Autoroute de Charente, Gironde, Aquitaine, France. Presd Gale, A. S. 1987. Figd Gale, A. S. 1986: pl. 4 figs 2A,B.

Metopaster cingulatus Sladen

OR 46776b Holotype. Cretaceous. Upper Chalk. Near Bromley, Kent, England. Purchd Simmons, J. 27th July 1869. Type figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 53–55, pl. 14 figs 4a–d. The specimen was referred to by Sladen as bearing the registration number 46776. This number is also carried by a specimen of *Metopaster uncatus* (Forbes), so the distinction is made by the suffixes a and b.

Metopaster cornutus Sladen

E 20723 Cretaceous, Turonian, *cuvieri* Zone. (with flints). Branscombe, South Devon, England. Rowe, A. W. Colln. Purchd November 1926. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: pl. 29 fig. 12.

Metopaster decipiens Spencer

E 20306 Holotype. Cretaceous, Campanian, *quadratus* Zone. East Harnham, near Salisbury, Wiltshire, England. Blackmore, H. P. Colln. Presd Trustees, Salisbury Museum January 1935. Type figd Spencer, W. K. 1913: 118, 171,

pl. 10 fig. 18. Figd Gale, A. S. 1986: 26–27, pl. 4 fig. 13.

Metopaster elegans Gale

E 54273, 75–6 Paratypes. Cretaceous, uppermost Lower Campanian. Ivö Klack, Skania, Sweden. Presd Gale, A. S. 1987. Figd Gale, A. S. 1986: 28–29, pl. 8 figs 24A,B (E 54273); pl. 9 figs 2A,B (E 54275), 3A,B (E 54276).

E 54274 Holotype. Cretaceous, uppermost Lower Campanian. Ivö Klack, Skania, Sweden. Presd Gale, A. S. 1987. Type figd Gale, A. S. 1986: 28–29, pl. 9 figs 1A,B.

Metopaster exsculptus Spencer

E 13021 (ex. E 2625) Cretaceous. Upper Chalk. England. Dixon, F. Colln. Figd Schulz, M.-G. & Weitschat, W. 1975: pl. 28 fig. 3 (referred to number 13021).

Metopaster hunteri (Forbes)

E 2583 Cretaceous. Upper Chalk. England. Old Colln. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 60, 61, 62, pl. 12 figs 3a–e as *Mitraster hunteri* Forbes.

E 13058 Cretaceous. Upper Chalk. England. Hudson, R. Colln. Presd July 1907. Figd Gale, A. S. 1986: pl. 7 fig. 5.

E 13084 (ex. 46772) Cretaceous, Senonian. Upper Chalk. Near Bromley, Kent, England. Purchd Simmons, J. 1869. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 62, 67, pl. 9 figs 3a–e as *Mitraster hunteri* Forbes.

E 13279 Cretaceous, Upper Campanian, upper *mucronata* Zone. Rügen, Germany. Purchd Laur, A. 27th October 1906. Figd Spencer, W. K. 1913: 117, 172, pl. 11 fig. 2 as *Mitraster hunteri* Forbes.

E 20961–2 Cretaceous, Campanian, *mucronata* Zone. Isle of Wight, England. Rowe, A. W. Colln. Purchd November 1926. Figd Spencer, W. K. 1913: 117, pl. 11 fig. 1 as *Mitraster hunteri* Forbes.

E 54225 Cretaceous, Santonian. basal lag of Phosphatic Chalk. Beauval, near Doullens, Somme, France. Gale, A. S. Colln. Presd 1987. Figd Gale, A. S. 1986: 30, pl. 7 figs 6A,B.

E 54226 Cretaceous, Lower Campanian. Phosphatic Chalk. Hallencourt pit, near Abbeville, Somme, France. Gale, A. S. Colln. Presd 1987. Figd Gale, A. S. 1986: 30, pl. 7 fig. 7.

E 54227 Cretaceous, Coniacian, 'pre- *coranguinum*' Zone. hardground. Hope Gap, north of Dieppe, France. Gale, A. S. Colln. Presd 1987. Figd Gale, A. S. 1986: 30, pl. 7 figs 8A,B.

OR 40274 Cretaceous. Upper Chalk. Near Bromley, Kent, England. Simmons, J. Colln. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: pl. 15 figs 5a–b as *Mitraster hunteri* Forbes.

OR 40405 Cretaceous. Upper Chalk. Kent, England. Simmons, J. Colln. Figd Gale, A. S. 1986: pl. 17 fig. 1.

OR 46764 Cretaceous. Upper Chalk. Kent, England. Purchd Wood, J. 1868. Figd Gale, A. S. 1986: 30, pl. 7 fig. 4.

OR 46766a Cretaceous. Upper Chalk. Near Bromley, Kent, England. Purchd Simmons, J. January 1869. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 59, 61, 66, pl. 15 figs 3a–b as *Mitraster hunteri* Forbes. The specimen was referred to by Sladen as bearing the number 46766. This number is also carried by specimen of *Metopaster hunteri* (Forbes), so the distinction is made by suffixes a and b.

OR 46766b Cretaceous. Upper Chalk. Near Bromley, Kent, England. Purchd Simmons, J. January 1869. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 59, 61, pl. 15 figs 4a–d as *Mitraster hunteri* Forbes. The specimen was referred to by Sladen as bearing the number 46766. This

number is also carried by another specimen of *Metopaster hunteri* (Forbes), so the distinction is made by suffixes a and b.

OR 46781 Cretaceous. Upper Chalk. Kent, England. Purchd Simmons, J. January 1870. Figd Gale, A. S. 1986: pl. 7 fig. 2.

OR 75539 Cretaceous. Upper Chalk. Bromley, Kent, England. Purchd Simmons, J. February 1864. Figd Gale, A. S. 1986: pl. 7 fig. 3.

Metopaster loirensis Gale

E 54207, 9–14 Paratypes. Cretaceous, Santonian. Château Member, Craie de Villedieu, above glauconitized hardgrounds. Small roadside quarry between Villedieu and Le Trehet, Touraine, France. Presd Gale, A. S. 1987. Figd Gale, A. S. 1986: 31–32, pl. 3 figs 10 (E 54207), 12A,B (E 54208), 13 (E 54210), 14 (E 54211), 15 (E 54212), 16A,B (E 54213), 17 (E 54214). See remarks for E 54208.

E 54208 Holotype. Cretaceous, Santonian. Château Member, Craie de Villedieu, above glauconitized hardgrounds. Small roadside quarry between Villedieu and Le Trehet, Touraine, France. Presd Gale, A. S. 1987. Figd Gale, A. S. 1986: 31–32, pl. 3 figs 11A,B (referred to on p. 31 as E 54207, and in plate explanation as E 54208). Gale referred to E 54207 as the holotype on p. 31, but in the plate explanation he referred to E 54208 as the holotype. E 54208 is in fact the holotype because he referred to it as '... a large ultimate superom marginal ossicle ...' on p. 31 and also in the plate explanation. E 54207 is referred to, in the plate explanation only, as '... ultimate superom marginal ...'.

E 54216 Cretaceous, Santonian. Craie de Villedieu, Calcareites à bryozoaires de la Bouchardière. Villedieu Le Château, Touraine, France. Presd Gale, A. S. 1987. Figd Gale, A. S. 1986: pl. 3 figs 18A,B.

Metopaster mantelli Forbes

OR 40177, OR 76002, E 2570 See: **Metopaster mantelli** (Forbes)

Metopaster mantelli (Forbes)

E 2570 Cretaceous. Upper Chalk. No locality data. Bowerbank Colln. Figd Forbes, E. in Dixon, F. 1850: 332, pl. 23 fig. 11 as *Goniaster mantelli* Forbes. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: 366, 370, 440, pl. 23 fig. 11 as *Goniaster (Goniodiscus) mantelli* Forbes. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 40, 41, pl. 13 figs 3a–b as *Metopaster mantelli* Forbes.

OR 40177 Cretaceous. Upper Chalk. Near Bromley, Kent, England. Simmons, J. Colln. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 39, 40, 41, pl. 13 figs 2a–d as *Metopaster mantelli* Forbes.

OR 76002 Cretaceous. Upper Chalk. Gravesend, Kent, England. Bowerbank Colln. Figd Forbes, E. in Dixon, F. 1850: 332, pl. 23 fig. 12 as *Goniaster mantelli* Forbes. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: 366, 370, 440, pl. 23 fig. 12 as *Goniaster (Goniodiscus) mantelli* Forbes. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 40, 41, pl. 13 figs 4a–b as *Metopaster mantelli* Forbes.

Metopaster parkinsoni Forbes

OR 40239, OR 40401, OR 46768, OR 46769, OR 46795, OR 46796, E 2034 See: **Metopaster parkinsoni** (Forbes)

OR 51413 See: **Metopaster uncatus** (Forbes)

Metopaster parkinsoni Forbes

OR 57528 See: **Metopaster uncatus** (Forbes)

Metopaster parkinsoni (Forbes)

E 2034 Cretaceous. Upper Chalk. Charlton, Kent, England. Purchd Harford, F. June 1888. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 33, 120, pl. 16 figs 2a–b as *Metopaster parkinsoni* Forbes.

E 2569 Lectotype. Type species of *Metopaster* Sladen 1893: 30. Cretaceous, (probably Santonian, high *coranguinum* Zone, according to Gale). Upper Chalk. Possibly Sussex, Southern England. Dixon, F. Colln. Figd Forbes, E. in Dixon, F. 1850: 331, pl. 21 fig. 8 as *Goniaster (Goniodiscus) parkinsoni* Forbes. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: 365, 370, 439, pl. 21 fig. 8 as *Goniaster (Goniodiscus) parkinsoni* Forbes. Refd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 30, as the type description of *Metopaster*. Type figd Gale, A. S. 1986: 18, pl. 1 fig. 6. Specimen chosen by Gale as lectotype.

E 2577 Cretaceous. Upper Chalk. No locality data. Dixon, F. Colln. Figd Forbes, E. in Dixon, F. 1850: 331, pl. 21 fig. 8 as *Goniaster (Goniodiscus) uncatus* Forbes. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: 365, 370, 439, pl. 21 fig. 8 as *Goniaster (Goniodiscus) uncatus* Forbes.

E 13729 Cretaceous, Turonian, *Terebratulina* Zone. Tingey's Pit, Woudham, Kent, England. Dibley, G. E. Colln October 1922. Figd Gale, A. S. 1986: pl. 1 fig. 4.

E 20425 Cretaceous, Campanian, *pilula* Zone. East Harnham, near Salisbury, Wiltshire, England. Blackmore H. P. Colln. Presd Trustees, Salisbury Museum January 1935. Figd Spencer, W. K. 1913: 171, pl. 10 fig. 6.

E 53685 Cretaceous, probably Lower Campanian. Southern England. Beckles Colln. Figd Gale, A. S. 1986: pl. 2 figs 6a–c.

E 54190 Cretaceous, Middle Cenomanian. bed 10 of the Lower Chalk. West of Dover, Kent, England. Presd Gale, A. S. 1987. Figd Gale, A. S. 1986: pl. 1 fig. 2.

E 54191 Cretaceous, Middle Cenomanian. bed 10 of the Lower Chalk. West of Dover, Kent, England. Presd Gale, A. S. 1987. Figd Gale, A. S. 1986: pl. 1 fig. 3.

OR 40239 Cretaceous. Upper Chalk. Bromley, Kent, England. Simmons, J. Colln. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 34, 36, pl. 10 fig. 1 as *Metopaster parkinsoni* Forbes.

OR 40401 Cretaceous. Upper Chalk. Near Bromley, Kent, England. Simmons, J. Colln. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 36, pl. 11 figs 1a–c as *Metopaster parkinsoni* Forbes.

OR 46768 Cretaceous. Upper Chalk. Near Bromley, Kent, England. Purchd Simmons, J. June 1868. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: pl. 10 figs. 3a–c as *Metopaster parkinsoni* Forbes.

OR 46769 Cretaceous. Upper Chalk. Near Bromley, Kent, England. Purchd Simmons, J. June 1868. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 34, 35, 36, pl. 10 figs. 2a–d as *Metopaster parkinsoni* Forbes.

OR 46795 Cretaceous. Upper Chalk. Bromley, Kent, England. Purchd Simmons, J. April 1870. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: pl. 9 figs. 2a–c as *Metopaster parkinsoni* Forbes.

OR 46796 Cretaceous. Upper Chalk. Near Bromley, Kent, England. Purchd Simmons, J. May 1868. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 36, 37, pl. 12 figs. 1a–e as *Metopaster parkinsoni* Forbes.

OR 48079 Cretaceous. Upper Chalk. Kent, England. Dixon, F. Colln. Figd Smith, A. B. in Murray, J. W. (editor) 1985: 181, pl. 7.6.3.

OR 79521 Cretaceous, Cenomanian. Lower Chalk. Kent, England. Presd Marsham, R. Figd Gale, A. S. 1986: 20, pl. 1 fig. 1.

Metopaster cf parkinsoni (Forbes)

E 54202–5 Cretaceous, Coniacian. lower part of Craie de Villedieu, Calcaires durs de la Ribochère. Villedieu Le Château, Touraine, France. Presd Gale, A. S. 1987. Figd Gale, A. S. 1986: pl. 3 figs 6 (E 54202), 7 (E 54203), 8 (E 54204), 9 (E 54205).

Metopaster parkinsoni (Forbes) var. calcar Spencer

E 13304 See: Metopaster bromleyi Gale

E 13305 See: Metopaster calcar Spencer

Metopaster quadratus Spencer

E 20264, E 20265 See: Metopaster uncatus (Forbes)

Metopaster rugatus (Forbes)

E 2584 Cretaceous. Upper Chalk. England. Old Colln. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 64, pl. 16 fig. 4 as *Mitraster rugatus* Forbes.

E 2585 Syntype of *Goniaster (Goniodiscus) rugatus* Forbes. Cretaceous, Senonian. Upper Chalk. Southeast England. Dixon, F. Colln. Type refd Forbes, E. 1848: 471 as *Goniaster (Goniodiscus) rugatus* Forbes. Figd Forbes, E. in Dixon, F. 1850: pl. 32 fig. 15 as *Goniaster rugatus* Forbes. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: 440, pl. 23 fig. 15 as *Goniaster (Goniodiscus) rugatus* Forbes. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 64, 66, pl. 16 figs 5a–d as *Mitraster rugatus* Forbes.

E 13079 (ex. 76002) Cretaceous. Upper Chalk. Gravesend, Kent, England. Purchd Capron, J. R. 1879. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 66, pl. 16 figs 3a–b as *Mitraster rugatus* Forbes.

OR 57518 Cretaceous. Upper Chalk. Kent, England. Presd Tennant October 1868. Figd Forbes, E. in Dixon, F. 1850: pl. 23 fig. 14 as *Goniaster uncatus* Forbes. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: 440, pl. 23 fig. 14 as *Goniaster (Goniodiscus) uncatus* Forbes.

Metopaster rugissimus Gale

E 54228 Holotype. Cretaceous, uppermost Lower Campanian. bioclastic gravels. Ivö Klack, Skania, Sweden. Presd Gale, A. S. 1987. Type figd Gale, A. S. 1986: 34–35, pl. 7 fig. 19.

E 54229–34,36 Paratypes. Cretaceous, uppermost Lower Campanian. bioclastic gravels. Ivö Klack, Skania, Sweden. Presd Gale, A. S. 1987. Figd Gale, A. S. 1986: 34, 35, pl. 7 figs 20A,B (E 54229), 21 (E 54230), 22 (E 54231), pl. 8 figs 1 (E 54232), 2 (E 54233), 3A,B (E 54234), 5 (E 54236).

E 54297 Paratype. Cretaceous, uppermost Lower Campanian. bioclastic gravels. Ivö Klack, Skania, Sweden. Presd Gale, A. S. 1987. Figd Gale, A. S. 1986: pl. 8 fig. 4 (as E 54246). The registration number E 54246 is duplicated in pl. 8 figs 4 and 13. In order to avoid confusion, the specimen of pl. 8 fig. 4 has been re-registered as E 54297.

'Metopaster' sharpii (Wright)

OR 75792 Holotype of *Stellaster sharpii* Wright. Jurassic. Inferior Oolite, Durston Ironstone. Near Northampton, Northamptonshire, England. Colld Sharp, S. Acquired February 1875. Type figd Wright, T. (1863–1880) 1880: 165, pl. 20 as *Stellaster sharpii* Wright.

Metopaster sp.

E 54272 Cretaceous, uppermost Lower Campanian. Ivö Klack, Skania, Sweden. Presd Gale, A. S. 1987. Figd Gale, A. S. 1986: pl. 8 fig. 23.

E 54367 See: Metopaster sp. A

Metopaster sp. A

E 54367 (ex. Wright & Wright colln No. 16571) Cretaceous, Cenomanian. Pit 1, Wilmington, Devon, England. Wright, C. W. & Wright, E. V. Colln. Presd March 1977. Figd Wright, C. W. & Wright, E. V. 1940: 238, text figs 9a–c as *Metopaster* sp. Figd Gale, A. S., in Smith, A. B., Paul, C. R. C., Gale, A. S. & Donovan, S. K. 1988: 198, 200, pl. 42 figs 2a,b as *Metopaster* A.

Metopaster spenceri Nielsen

E 54223 Palaeocene, Lower Danian. North of Højerup, Stevn's Klint, Denmark. Presd Gale, A. S. 1987. Figd Gale, A. S. 1986: pl. 4 figs 4A,B.

Metopaster tamarae Gale

E 54238 Holotype. Cretaceous, uppermost Lower Campanian. bioclastic gravels. Ivö Klack, Skania, Sweden. Presd Gale, A. S. 1987. Type figd Gale, A. S. 1986: 36, pl. 8 fig. 6.

E 54239–43 Paratypes. Cretaceous, uppermost Lower Campanian. bioclastic gravels. Ivö Klack, Skania, Sweden. Presd Gale, A. S. 1987. Figd Gale, A. S. 1986: 36, pl. 8 figs 7A,B (E 54239), 8 (E 54240), 9 (E 54241), 10 (E 54242), 11A,B (E 54243).

Metopaster thoracifer Geinitz

E 20955–8 Cretaceous, Turonian, *cuvieri* Zone. Branscombe, Devon, England. Rowe, A. W. Colln. Purchd November 1926. Figd Spencer, W. K. 1913: 110, 171, pl. 10 figs 2 left (E 20955), right (E 20956), pl. 10 figs 3 left (E 20957), right (E 20958).

E 20959–60 Cretaceous, Turonian, *cuvieri* Zone. Branscombe, Devon, England. Rowe, A. W. Colln. Purchd November 1926. Figd Spencer, W. K. 1913: 171, pl. 10 figs 12 left (E 20959), right (E 20960).

Metopaster tumidus Spencer

E 13265 Paratypes. Cretaceous, Upper Campanian, upper *mucronata* Zone. Rügen, Germany. Purchd Laur, A. 27th October 1906. Figd Spencer, W. K. 1913: 113, 175, pl. 14 fig. 1. Spencer wrote that the specimen was reconstructed from '... ossicles washed out ...' of a Chalk sample. The reconstruction as figured by him has subsequently been dismantled, and the ossicles are now retained loose.

E 13266 Holotype. Cretaceous, Upper Campanian, upper *mucronata* Zone. Rügen, Germany. Purchd Laur, A. 27th October 1906. Type figd Spencer, W. K. 1913: 113–114, 176, pl. 15 fig. 1.

E 13267–8,70–72 Paratypes. Cretaceous, Upper Campanian, upper *mucronata* Zone. Rügen, Germany. Purchd Laur, A. 27th October 1906. Figd Spencer, W. K. 1913: 113?; 171, pl. 10 fig. 8 (E 13272), 176, pl. 15 figs 2 (E 13271), 3 (E 13267), 4,6, (E 13268), 7 (E 13270).

E 13269 Paratype. Cretaceous, Upper Campanian, upper *mucronata* Zone. Rügen, Germany. Purchd Laur, A. 27th October 1906. Figd Spencer, W. K. 1913: 113?, 176, pl. 15 fig. 5 as *Metopaster tumidus* Spencer (probably var. *radiatus*).

E 13273 Paratypes. Cretaceous, Upper Campanian, upper *mucronata* Zone. Rügen, Germany. Purchd Laur, A. 27th October 1906. Figd Spencer, W. K. 1913: 113, 175,

pl. 14 fig. 2. Fig. 2 is a reconstruction from several components.

Metopaster tumidus Spencer (probably var. radiatus)

E 13269 See: *Metopaster tumidus* Spencer

Metopaster uncatus Forbes

OR 35488, OR 35496, OR 46776a See: *Metopaster uncatus* (Forbes)

Metopaster uncatus (Forbes)

E 20264 Paratype of *Metopaster quadratus* Spencer. Cretaceous, Campanian, *quadratus* Zone. level b. East Harnham, near Salisbury, Wiltshire, England. Blackmore, H. P. Colln. Presd Trustees, Salisbury Museum January 1935. Figg Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 97–99, text figs 1a–d as *Metopaster quadratus* Spencer.

E 20265 Holotype of *Metopaster quadratus* Spencer. Cretaceous, Campanian, *quadratus* Zone. East Harnham, near Salisbury, Wiltshire, England. Blackmore, H. P. Colln. Presd Trustees, Salisbury Museum January 1935. Type figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 97–99, text figs 2a–d as *Metopaster quadratus* Spencer. Figg Gale, A. S. 1986: 43, pl. 6 fig. 4.

E 20269 Cretaceous, Santonian, *coranguinum* Zone. Micheldever, Hampshire, England. Blackmore, H. P. Colln. Presd Trustees, Salisbury Museum January 1935. Figg Gale, A. S. 1986: 43, pl. 5 fig. 6.

OR 35488 Cretaceous. Upper Chalk. Kent, England. Taylor, H. W. Colln. Figg Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 50, 51, pl. 14 figs 1a,b as *Metopaster uncatus* Forbes.

OR 35496 Cretaceous. Upper Chalk. Kent, England. Old Colln. Figg Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 49, pl. 11 figs 3a,b as *Metopaster uncatus* Forbes.

OR 46776a Cretaceous. Upper Chalk. Near Bromley, Kent, England. Purchd Simmons, J. 27th October 1869. Figg Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 48, 49, 50, pl. 14 figs 2a–d as *Metopaster uncatus* Forbes. A specimen of *M. cingulatus* Sladen also bears the same registration number. The distinction is made by the suffixes a and b.

OR 51413 Cretaceous. Upper Chalk. Near Bromley, Kent, England. No collection data. Figg Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 36, pl. 11 figs 2a–c as *Metopaster parkinsoni* Forbes.

OR 51414 Cretaceous. Upper Chalk. Near Bromley, Kent, England. Presd Marquis of Northampton. Figg Wright, C. W. & Smith, A. B. 1987: 213, 214, pl. 47 fig. 7.

OR 57528 Cretaceous. Upper Chalk. Near Bromley, Kent, England. Purchd Simmons, J. 30th October 1871. Figg Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: pl. 10 figs 4a–c as *Metopaster parkinsoni* Forbes 1907: 124 as *Metopaster uncatus* (Forbes).

Metopaster undulatus Spencer

E 13274 Holotype. Cretaceous, Upper Campanian, upper *mucronata* Zone. Rügen, Germany. Purchd Laur, A. 27th October 1906. Type figd Spencer, W. K. 1913: 118, 176, pl. 15 fig. 20.

E 13275–7 Paratypes. Cretaceous, Upper Campanian, upper *mucronata* Zone. Rügen, Germany. Purchd Laur, A. 27th October 1906. Figg Spencer, W. K. 1913: 118, 119, 176, pl. 15 figs 21, 22 (E 13275), 23 (E 13276), 24, 24a (E 13277).

E 13278 Paratypes. Cretaceous, Upper Campanian, upper *mucronata* Zone. Rügen, Germany. Purchd Laur, A. 27th October 1906. Figg Spencer, W. K. 1913: 118, 171,

pl. 10 fig. 19. The figure is of a reconstructed margin with several ossicles.

Metopaster zonatus Sladen

E 2575 Syntype. Cretaceous. Upper Chalk. Near Bromley, Kent, England. Old Colln. Type figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 45–47, pl. 12 figs 2a–c.

E 2606 Syntype? Cretaceous. Upper Chalk. England. Old Colln. Type refd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 45–47. This is possibly one of the specimens referred to by Sladen.

E 13028 (ex. E 150) Syntype? Cretaceous. Upper Chalk. England. Presd Bright, B. 1873. Type refd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 45–47. This is possibly one of the specimens referred to by Sladen.

OR 57570 Syntype? Cretaceous. Upper Chalk. Bromley, Kent, England. Purchd Simmons, J. February 1873. Type refd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 45–47. This is possibly one of the specimens referred to by Sladen.

OR 75550 Syntype? Cretaceous. Upper Chalk. Bromley, Kent, England. Purchd Simmons, J. August 1873. Type refd Sladen, W. P. & Spencer, W. K. (1891–1908) 1893: 45–47. This is possibly one of the specimens referred to by Sladen.

Mitraster hunteri Forbes

E 2583, E 13084, E 13279, E 20961–2, OR 40274, OR 46766a, OR 46766b See: *Metopaster hunteri* (Forbes)

Mitraster rugatus Forbes

E 2584, E 2585, E 13079 See: *Metopaster rugatus* (Forbes)

N

Nymphaster angustatus (Forbes)

E 2580 Cretaceous. Upper Chalk. No locality data. Bowerbark Colln. Figg Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: 23, 24, pl. 9 figs 1a–b as *Pycnaster angustatus* Forbes; 1907: 95 as *Pycinaster angustatus* Sladen.

Nymphaster coombii Forbes

E 3350, OR 35503, OR 46623 See: *Nymphaster coombii* (Forbes)

Nymphaster coombii (Forbes)

E 3349 (ex. 76002) Cretaceous, Cenomanian. Lower Chalk. Folkestone, Kent, England. No collection data. Figg Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: 18, pl. 7 figs 2a–b as *Nymphaster?* *coombii* Forbes.

E 3350 (ex. 76002) Cretaceous, Cenomanian. Lower Chalk. Glynde, Sussex, England. No collection data. Figg Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: 18, pl. 7 figs 3a–b as *Nymphaster coombii* Forbes.

E 13724 Cretaceous, Santonian, *coranguinum* Zone. Northfleet, Kent, England. Dibley, G. E. Colln 1922. Figg Schulz, M.-G. & Weitschat, W. 1975: 275, pl. 29 figs. 3,4 as *Chomaster coombii* (Forbes). Figg Gale, A. S. 1988 (1987a): 154, 157, 159, text figs 1D,E (as E 12734), pl. 4 fig. 4.

OR 35503 Holotype of *Goniaster (Astrogonium) coombii* Forbes. Cretaceous, Turonian, *cuvieri* Zone. Lower Chalk. Balcombe Pit, Amberley, Sussex, England. Colld Coombe, G. Dixon, F. Colln. Figg Forbes, E. 1848: 474 as *Goniaster (Astrogonium) coombii* Forbes. Figg Forbes, E. in Dixon, F. 1850: 334, pl. 23 fig. 6 as *Goniaster (Astrogonium) coombii*

Forbes. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: 367, 368, 440, pl. 23 fig. 6 as *Goniaster (Astrogonium) coombii* Forbes. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: 16, 17, pl. 8 figs 1a,b as *Nymphaster coombii* Forbes.

OR 46623 Cretaceous, Cenomanian. Lower Chalk. Betchworth, Surrey, England. Purchd Simmons, J. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: 17, pl. 7 figs 1a–e as *Nymphaster coombii* Forbes.

OR 48620 Cretaceous, Albian. Upper Greensand. Isle of Wight, England. Saxby, Rev. W. Colln. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: pl. 19 fig. 3 as *Nymphaster coombii* Forbes 1907: 123 as *Calliderma smithiae* (Forbes).

Nymphaster humilis (Schultz & Weitschat)

E 54301 Cretaceous, late Coniacian. 2m beneath Phosphatic Hardground. Hardvilliers, near Breteuil, Picardy, France. Gale, A. S. Colln. Figd Gale, A. S. 1988 (1987a): 161, pl. 2 fig. 5.

Nymphaster humilis (Schulz & Weitschat)

E 28407a,b Holotype. Cretaceous, Santonian, *coranguinum* Zone. North Foreland, Kent, England. Colld 1884. Rowe, A. W. Colln. Purchd November 1926. Figd Schulz, M.-G. & Weitschat, W. 1975: 275–276, pl. 29 figs. 1 (E 28407a), 2 (E 28407b) — both referred to under E 28407 as *Chomataster humilis* Schulz & Weitschat. Figd Gale, A. S. 1988 (1987a): 161, pl. 2 fig. 3 (E 28407a under E 28407).

Nymphaster marginatus Sladen

OR 35484 Holotype. Cretaceous, Santonian, *coranguinum* Zone. Upper Chalk. Near Bromley, Kent, England. Taylor, H. W. Colln. Type figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: 18–19, pl. 7 figs. 4a–b. Figd Rasmussen, H. W. 1950: 79, 83–84, text figs 6b?, 6g as *Chomataster marginatus* (Sladen). Figd Gale, A. S. 1988 (1987a): 159, 166, pl. 4 fig. 10. Since figuring by Sladen, some of the matrix has been removed from the specimen.

Nymphaster obtusus (Forbes)

OR 35481 Cretaceous, Senonian. Upper Chalk. Kent, England. Taylor, H. W. Colln. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 75, 76, pl. 22 figs 2, 2a as *Pentagonaster obtusus* Forbes.

OR 40400 Cretaceous, Senonian. Upper Chalk. Kent, England. Purchd Simmons, J. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 75, 76, pl. 22 figs 1, 1a, 1b as *Pentagonaster obtusus* Forbes.

E 5038 (ex. 48084) Syntype of *Oreaster obtusus* Forbes. Lectotype. Cretaceous, Senonian. Upper Chalk. Lancing, Sussex, England. Dixon, F. Colln. Refd Forbes, E. 1848: 468 as *Oreaster obtusus* Forbes. Figd Forbes, E. in Dixon, F. 1850: 330, pl. 21 fig. 12 left as *Oreaster obtusus* Forbes. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: 364, 370, 439, pl. 21 fig. 12 left as *Oreaster obtusus* Forbes. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 75, 76, pl. 22 figs 3b–g as *Pentagonaster obtusus* Forbes. Type figd Gale, A. S. 1988 (1987a): 155 (as E 50838), 166, pl. 4 figs 7A–C. E 5038 and E 5039 were once joined together by matrix, but since figuring by Forbes, have been separated.

E 5039 (ex. 48084) Syntype of *Oreaster obtusus* Forbes. Paralectotype. Cretaceous, Senonian. Upper Chalk. Lancing, Sussex, England. Dixon, F. Colln. Refd Forbes, E. 1848: 468 as *Oreaster obtusus* Forbes. Figd Forbes, E. in Dixon, F. 1850: 330, pl. 21 fig. 12 right as *Oreaster obtusus* Forbes. Figd

Forbes, E. in Dixon, F. & Jones, T. R. 1878: 364, 370, 439, pl. 21 fig. 12 right as *Oreaster obtusus* Forbes. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 75, pl. 22 fig. 3a as *Pentagonaster obtusus* Forbes. E 5038 and E 5039 were once joined together by matrix, but since figuring by Forbes, have been separated.

E 20273 Cretaceous, Campanian, *quadratus* Zone. East Harnham, near Salisbury, Wiltshire, England. Blackmore, H. P. Colln. Presd Trustees, Salisbury Museum. Figd Gale, A. S. 1988 (1987a): 155, pl. 4 fig. 6.

E 20566 Cretaceous, Campanian, *quadratus* Zone. East Harnham, near Salisbury, Wiltshire, England. Blackmore, H. P. Colln. Presd Trustees, Salisbury Museum. Figd Gale, A. S. 1988 (1987a): 155, pl. 4 fig. 9.

Nymphaster oligoplax Sladen

OR 40178 See: *Ophryaster oligoplax* (Sladen)

Nymphaster radiatus Spencer

E 375 See: *Spenceraster radiatus* (Spencer)

Nymphaster rugosus Spencer

OR 57516 See: *Spenceraster rugosus* (Spencer)

Nymphaster studlandensis (Schulz & Weitschat)

E 54300 Cretaceous, ?low Upper Campanian. Hallembaye, near Maastricht, Holland (Belgium, according to Gale). Gale, A. S. Colln. Figd Gale, A. S. 1988 (1987a): 163, pl. 5 fig. 1.

Nymphaster? coombii Forbes

E 3349 See: *Nymphaster coombii* (Forbes)

O

Onychaster flexilis Meek & Worthen

E 2686 Lower Carboniferous. Keokuk Group. Crawfordsville, Indiana, U. S. A. Braun, F. Colln. Purchd 1889. Figd Spencer, W. K. (1914–1940) 1925: pl. 21 fig. 12; 1927: 339.

Ophidiaster? davidsoni de Loriol

E 53996 (ex. E 1499) Holotype. Jurassic, Portlandian. Boulogne-sur-Mer, France. Wright, T. Colln. Purchd Butler, F. H. May 1887. Type figd Loriol, P. de, in Loriol, P. de & Pellar, E. 1875: 293–294, pl. 26 figs 13, 14 as *Ophidiaster? davidsoni* Wright. Matrix was removed subsequent to figuring.

Ophidiaster? davidsoni Wright

E 53996 See: *Ophidiaster? davidsoni* de Loriol

Ophryaster magnus Spencer

E 13280 Holotype. Cretaceous, Upper Campanian, upper *mucronata* Zone. Rügen, Germany. Purchd Laur, A. 27th October 1906. Type figd Spencer, W. K. 1913: 130, 177, pl. 16 fig. 25.

E 13281–5 Paratypes. Cretaceous, Upper Campanian, upper *mucronata* Zone. Rügen, Germany. Purchd Laur, A. 27th October 1906. Type figd Spencer, W. K. 1913: 177, pl. 16 figs 20 (E 13281), 22 (E 13284), 24 (E 13283), 23?, 26 (E 13282), 27 (E 13285). E 13281 is a restored portion of a specimen and is formed from four ossicles.

Ophryaster oligoplax (Sladen)

OR 40178 Holotype of *Nymphaster oligoplax* Sladen. Type species of *Ophryaster* Sladen 1913: 129–130. Creta-

ceous, Santonian, *coranguinum* Zone. Upper Chalk. Near Bromley, Kent, England. Simmons, J. Colln. Type figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: 19–21, pl. 8 figs 3a,b as *Nymphaster oligoplax* Sladen. Type refd Spencer, W. K. 1913: 129–130.

Ophryaster sulcatus Sladen

E 54070 Cretaceous, Cenomanian. Wilmington Sands, 5.14–9.10m below datum. The White Hart Sand Pit, Wilmington, Devon, England, SY 208 999. Presd Gale, A. S. November 1988. Figd Gale, A. S., in Smith, A. B., Paul, C. R. C., Gale, A. S. & Donovan, S. K. 1988: 200, pl. 42 figs 1a,b.

Ophryaster sulcatus (Sladen)

E 5063 (ex. 75921) Holotype of *Tomidaster sulcatus* Sladen. Cretaceous, Cenomanian, *subglobosus* Zone. Grey Chalk. Dover, Kent, England. Presd Townsend, R. M. 1877. Type figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1891: pl. 5 figs 1a–c as *Tomidaster sulcatus* Sladen; 1907: 123–124 as *Calliderma smithiae* (Forbes).

Oreaster bulbiferus Forbes

OR 48748 See: *Stauranderaster bulbiferus* (Forbes)

Oreaster coronatus Forbes

OR 35480 See: *Stauranderaster coronatus* (Forbes)

Oreaster obtusus Forbes

E 5038, E 5039 See: *Nymphaster obtusus* (Forbes)

Oreaster ocellatus Forbes

E 2571 See: *Valettaster ocellatus* (Forbes)

Oreaster pistilliferus Forbes

OR 57634, E 2564, E 5037 See: *Stauranderaster pistilliferus* (Forbes)

Oreaster sp.

E 2566 See: *Valettaster argus* (Spencer)

Ossicula of Asteriidae

E 13573–4 See: 'Astropecten' sp.

P

Palaeaster caractaci Gregory

52857a,b See: *Siluraster caractaci* (Gregory)

Palaeaster caractaci Salter MS

E 52857a,b See: *Siluraster caractaci* (Gregory)

Palaeaster sp.

E 13952 See: *Urasterella ruthveni* (Forbes) var. *leintwardinensis* Spencer

Palaeasterina bonneyi Gregory

OR 40299a,b See: *Palasterina antiqua* (Hisinger)

Palaeosolaster gregoryi Stürzt

E 4364 Lower Devonian. Bundenbach, Germany. Krantz, F. Colln. Purchd 1899. Figd Spencer, W. K. (1914–1940) 1925: 238, 239, 240, pl. 18 fig. 2.

E 4997 Holotype of *Echinostella traquairi* Stürzt. Type species of *Echinostella* Stürzt 1899 : 233–235. Lower Devonian. Hunsrückshiefer. Bundenbach, near Birkenfeld, south slope of Hunsrück, Rhineland, Germany. Stürzt, B. Colln. Purchd June 1900. Type figd Stürzt, B. 1900 (1899): 233–235, pl. 3 fig. 11, pl. 4 fig. 12 as *Echinostella traquairi* Stürzt.

E 4998 Syntype A of *Echinodiscus multidactylus* Stürzt. Type species of *Echinodiscus* Stürzt 1899 : 231–233. Lower Devonian. Hunsrückshiefer. Bundenbach, near Birkenfeld, south slope of Hunsrück, Rhineland, Germany. Stürzt, B. Colln. Purchd June 1900. Type figd Stürzt, B. 1900 (1899): 231–233, pl. 3 figs 9, 10 as *Echinodiscus multidactylus* Stürzt.

E 4999 Syntype B of *Echinodiscus multidactylus* Stürzt. Type species of *Echinodiscus* Stürzt 1899 : 231–233. Lower Devonian. Hunsrückshiefer. Bundenbach, near Birkenfeld, south slope of Hunsrück, Rhineland, Germany. Stürzt, B. Colln. Purchd June 1900. Type figd Stürzt, B. 1900 (1899): 231–233, pl. 3 figs 6–8 as *Echinodiscus multidactylus* Stürzt.

E 5000 Syntype A of *Echinasterias spinosus* Stürzt. Type species of *Echinasterias* Stürzt 1899 : 230. Lower Devonian. Hunsrückshiefer. Bundenbach, near Birkenfeld, south slope of Hunsrück, Rhineland, Germany. Stürzt, B. Colln. Purchd June 1900. Type refd Stürzt, B. 1900 (1899): 230 as *Echinasterias spinosus* Stürzt.

E 5001 Syntype B of *Echinasterias spinosus* Stürzt. Type species of *Echinasterias* Stürzt 1899. Lower Devonian. Hunsrückshiefer. Bundenbach, near Birkenfeld, south slope of Hunsrück, Rhineland, Germany. Stürzt, B. Colln. Purchd June 1900. Type figd Stürzt, B. 1900 (1899): 230–231, pl. 2 fig. 5 as *Echinasterias spinosus* Stürzt. Figd Spencer, W. K. (1914–1940) 1925: 238, 239, 240, text figs 173a,b.

E 5002 Holotype. Type species of *Palaeosolaster* Stürzt 1899 : 226. Lower Devonian. Hunsrückshiefer. Bundenbach, near Birkenfeld, south slope of Hunsrück, Rhineland, Germany. Stürzt, B. Colln. Purchd June 1900. Type figd Stürzt, B. 1900 (1899): 226–229, pl. 2 figs 1–3. Figd Spencer, W. K. (1914–1940) 1925: 238, 239, 240, text fig. 172?

Palaeostella solidia Stürzt

E 3485 Holotype. Type species of *Palaeostella* Stürzt, 1890: 230–231. Lower Devonian. Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Type figd Stürzt, B. 1890: 230–231, pl. 31 figs 42, 43, 43a.

E 3724 Lower Devonian. Bundenbach, Germany. Stürzt, B. Colln. Purchd 1894. Figd Stürzt, B. 1893: pl. 1 figs 5–8.

Palasterina antiqua (Hisinger)

OR 40299a,b Holotype of *Palaeasterina bonneyi* Gregory. Silurian. Lower Ludlow Shales. Church Hill, Leintwardine, Herefordshire, England. Old Colln. Type figd Gregory, J. W. 1899: 40299a: 349–350, text figs 1, 3a, pl. 16 fig. 2a; 40299b: 349–350, text figs 2, 3b, pl. 16 fig 2b as *Palaeasterina bonneyi* Gregory. Figd Spencer, W. K. (1914–1940) 1922: 222, 228, 229, 233, text fig. 169, pl. 16 fig. 1 (40299a); 222, 228, 229, 232, 233, text fig. 168, pl. 16 fig. 2 (40299b).

OR 40301 Silurian. Lower Ludlow. Church Hill, Leintwardine, Herefordshire, England. Marston, A. Colln. 1862. Figd Spencer, W. K. (1914–1940) 1916: pl. 4 fig. 6 as *Palasterina primaeva* Forbes; 1922: 221, 222, 228, 229, 231, 232, 233, text fig. 158b.

Palasterina follmanni Stürzt

E 3469 Syntype. Lower Devonian. Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Type figd Stürzt, B. 1890: 226–228, pl. 29 fig. 29.

E 3470 Syntype. Lectotype. Lower Devonian. Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Type figd Stürzt, B. 1890: 226–228, pl. 29 figs 30, 30a (fig. 30a is reversed). Type refd Owen, H. G. 1965: 563. Selected as lectotype by Owen.

E 3471 Syntype. Paralectotype. Lower Devonian. Bun-

denbach, Germany. Stürz, B. Colln. Purchd July 1891. Type figd Stürz, B. 1890: 226–228, pl. 29 fig. 29. E 3470 selected as lectotype by Owen; E 3471 is a syntype of Stürz.

E 5004 Lower Devonian. Hunsrückshiefer. Bundenbach, near Birkenfeld, south slope of Hunsrück, Rhineland, Germany. Stürz, B. Colln. Purchd June 1900. Figd Spencer, W. K. (1914–1940) 1922: 235; 1925: 237, pl. 20 fig. 1.

E 13625 Lower Devonian. Bundenbach, Germany. Stürz, B. Colln. Purchd April 1910. Figd Spencer, W. K. (1914–1940) 1922: 222, 235, 236, pl. 16 fig. 4; 1925: 237.

E 13626 Lower Devonian. Bundenbach, Germany. Stürz, B. Colln. Purchd April 1910. Figd Spencer, W. K. (1914–1940) 1922: 201, 222, 235, 236, pl. 16 fig. 7.

E 13629 Lower Devonian. Bundenbach, Germany. Stürz, B. Colln. Purchd April 23rd. 1910. Figd Spencer, W. K. (1914–1940) 1922: 201, 222, 235, 236, pl. 16 fig. 6.

E 13635 Lower Devonian. Bundenbach, Germany. Stürz, B. Colln. Purchd April 1910. Figd Spencer, W. K. (1914–1940) 1922: 222, 235, 236, text fig. 171, pl. 16 fig. 3; 1925: 237; 1940: 508.

E 13636 Lower Devonian. Bundenbach, Germany. Stürz, B. Colln. Purchd April 1910. Figd Spencer, W. K. (1914–1940) 1922: 222, 235, 236, pl. 16 fig. 5; 1925: 237.

Palasterina primaeva (Forbes)

E 4991 Silurian. Lower Ludlow. Underbarrow, near Kendal, Westmoreland, England. Morris, J. Purchd 1867. Figd Spencer, W. K. (1914–1940) 1922: 185, 223, 224, pl. 15 fig. 7.

Palasteriscus devonicus Stürz

E 3466 Lower Devonian. Bundenbach, Germany. Stürz, B. Colln. Purchd July 1891. Figd Stürz, B. 1890: 223–225, pl. 28 figs 23, 23a, 23b, pl. 29 fig. 24.

E 3467 Lower Devonian. Bundenbach, Germany. Stürz, B. Colln. Purchd. Figd Spencer, W. K. (1914–1940) 1919: 170, 172, 174, 177, text fig. 119 (recorded on p. 177 as E 3407).

E 5026 Lower Devonian. Hunsrückshiefer. Bundenbach, near Birkenfeld, Rhineland, Germany. Stürz, B. Colln. Purchd September 1902. Figd Spencer, W. K. (1914–1940) 1919: 177, possibly text fig. 122; 1922: pl. 14 fig. 4.

Pentaceros abbreviatus Spencer

OR 57538 See: Hadranderaster abbreviatus (Spencer)

Pentaceros bispinosus Spencer

OR 35482 See: Stauranderaster bispinosus (Spencer)

Pentaceros boysii Forbes

OR 46600, OR 48083 See: Stauranderaster boysii (Forbes)

Pentaceros bulbiferus Forbes

OR 40399, OR 48748, OR 40175, E 5040, E 5041, E 5042 See: Stauranderaster bulbiferus (Forbes)

Pentaceros coronatus Forbes

OR 35480, E 2562 See: Stauranderaster coronatus (Forbes)

Pentaceros ocellatus Forbes

E 5012 See: Valettaster ocellatus (Forbes)

Pentaceros pistilliferus Forbes

OR 57634, E 2564, E 5037 See: Stauranderaster pistilliferus (Forbes)

Pentaceros punctatus Spencer

E 2561 See: Stauranderaster senonensis Valette

Pentaceros sp.

OR 5514 See: Pycinaster angustatus (Forbes)

Pentagonaster megaloplax Sladen

OR 46779, E 2582, E 5064, E 5065 See: Crateraster quinqueloba (Goldfuss)

Pentagonaster obtusus Forbes

OR 35481, OR 40400, E 5038, E 5039, See: Nymphaster obtusus (Forbes)

Pentagonaster quinqueloba (Goldfuss)

OR 46779, E 2582, E 5064, E 5065 See: Crateraster quinqueloba (Goldfuss)

Pentagonaster robustus Spencer

OR 48085 See: Pycinaster angustatus (Forbes)

Pentagonaster robustus Spencer

OR 48085 See: Pycinaster angustatus (Forbes)

Pentasteria (Archastropecten) cottewoldiae (Buckman)

E 1633 Jurassic, Bathonian. Stonesfield Slate. Eyeford, near Naunton, Gloucestershire, England. Wright, T. Colln. Purchd Butler, F. H. May 1887. Figd Wright, T. (1863–1880) 1863: 116–118, pl. 10 figs 1a–c as *Astropecten cottewoldiae* Buckman.

E 1634 Jurassic, Bathonian. Stonesfield Slate. Eyeford, near Naunton, Gloucestershire, England. Wright, T. Colln. Purchd Butler, F. H. May 1887. Figd Wright, T. (1863–1880) 1863: 116–118, pl. 9 figs 3a–c as *Astropecten cottewoldiae* Buckman.

E 1635 Jurassic, Bathonian. Stonesfield Slate. Eyeford, near Naunton, Gloucestershire, England. Wright, T. Colln. Purchd Butler, F. H. May 1887. Figd Wright, T. (1863–1880) 1863: 116–118, pl. 9 figs 1a,b as *Astropecten cottewoldiae* Buckman.

E 1636 Jurassic, Bathonian. Stonesfield Slate. Eyeford, near Naunton, Gloucestershire, England. Wright, T. Colln. Purchd Butler, F. H. May 1887. Figd Wright, T. (1863–1880) 1863: 116, pl. 9 fig. 4 as *Astropecten cottewoldiae* Buckman.

Pentasteria (Archastropecten) cottewoldiae (Buckman) var. stamfordensis (Wright)

OR 75797 Holotype. Jurassic, Aalenian, *murchisonae* Zone. Inferior Oolite, Collyweston Slate. St. Martin parish, Stamford, Northamptonshire, England. Colld Sharp, S. 13th. April 1853. Acquired 1876. Type figd Wright, T. (1863–1880) 1863: 118–120, pl. 6 figs 1a,b as *Astropecten cottewoldiae* var. *stamfordensis* Wright.

Pentasteria (Archastropecten) cottewoldiae (Buckman) var. stonesfieldensis (Wright)

E 2588 Holotype. Jurassic, Bathonian. Stonesfield Slate. Oxfordshire, England. Johnson, J. R. Colln. Purchd 1845. Type figd Wright, T. (1863–1880) 1863: 121 as *Astropecten cottewoldiae* var. *stonesfieldenses* Wright; pl. 8 fig. 2 as *Astropecten cottewoldiae* var. *stonesfieldensis* Wright.

Pentasteria (Archastropecten) cf huxleyi (Wright)

E 28383 (ex. E 941) Jurassic. Great Oolite. 1205 feet down in borehole, near Richmond Bridge, Surrey, England. Presd Judd, J. W. July 1885. Figd Hess, H. 1955: 16, text fig. 7 as *Archastropecten cf huxleyi* (Wright).

Pentasteria (Archastropecten) huxleyi (Wright)

OR 33848 Holotype of *Astropecten huxleyi* Wright. Type species of *Archastropecten* Hess 1955 : 27. Jurassic, Batho-

nian, *discus* Zone. Forest Marble. Near Malmesbury, Wiltshire, England. Buy, W. Colln 1854. Type figd Wright, T. (1863–1880) 1863: 123–125, pl. 8 figs 1a–d as *Astropecten huxleyi* Wright. Type refd Hess, H. 1955: 27 as *Archastropecten huxleyi* (Wright).

Pentasteria (Archastropecten) lorioli (de Loriol)

E 1639 Holotype of *Astropecten lorioli* Wright. Jurassic, Portlandian. Boulogne-sur-Mer, France. Wright, T. Colln. Purchd Butler, F. H. May 1887. Type figd Loriol, P. de, in Loriol, P. de & Pellat, E. 1875: 292–293, pl. 26 fig. 12 as *Astropecten lorioli* Wright.

Pentasteria (Archastropecten) portlandicus (Hess)

E 13739 Holotype of *Archastropecten portlandicus* Hess. Jurassic, Portlandian, *pseudogigas* Zone. Basal shell bed of Portland Stone. West coast of Isle of Portland, Dorset, England. Colld Cunningham, R. H. Presd October 1925. Type figd Hess, H. 1955: 53–54, pl. 4 figs 4–6 as *Archastropecten portlandicus* Hess.

E 13740a Jurassic, Portlandian, *pseudogigas* Zone. Basal shell bed of Portland Stone. West coast of Isle of Portland, Dorset, England. Colld Cunningham, R. H. Presd October 1925. Type figd Hess, H. 1955: 53, 54, text figs 13–15 (E 13740) as *Archastropecten portlandicus* Hess.

Pentasteria (Archastropecten) procera Hess

E 5021 Holotype. Jurassic, Bajocian. Inferior Oolite, about 14 feet from surface of middle bed of Freestone. Guiting Power, 10 miles east of Cheltenham, Gloucestershire, England. Presd Burrows, H. W. 22nd March 1902. Type figd Hess, H. 1960a: 331–334, pl. 1.

Pentasteria (Archastropecten) wittsi (Wright)

E 1637 Holotype of *Astropecten wittsi* Wright. Jurassic, Bathonian. Stonesfield Slate. Eyeford, near Naunton, Gloucestershire, England. Colld Witts, Rev. E. F. Wright, T. Colln. Purchd Butler, F. H. May 1887. Type figd Wright, T. (1863–1880) 1863: 120–121, pl. 9 figs 2a,b as *Astropecten wittsi* Wright. According to a label written by L. Bairstow and stored with the specimen, E 1637 was filmed by the ‘. . . Shell Film Unit, 15th. Oct. 1957, for an educational film directed by H. van Calder.’.

Petraster kinahani (Baily)

E 194 Ordovician, Caradocian. Ballymoney Series. West of Ballymadden Point, near Bannow, County Wexford, Ireland. Purchd Baily, W. H. May, 1882. Figd Spencer, W. K. (1914–1940) 1916: 105, 106, text fig. 60 pl. 5 fig. 2.

E 13110a–d (ex. E 194) Ordovician, Caradocian. Ballymoney Series. West of Ballymadden Point, near Bannow, County Wexford, Ireland. Purchd Baily, W. H. May, 1882. Figd Spencer, W. K. (1914–1940) 1916: 105, 106, text fig. 61 (E 13110b, not E 13110a as stated in text); 1918: 109, 110, 146, pl. 5 figs 4 (E 13110d), 5 (E 13110a).

Phcidaster grandis Spencer

E 54361 (ex. Wright & Wright coll. no. 24631) Cretaceous, Cenomanian. bed 2. Pit 2, Wilmington, Devon, England. Wright, C. W. & E. V. Colln. Figd Gale, A. S., in Smith, A. B., Paul, C. R. C., Gale, A. S. & Donovan, S. K. 1988: 197, 198, pl. 41 figs 4a,b.

Promopalaester elizae (Spencer)

E 52399a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs. R. Purchd 1920. Figd

Spencer, W. K. (1914–1940) 1916: 96, 97 (E 52399a); 92, 96, 97, text figs 57, 58 (E 52399b).

E 52404a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs. R. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1916: 63, 92, 93, text fig. 51 (E 52404a); 95, pl. 4 fig. 5 (E 52404b).

E 52423a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs. R. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1916: 67, 92, 93, 96, text figs 55, 56, pl. 4 fig. 3; 1919: 171 (E 52423a; counterpart E 52423b is not figured).

E 52478a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs. R. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1916: 92, 93, 94, text fig. 53 (E 52478a); 92, 93, pl. 4 fig. 4 (E 52478b).

E 52588a,b Holotype. Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs. R. Purchd 1920. Type figd Spencer, W. K. (1914–1940) 1916: 63, 64, 92–97, text figs 51, 52, pl. 4 fig. 1; 1918: 146 (E 52588a); 1916: 92–97, pl. 4 fig. 2; 1919: 185 (E 52588b).

Protaster brisingoides Gregory

E 13000, E 13002 See: *Sturtzura brisingoides* (Gregory)

E 13001 See: *Sturtzura spryi* Chapman

Protopalaester ordovicus Spencer

E 52416a,b Holotype. Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs. R. Purchd 1920. Type figd Spencer, W. K. (1914–1940) 1916: 63, 73, 74, text fig. 36, pl. 2 figs 6, 6a; 1919: 179 (E 52416a); 1916: 73, pl. 3 fig. 3; 1919: 179, 185 (E 52416b).

Protopalaester sculptus (Spencer)

E 52539 See: *Girvanaster sculptus* Spencer

Protopalaester sp

E 53918 Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs. R. Presd June, 1937. Figd Gale, A. S. 1987b: fig. 7E.

Pycinaster angustatus (Forbes)

OR 5514 Cretaceous. Chalk. No locality data. Mantell, G. Colln. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 89, pl. 25 fig. 7 as *Pentaceros* sp. 1907: 95 as *Pycinaster angustatus* Sladen.

OR 48085 Holotype of *Pentagonaster robustus* Spencer. Cretaceous, Senonian. Upper Chalk. Sussex, England. Mantell, G. Colln 1853. Type figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 73–74, pl. 21 figs 2, 2a as *Pentagonaster robustus* Spencer 1907: 95 as *Pycinaster angustatus* (Forbes). Spencer, 1907, revised his opinion as to the identity of the specimen when he wrote that it was ‘. . . probably an immature form. . .’ of *P. angustatus*.

Pycinaster angustatus Forbes

E 2580 See: *Nymphaster angustatus* (Forbes)

Pycinaster angustatus Sladen

OR 5514 See: *Pycinaster angustatus* (Forbes)

Pycinaster crassus Spencer

E 2576 Paratype. Cretaceous. Upper Chalk. No locality data. Mantell, G. Colln. Figg Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 96, 97, pl. 29 fig. 1.

E 2628 Paratype. Cretaceous. Upper Chalk. England. Mantell, G. Colln. Figg Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 96, pl. 29 fig. 5. This specimen has been lost.

E 2631a Paratype. Cretaceous. Upper Chalk. England. Bowerbank Colln. Figg Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: pl. 29 figs 3, 3a (under E 2631).

E 2632a,b Paratypes. Cretaceous. Upper Chalk. England. Bowerbank Colln. Figg Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: pl. 29 figs 4 (E 2632a), 4a (E 2632b), (both under E 2632); 1908: 133.

E 13291–5 Cretaceous, Upper Campanian, upper *mucronata* Zone. Rügen, Germany. Purchd Laur, A. 27th October 1906. Figg Spencer, W. K. 1913: 177, pl. 16 figs 1, 3 (E 13291), 2 (E 13292), 125, pl. 16 figs 4 (E 13293), 5 (E 13294), 6, 6a (E 13295).

OR 35498 Holotype. Cretaceous. Upper Chalk. Kent, England. Taylor, H. W. Colln. Purchd 1854. Type figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 96–97, pl. 29 figs 2, 2a.

Pycinaster humilis Spencer

E 20963–4 Paratypes. Cretaceous, Turonian, *cuvieri* Zone. Branscombe, Devon, England. Rowe, A. W. Colln. Purchd November 1926. Figg Spencer, W. K. 1913: 124, 172, pl. 11 figs 11 upper (E 20963), lower (E 20964).

Pycinaster magnificus Spencer

E 20424 Cretaceous, Campanian, *quadratus* Zone. East Harnham, near Salisbury, Wiltshire, England. Blackmore, H. P. Colln. Presd Trustees, Salisbury Museum January 1935. Figg Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 95, 96, pl. 29 fig. 6 as *Pycinaster senonensis* Valette.

E 20440–1 Cretaceous, Senonian, *quadratus* Zone. East Harnham, near Salisbury, Wiltshire, England. Blackmore, H. P. Colln. Presd Trustees, Salisbury Museum January 1935. Figg Wright, C. W. & Smith, A. B. 1987: 216, pl. 47 figs 1 (E 20440), 2 (E 20441). The figures are reversed.

Pycinaster senonensis Valette

E 2561 See: *Stauranderaster senonensis* Valette

E 20424 See: *Pycinaster magnificus* Spencer

E 20431 See: *Stauranderaster senonensis* (Valette)

Pycinaster sp.

E 54036 Cretaceous, Cenomanian. lowest part of Wilmington Sands, 6.47–9.75m below datum. The White Hart Sand Pit, Wilmington, Devon, SY 208 999. Presd Gale, A. S. November 1988. Figg Gale, A. S., in Smith, A. B., Paul, C. R. C., Gale, A. S. & Donovan, S. K. 1988: 195, 197, pl. 41 figs 3a,b (under E 54034).

Pycnaster angustatus Forbes and **Pycnaster angustatus** Sladen

E 2580 See: *Nymphaster angustatus* (Forbes)

R**Recurvaster blackmorei** Rasmussen

E 13933 Holotype. Cretaceous, Campanian, *quadratus* Zone. level b. East Harnham, near Salisbury, Wiltshire,

England. Blackmore, H. P. Colln. Presd Trustees, Salisbury Museum January 1935. Type figd Rasmussen, H. W. 1950: 64–66, pl. 6 figs 1–7. Figg Gale, A. S. 1986: 45, 47, pl. 9 fig. 5.

E 20275 Cretaceous, Campanian, *quadratus* Zone. East Harnham, near Salisbury, Wiltshire, England. Blackmore, H. P. Colln. Presd Trustees, Salisbury Museum January 1935. Figg Gale, A. S. 1986: 45, 47, pl. 9 figs 6A,B.

S**Schuchertia laxata** (Schuchert)

E 52652 Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs. R. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1919: 177, 186, text fig. 126; 1922: 212, 218.

E 52698 Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs. R. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1922: 212, 213, text fig. 151, 214, pl. 15 fig. 1.

E 52699 Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs. R. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1922: 212–214, text fig. 153.

E 52700 Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs. R. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1922: 212–214, text fig. 153.

Siluraster caractaci (Gregory)

E 52857a,b (ex. OR 48206) Holotype of *Palaeaster caractaci* Gregory. Ordovician, Caradoc. Caradoc Sandstone. Soudley Quarry?, Church Stretton, Shropshire, England. Colld Ketley, C. Purchd March 1867. Type refd Gregory, J. W. 1899: 344–345 as *Palaeaster caractaci* Salter MS. According to Gregory, ‘The specimen . . . is contained in a small nodule, and is labelled from the Soudley Quarry. Mr. R. A. Buddacombe has . . . expressed doubt as to the exact correctness of this locality.’ Figured herein, figs 1a,b.

Solaster moretonis Forbes

OR 40421 Holotype. Jurassic, Bathonian. Great Oolite, oolitic freestone. Windrush Quarry, Northleach, Gloucestershire, England. Colld Moreton, H. J., third Earl of Ducie. Presd 1863. Type figd Forbes, E. 1856: 1–3, pl. 1. Figg Wright, T. (1863–1880) 1863: 104–106, pl. 4 figs 1a–e.

Solaster murchisoni (Williamson)

E 13750 Jurassic, Pliensbachian, *capricornus* Zone. Lias, Starfish Bed. Huntcliff, east of Saltburn, Cleveland, England. Colld Crewdon, Canon G. Presd Kendal Borough Museum December 1926. Figg Blake, J. F. 1887: 529–531, pl. 15 figs 1, 2.

Spenceraster radiatus (Spencer)

E 375 Holotype of *Nymphaster radiatus* Spencer. Cretaceous, Cenomanian, *subglobosus* Zone. Grey Chalk. Southeast England. Gardner, J. Starkie Colln. Purchd 24th May 1884. Type figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 73, pl. 25 figs 1a,b as *Nymphaster radiatus* Spencer.

E 13303 Cretaceous, Cenomanian, *varians* Zone. Near Cambridge, Cambridgeshire, England. Purchd Mockler, F. 28th October 1911. Figg Spencer, W. K. 1913: 131, 174,

pl. 13 fig. 27 as *Trachyaster radiatus* Spencer.

Spenceraster rugosus (Spencer)

OR 57516 Holotype of *Nymphaster rugosus* Spencer. Type species of *Spenceraster* Lambert 1914: 27. Cretaceous, Cenomanian, *subglobosus* Zone. Grey Chalk. Dover, Kent, England. Griffiths, W. Colln. Purchd. Type figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 94, pl. 29 figs 7, 7a as *Nymphaster rugosus* Spencer. Type refd Lambert, J. 1914: 27.

Stauranderaster argus Spencer

E 2566, E 5019, E 20294 See: *Valettaster argus* (Spencer)

Stauranderaster bispinosus (Spencer)

OR 35482 Holotype of *Pentaceros bispinosus* Spencer. Cretaceous, Senonian. Upper Chalk. Sittingbourne, Kent, England. Taylor, H. W. Colln 1854. Type figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 87, pl. 23 figs 3, 3a–c as *Pentaceros bispinosus* Spencer; 1907: 125 as *Stauranderaster bispinosus* (Spencer).

Stauranderaster boyssi (Forbes)

OR 46600 Cretaceous. Upper Chalk. Near Bromley, Kent, England. Simmons, J. Colln. Purchd. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 80, pl. 22 figs 4, 4a–c as *Pentaceros boyssi* Forbes 1907: 125 as *Stauranderaster boyssi* (Forbes).

OR 48083 Cretaceous, Senonian. Upper Chalk. Bromley, Kent, England. Dixon, F. Colln 1850. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 80, pl. 23 figs 1, 1a,b as *Pentaceros boyssi* Forbes; 1907: 125 *Stauranderaster boyssi* (Forbes).

Stauranderaster bulbiferus Forbes

E 20965, E 20966 See: *Stauranderaster bulbiferus* (Forbes)

Stauranderaster bulbiferus (Forbes)

E 4344a Cretaceous. Chalk. Charlton, Kent, England. Ogle Colln. Purchd 27th June 1891. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 132, text fig. 34 (under E 4344). See also *Valettaster argus* (Spencer), E 4344b. The block of Chalk contains *S. bulbiferus* and *V. argus*.

E 5040 (ex. 48210) Cretaceous, Senonian. Upper Chalk. Bromley, Kent, England. Simmons, J. Colln ca. 1870. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 77–79, pl. 21 figs 1, 1a,b as *Pentaceros bulbiferus* Forbes; 1907: 125 as *Stauranderaster bulbiferus* (Forbes).

E 5041 (ex. 48210) Cretaceous, Senonian. Upper Chalk. Bromley?, Kent, England. Simmons, J. Colln. Purchd 1870. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 77, pl. 21 figs 3, 3a as *Pentaceros bulbiferus* Forbes; 1907: 125 as *Stauranderaster bulbiferus* (Forbes).

E 5042 (ex. 46765) Cretaceous, Senonian. Upper Chalk. Charlton, Kent, England. Simmons, J. Colln. Purchd 1878. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 77, pl. 23 figs 2, 2a as *Pentaceros bulbiferus* Forbes; 1907: 125 as *Stauranderaster bulbiferus* (Forbes).

E 20965 Cretaceous, Campanian, *mucronata* Zone. Isle of Wight, England. Rowe, A. W. Colln. Purchd November 1926. Figd Spencer, W. K. 1913: 133, 134, pl. 13 figs 6, 7 as *Stauranderaster bulbiferus* Forbes.

E 20966 Cretaceous, Turonian, *cuvieri* Zone. Branscombe, Devon, England. Rowe, A. W. Colln. Purchd November 1926. Figd Spencer, W. K. 1913: 133, pl. 13 fig. 8

as *Stauranderaster bulbiferus* Forbes.

OR 40175 Cretaceous, Senonian. Upper Chalk. Bromley, Kent, England. Simmons, J. Colln 1870. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 77, 79, pl. 20 figs 1a–c as *Pentaceros bulbiferus* Forbes; 1907: 125 as *Stauranderaster bulbiferus* (Forbes).

OR 40399 Cretaceous, Santonian, *coranguinum* Zone. Upper Chalk. Bromley, Kent, England. Charlesworth, E. Colln 1863. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 77, pl. 21 figs 4, 4a as *Pentaceros bulbiferus* Forbes; 1907: 125 as *Stauranderaster bulbiferus* (Forbes).

OR 48748 Cretaceous, Santonian, *coranguinum* Zone. Upper Chalk. Bromley, Kent, England. Simmons, J. Colln 1873. Figd Carpenter, P. H. 1882: 529–533, pl. 12 as *Oreaster bulbiferus* Forbes. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 77, 78, 79, pl. 20 figs 2, 2a–b as *Pentaceros bulbiferus* Forbes; 1907: 125 as *Stauranderaster bulbiferus* (Forbes). There are four other specimens on this slab, which altogether form an impressive display. However, they are attached to the slab by plaster of paris, with a steel bar inserted for strength, showing that the slab is composite, a sort of ‘fake’.

Stauranderaster coronatus (Forbes)

E 2562 Cretaceous, Cenomanian. Lower Chalk. Burham, Kent, England. Smith, Mrs M. H. Colln 1878. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 82, 83, pl. 19 figs 1, 1a as *Pentaceros coronatus* Forbes; 1907: 125 as *Stauranderaster coronatus* (Forbes).

E 54031 Cretaceous, Cenomanian. lower part of Grizzel, 3.13 below standard datum. White Hart Sand Pit, Wilmington, Devon, England, SY 208 999. Gale, A. S. Colln. Figd Gale, A. S., in Smith, A. B., Paul, C. R. C., Gale, A. S. & Donovan, S. K. 1988: 193, 194, 197, pl. 41 figs 2a,b.

OR 35480 Holotype of *Oreaster coronatus* Forbes. Cretaceous, Cenomanian. Lower Chalk. Washington, Sussex, England. Dixon, F. Colln 1850. Type figd Forbes, E. 1848: 467 as *Oreaster coronatus* Forbes. Figd Forbes, E. in Dixon, F. 1850: 327, 328, pl. 21 figs 7, 7a–e as *Oreaster coronatus* Forbes. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: 362, 370, 439, pl. 21 figs 7, 7a–e as *Oreaster coronatus* Forbes. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 82, 83, pl. 24 figs 2, 2a–c, pl. 25 fig. 9 as *Pentaceros coronatus* Forbes; 1907: 125 as *Stauranderaster coronatus* (Forbes). Forbes, 1848, in his description of the species, referred to the figures in Dixon, 1850.

Stauranderaster gibbosus Spencer

E 13239 Holotype. Cretaceous, Upper Campanian, *quadratus* Zone. Rottingdean, Sussex, England. Presd Faber, H. 1913. Type refd Spencer, W. K. 1913: 135. Figured herein, figs 2a,b.

E 13240 Paratype. Cretaceous, Upper Senonian, *quadratus* Zone. Rottingdean, Sussex, England. Presd Faber, H. 1913. Figd Spencer, W. K. 1913: 135, pl. 13 fig. 11.

E 13248 Cretaceous, Senonian, lower quarter of *coranguinum* Zone. Whitchurch, Oxfordshire, England. Presd Whithers, T. H. 25th September 1913. Figd Spencer, W. K. 1913: 133, 135, pl. 13 figs 1–3.

Stauranderaster pistilliferus (Forbes)

E 2564 Syntype of *Oreaster pistilliferus* Forbes. Cretaceous, Senonian. Upper Chalk. Gravesend, Kent, England. Old Colln. Figd Forbes, E. in Dixon, F. 1850: 329, possibly

right-centre of pl. 21 fig. 15 as *Oreaster pistilliferus* Forbes. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: 363, 370, possibly right-centre of pl. 21 fig. 15 as *Oreaster pistilliferus* Forbes. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 88, pl. 25 fig. 5 right as *Pentaceros pistilliferus* Forbes.

E 5037 (ex. 57634) Syntype of *Oreaster pistilliferus* Forbes. Cretaceous, Senonian. Upper Chalk. Bromley, Kent, England. Simmons, J. Colln 1873. Figd Forbes, E. in Dixon, F. 1850: 329, possibly left-centre of pl. 21 fig. 15 as *Oreaster pistilliferus* Forbes. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: 363, 370, possibly left-centre of pl. 21 fig. 15 as *Oreaster pistilliferus* Forbes. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 88, pl. 25 fig. 5 left, as *Pentaceros pistilliferus* Forbes.

OR 57634 Syntype of *Oreaster pistilliferus* Forbes. Cretaceous, Senonian. Upper Chalk. Bromley, Kent, England. Simmons, J. Colln 1873. Figd Forbes, E. in Dixon, F. 1850: 329, probably upper right of pl. 21 fig. 15 as *Oreaster pistilliferus* Forbes. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: 363, 370, probably upper right of pl. 21 fig. 15 as *Oreaster pistilliferus* Forbes. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 88, pl. 25 fig. 5 centre as *Pentaceros pistilliferus* Forbes.

Stauranderaster senonensis Valette

E 2561 Holotype of *Pentaceros punctatus* Spencer. Cretaceous, Senonian. Upper Chalk. 'England'. Old Colln. Type figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 88, pl. 26 figs 1, 1a,b as *Pentaceros punctatus* Spencer; 1907: 95 as *Pycinaster senonensis* Valette.

Stauranderaster senonensis (Valette)

E 2561 See: *Stauranderaster senonensis* Valette

E 20431 Cretaceous, Campanian, *quadratus* Zone. East Harnham, near Salisbury, Wiltshire, England. Blackmore, H. P. Colln. Presd Trustees, Salisbury Museum January 1935. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 96, 119, text figs 23a–c as *Pycinaster senonensis* Vallette.

Stauranderaster sp.

E 2568 Cretaceous. Chalk. Sussex?, England. Old Colln. Figd Forbes, E. in Dixon, F. 1850: pl. 23 fig. 16 as '...fragment of *Goniaster* sp. ...'. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: pl. 23 fig. 16 as '...fragment of *Goniaster* sp. ...'.

E 7401 Cretaceous, probably Senonian. Devon, England. Bequest Vicary November 1903. Type figd Gislén, T. 1925: 28–30, figs 56–59 as *Gasterometra polycirra* Gislén. Refd Nielsen, K. B. 1943: 61. Erroneously described as a Comatulid crinoid by Gislén; referred to *Stauranderaster* by Nielsen.

Stellaster sharpii Wright

OR 75792 See: 'Metopaster' *sharpii* (Wright)

Sturtzura brisingoides Gregory

E 13000, E 13002 See: *Sturtzura brisingoides* (Gregory)

Sturtzura brisingoides (Gregory)

E 13000 Syntype of *Protaster brisingoides* Gregory. Lectotype of *Sturtzura brisingoides* Gregory. Type species of *Sturtzura* Gregory, 1889: 24–27. Upper Silurian. Melbournian Series, Mayhill Sandstone. Moonee Ponds, Flemington, near Melbourne, Victoria, Australia. Presd McKnight, F. 1889. Type figd Gregory, J. W. 1889: 24–27, text figs 1, 2 as *Protaster brisingoides* Gregory. Type refd Gregory, J. W.

1897 (for 1896): 1034–1035. Type figd Spencer, W. K. (1914–1940) 1927: 356, 363, 365, 366, text fig. 233B. E 13000 and E 13002 are part and counterpart.

E 13002 Syntype of *Protaster brisingoides* Gregory. Lectotype of *Sturtzura brisingoides* Gregory. Type species of *Sturtzura* Gregory, 1889. Upper Silurian. Melbournian Series, Mayhill Sandstone. Moonee Ponds, Flemington, near Melbourne, Victoria, Australia. Presd McKnight, F. 1889. Type refd Gregory, J. W. 1897 (for 1896): 1034–1035. Type figd Spencer, W. K. (1914–1940) 1927: 356, 362, 363, 365, 366, text fig. 232B. E 13000 and E 13002 are part and counterpart. E 13002 is not cited by Gregory 1889, although it is a syntype of *Protaster brisingoides* Gregory.

Sturtzura spryi Chapman

E 13001 Syntype of *Protaster brisingoides* Gregory. Upper Silurian. Melbournian Series, Mayhill Sandstone. Moonee Ponds, Flemington, near Melbourne Victoria, Australia. Presd McKnight, F. 1889. Type figd Gregory, J. W. 1889: 24–27, text fig. 3 as *Protaster brisingoides* Gregory.

T

Teichaster favosus Spencer

E 13238, E 13297–301 See: *Crateraster favosus* (Spencer)

Teichaster stokesii (Forbes)

E 52239,44 (ex. 57502) Eocene. London Clay. Isle of Sheppey, Kent, England. Bowerbank Colln 1850. Figd Forbes, E. 1852: pl. 4 figs 6a (E 52239, fig. reversed), 6b, 6c? (E 52244) as *Goniaster stokesii* Forbes.

OR 38587 Eocene. London Clay. Isle of Sheppey, Kent, England. Griffiths, W. Colln. Purchd October 1858. Figd Rasmussen, H. W. 1972: 53, pl. 12 fig. 5 (under E 38587).

Terminaster cancriformis (Quenstedt)

E 53615–17 Jurassic. Oxford Clay. Woodham Brick Pit, Buckinghamshire, England. Colld Beatson, S. Presd 4th June 1961. Figd Hess, H. 1974: 649, 650, text fig. 2 (E 53615); 648, 650, 651, text fig. 1 (E 53616); 649, 650, text fig. 3 (E 53617).

Tetraster sp.

E 52383 See: *Cnemidactis girvanensis* (Schuchert)

Tholaster argus Spencer

E 20967 See: *Valettaster argus* (Spencer)

Tomidaster sulcatus Sladen

E 5063 See: *Ophryaster sulcatus* (Sladen)

Trachyaster radiatus Spencer

E 13303 See: *Spenceraster radiatus* (Spencer)

Tropidaster pectinatus Forbes

E 1861 Syntypes? Type species of *Tropidaster* Forbes 1850: 1–2. Jurassic, Pliensbachian, *capricornus* Zone. Lias. Cutting at south end of Mickleton Tunnel, near Chipping Campden, Gloucestershire, England. Colld Gavey, G. E. (civil engineer). Wright, T. Colln. Type refd Forbes, E. 1850c: 1–2, pl. 3. Figd Wright, T. (1863–1880) 1863: 102–103, pl. 3 fig. 1. These are probably some of the specimens referred to by Forbes in his description of the species and therefore may be syntypes.

E 1902 Jurassic, Pliensbachian, *capricornus* Zone. Lias. Cutting at south end of Mickleton Tunnel, near Chipping Campden, Gloucestershire, England. Colld Gavey, G. E. (civil engineer). Wright, T. Colln. Purchd Butler, F. H. April

1888. Figd Wright, T. (1863–1880) 1863: 102–103, pl. 3 fig. 3. These are not the specimens referred to by Forbes (1850) and are not syntypes. They were found subsequent to the description, as mentioned by Wright : 103.

E 13570 (ex. 75692) Syntype? Type species of *Tropidaster* Forbes 1850. Jurassic, Pliensbachian, *capricornus* Zone. Lias. Cutting at south end of Mickleton Tunnel, near Chipping Campden, Gloucestershire, England. Colld Gavey, G. E. (civil engineer). Purchd May 1875. Type refd Forbes, E. 1850c: 1–2, pl. 3. Perhaps amongst the specimens referred to by Forbes in his description of the species and therefore one of the syntypes.

OR 75690–1 Syntype. Type species of *Tropidaster* Forbes 1850 : 1–2. Jurassic, Pliensbachian, *capricornus* Zone. Lias. Cutting at south end of Mickleton Tunnel, near Chipping Campden, Gloucestershire, England. Colld Gavey, G. E. (civil engineer). Wright, T. Colln. Type figd Forbes, E. 1850c: 1–2, pl. 3 figs 1 (75960), 2,3 (75961).

Tropidaster tropidatus Forbes

OR 75692 Syntype? Jurassic, Pliensbachian, *capricornus* Zone. Lias. Cutting at south end of Mickleton Tunnel, near Chipping Campden, Gloucestershire, England. Colld Gavey, G. E. (civil engineer). Purchd May 1875. Type refd Forbes, E. 1850c: 1–2, pl. 3. Perhaps this is one of the specimens referred to by Forbes, and if so, it is one of the syntypes.

U

Uraster gaveyi Forbes

E 1638 See: 'Asterias' *gaveyi* (Forbes)

Uraster spiniger Wright

E 1642 See: *Compsaster spiniger* (Wright)

Urasterella girvanensis Schuchert

E 52383 See: *Cnemidactis girvanensis* (Schuchert)

Urasterella mantana (Stschurovsky)

E 3806 Carboniferous. Mjatschowa, near Moscow, Russia. Purchd Damon, R. November 1896. Figd Spencer, W. K. (1891–1908) 1901: 122, 131, 147, 148, text fig. 93.

Urasterella ruthveni (Forbes) var. *leintwardinensis* Spencer

E 13952 Holotype. Silurian, Lower Ludlow. Church Hill, Leintwardine, Herefordshire, England. Ludlow Museum Colln. Purchd January 1947. Figd La Touche, J. de 1884: 76, pl. 17 fig 546 as *Palaearaster* sp. Type figd Spencer, W. K. (1891–1908) 1901: 127, 128, 130, 131, 138, 142–144, text fig. 92, pl. 9 figs 3, 4.

Urasterella thraivensis Spencer

E 52407Aa,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs. R. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1918: 127, 137–139, pl. 10 fig. 1 (E 52407Aa); 137, 139 (E 52407Ab). E 52407A is referred to as *Urasterella girvanensis* on p. 303, and listed with *Encriaster grayae* on p. 420 (1930).

E 52418a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs. R. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1918: 126–129, text fig. 81; E 52418a: 137, 139, 151.

E 52485 Lectotype. Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive

Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs. R. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1918: 127, 128, 137, 139, text fig. 88, pl. 9 fig. 1. Type refd Owen, H. G. 1965. Selected by Owen to be the lectotype.

E 53290 Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Colld Gray, Mrs. R. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1918: 127, 137–139, pl. 9 fig. 2.

V

Valettaster argus (Spencer)

E 2566 Paratype of *Stauranderaster argus* Spencer. Cretaceous. Chalk. Sussex, England. Dixon, F. Colln? Figd Forbes, E. in Dixon, F. 1850: pl. 21 fig. 16 as *Oreaster* sp. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: 439, pl. 21 fig. 16 as *Oreaster* sp. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: pl. 25 figs 6, 6a, as Genus(?) sp.(?); 1907: 99, 100, pl. 29 figs 9, 9a as *Stauranderaster argus* Spencer.

Valettaster argus (Spencer)

E 4344b Cretaceous. Upper Chalk. Charlton, Kent, England. Ogle Colln. Purchd 27th June 1891. Figd Breton, G. 1985: 93, 99, fig. 7 (under E 4344). See also *Stauranderaster bulbiferus* (Forbes), E 4344a. The block of Chalk contains *S. bulbiferus* and *V. argus*.

E 5019 Holotype of *Stauranderaster argus* Spencer. Cretaceous, Campanian, *Marsupites* Zone. Brighton, Sussex, England. Presd McPherson, W. November 1901. Type refd Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 99 as *Stauranderaster argus* Spencer.

E 20294 Paratype of *Stauranderaster argus* Spencer. Cretaceous, Santonian, *coranguinum* Zone. Micheldever, Hampshire, England. Blackmore, H. P. Colln. Presd Trustees, Salisbury Museum January 1935. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 99, 100, pl. 19 figs 8, 8a as *Stauranderaster argus* Spencer. Figd Breton, G. 1985: 93, fig. 6.

E 20967 Cretaceous, Santonian, *cortestudinarium* Zone. Seaford, Sussex, England. Rowe, A. W. Colln. Purchd November 1926. Figd Spencer, W. K. 1913: 138, pl. 13 fig. 23 as *Tholaster argus* Spencer.

Valettaster ocellatus (Forbes)

E 2571 Holotype of *Oreaster ocellatus* Forbes. Type species of *Valettaster* Lambert 1914 : 27. Cretaceous, Upper Senonian. Sussex, England. Dixon, F. Colln 1850. Type refd Forbes, E. 1848: 468 as *Oreaster ocellatus* Forbes. Figd Forbes, E. in Dixon, F. 1850: 329, pl. 21 fig. 13 as *Oreaster ocellatus* Forbes. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: 364, 370, 439, pl. 21 fig. 13 as *Oreaster ocellatus* Forbes. Type refd Lambert, J. 1914: 27. Forbes 1848, in his description of the species, referred to the figures in Dixon 1850.

E 5012 Cretaceous, Upper Santonian. Upper Chalk, *Marsupites* Band. Between tide-marks, near Roedean College, Brighton, Sussex, England. Presd McPherson, W. 1901. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1905: 85, 86, pl. 25 figs 4, 4a as *Pentaceros ocellatus* Forbes. Figd Breton, G. 1985: 93, 98, fig. 5.

E 54359 (ex. Wright & Wright colln no. 2506) Cretaceous, Cenomanian. Pit 2, Wilmington, Devon, England. Wright, C. W. & E. V. Colln. Presd March 1977. Figd Gale, A. S., in Smith, A. B., Paul, C. R. C., Gale, A. S. & Donovan, S. K. 1988: 194, 197, pl. 41 figs 1a,b.

TYPE AND FIGURED FOSSIL OPHIUROIDEA

A

Acroura brodiei Wright

E 3769 See: *Sinosura brodiei* (Wright)

Amphiura cretacea Spencer

E 5059 Holotype. Cretaceous, Cenomanian, *subglobosus* Zone. Grey Chalk. Folkestone, Kent, England. Capron, J. R. Colln. Type figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 104, 107, pl. 28 figs 6, 6a. The specimen is associated with a paratype of *Ophiotitanus tenuis* Spencer.

Amphiura prattii Forbes

OR 24682 See: *Ophiochiton? prattii* (Forbes)

OR 35607 See: *Dermocoma wrighti* Hess

Amphiura ?senonensis Valette

E 13696a,b Cretaceous, Campanian, *quadratus* Zone. Upper of two pits Patching Hill, Worthing, Sussex, England. Colld Gaster, C. T. A. Presd October 1921. Figd Rasmussen, H. W. 1950: 119, 120, pl. 15 figs 6, 7 (E 13696a), 8a–e (E 13696b) as *Amphiura ?senonensis* (Valette).

Amphiura ?senonensis (Valette)

E 13696a,b See: *Amphiura ?senonensis* Valette

Antiquaster magrumi Kesling

OR 40296b Silurian, Lower Ludlow. Shales. Church Hill, Leintwardine, Herefordshire, England. Marston, A Colln. Presd 1862. Figd Hotchkiss, F. H. 1976: 8, 9, 14, pl. 9 fig. 1.

Aplocoma sp

E 1613a,b(1–11) Triassic, Rhaetic. Spinney Hill, near Leicester, Leicestershire, England. Wright, T. Colln. Purchd Butler, F. H. 1887. Figd Hess, H. 1965: 169, 171, 173, text figs 9–20.

Aspidosoma grayae Spencer

E 52455a,b See: *Enocrinaster grayae* (Spencer)

B

Bdella coma vermiciformis Salter

E 1259 Silurian, Lower Ludlow. Church Hill, Leintwardine, Herefordshire, England. Presd Lee, J. E. 1885. Figd Spencer, W. K. (1914–1940) 1940: 511, 512, 527, 528, 529, text figs 335D, 342A, pl. 36 fig. 4.

OR 40297 Silurian, Lower Ludlow. Church Hill, Leintwardine, Herefordshire, England. Old Colln. Figd Spencer, W. K. (1914–1940) 1940: 511, 512, 527, 528, 529, text figs 335C, 342B, pl. 37 fig. 8.

Belaster ordovicus Spencer

E 13532 See: *Stenaster obtusus* (Forbes)

Bundenbachia beneckeai (Stürztz)

E 3461, 3494 See: *Taeniaster beneckeai* (Stürztz)

Bundenbachia sp

E 3495 See: *Taeniaster beneckeai* (Stürztz)

C

Caractacaster caractaci Gregory

E 13531a–c See: *Stenaster obtusus* (Forbes)

Cheiropaster giganteus Stürztz

E 3464 Syntype. Type species of *Cheiropaster* Stürztz 1890: 228–229. Lectotype. Lower Devonian. Bundenbach Slates. Bundenbach, Germany. Stürztz, B. Colln. Purchd July 1891. Type figd Stürztz, B. 1890: 228–229, pl. 29 fig. 33, pl. 30 fig. 32. Type figd Spencer, W. K. (1914–1940) 1934: 444, 445, 446, text fig. 287B. Selected by Spencer as the lectotype.

E 3465 Syntype? Lower Devonian. Bundenbach Slates. Bundenbach, Germany. Stürztz, B. Colln. Purchd July 1891. Figd Spencer, W. K. (1914–1940) 1934: 439, 440, 441, 442, 444, 446, text figs 283A, 284, 286, 287A, pl. 29 fig. 4. The specimen may be a syntype of Stürztz.

E 3511 Lower Devonian. Bundenbach Slates. Bundenbach, Germany. Stürztz, B. Colln. Purchd July 1894. Figd Spencer, W. K. (1914–1940) 1934: 444, 445, 446, 447, 448, text figs 288, 289.

D

Dermocoma wrighti Hess

OR 35607 Jurassic, Bathonian. Forest Marble. Malmesbury, Wiltshire, England. Buy, W. Colln 1856. Figd Wright, T. (1863–1880) 1866: 158–159, pl. 18 fig. 2 as *Amphiura prattii* Forbes. Figd Hess, H. 1964: 789, 792, 796, pl. 10 fig. 2.

Drepanaster grayae Spencer

E 52402a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1934: 493 (E 52402a,b), pl. 32 fig. 3 (E 52402a); 1940: 496, text fig. 323A (E 52402b).

E 52451a,b Holotype. Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1934: 452, 475, 493; 1940: 495, 496, text fig. 322 (E 52451a); 1934: 493, 494, text fig. 321; 1940: 496, pl. 32 fig. 1 (E 52451b).

E 52461a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1934: 493 pl. 32 fig. 2 (E 52461b) (not fig. 3 as recorded in plate explanation. That specimen is E 52402a).

E 52495A,B Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1934: 493, pl. 32 fig. 4; 1940: 497 (E 52495A); 1934: 493; 1940: 497, 498, text fig. 325B,C (E 52495B).

E 52696 Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1934: 493; 1940: 496, 497, text fig. 323B.

E 52767 Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1940: 497, 498, text fig. 325A.

E 52939a,b Upper Ordovician, Ashgill. Ardmillan Series,

Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Presd Misses Gray June 1937. Figg Spencer, W. K. (1914–1940) 1940: 497, text fig. 324 (E 52939a).

Drepanaster scabrosus (Whidborne)

E 13121a,b Upper Devonian. Pilton Beds. Downend, near Saunton, North Devon, England. Presd Workman, Miss R. 29th July 1910. Figg Spencer, W. K. (1914–1940) 1934: pl. 29 fig. 6; 1940: 499 (E 13121a).

E 13737a,b Upper Devonian. Pickard's Down, near Barnstable, Devon, England. Colld Hamling, J. G. Presd October 1925. Figg Spencer, W. K. (1914–1940) 1940: 499, text fig. 326c.

E

Encrinaster grayae (Spencer)

E 52411a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1930: 420, pl. 20 fig. 6 (E 52411a); 420, 423, pl. 26 fig. 7 (E 52411b).

E 52452a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1930: 403, 410, 420, 421, 422, 423, text fig. 269, 271; 1934: 456 (E 52452a); 1930: 406, 420, text fig. 260, pl. 27 fig. 5; 1934: 450 (E 52452b).

E 52455a,b Holotype of *Aspidosoma grayae* Spencer. Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Type figd Spencer, W. K. (1914–1940) 1914: 23, 24, 25, 33, text figs 22, 24, pl. 1 fig. 8; 1930: 403, 409, 410, 420, 421–423, text figs 259B, 269, 272, pl. 26 figs 1, 2, 3 (E 52455a); 1914: 23, 24, 25, 33, text figs 22, 24; 1930: 403, 409, 419, 420, 422, text figs 259A, 268, pl. 26 figs 1, 2, 4, pl. 28 fig. 4 (E 52455b) as *Aspidosoma grayae* Spencer.

E 52757 Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1930: 410, 420, 422, 424, text fig. 270.

Eospondylus primigenius (Stürzt)

E 3353 Lower Devonian. Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Figg Spencer, W. K. (1914–1940) 1925: 257, 276, 310, 311, 312, text figs 206b, e, pl. 21 fig. 9.

E 3355 Lower Devonian. Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Figg Stürzt, B. 1890: 210–211, pl. 26 fig. 6 as *Ophiura (Ophiurella) primigenia* Stürzt. Figg Spencer, W. K. (1914–1940) 1925: 257, 276, 310, 311, 312, text figs 206c.

E 3357 Lower Devonian. Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Figg Stürzt, B. 1890: 210, pl. 26 fig. 7 as *Ophiura (Ophiurella) primigenia* Stürzt. Figg Spencer, W. K. (1914–1940) 1925: 257, 276, 310, 311, 312, text figs 206d.

E 3358 Lower Devonian. Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Figg Spencer, W. K. (1914–1940) 1925: 257, 276, 310, 311, 312, text figs 206a. Figg Smith, A. B. in Murray, J. W. (editor) 1985: pl. 7.7.2.

Euzonosoma orbitoides Spencer

E 52424a,b Holotype. Type species of *Euzonosoma* Spencer 1930 : 411. Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Type figd Spencer, W. K. (1914–1940) 1930: 412, 413, 415, text fig. 264, pl. 27 fig. 9; 1934: 478 (E 52424a); 1930: 410, 411, 413, 414, text figs 265, 266, pl. 27 figs 6, 8 (E 52524b).

E 52426a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1930: 412, 415 (E 52426a); 412, 415, 417, text fig. 267 (E 52426b).

E 52602a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1930: 407, 410, 413, 415, 417, 423, text fig. 261 (both part and counterpart figd).

Euzonosoma tischbeinianum (Roemer)

E 3475 Lower Devonian. Bundenbach Slates. Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Figg Spencer, W. K. (1914–1940) 1930: 407, 408, 417; 1934: 442; 1940: 501, text fig. 262.

E 13794 Lower Devonian. Bundenbach, Germany. Purchd Wolff, E. May 1935. Figg Smith, A. B. in Murray, J. W. (editor) 1985: pl. 7.7.1.

F

Furcaster leptosoma (Salter)

E 3351 Lower Devonian. Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Figg Stürzt, B. 1890: 213, pl. 26 figs 12, 13 as *Ophiura (Palastropecten) zitteli* Stürzt. Figg Spencer, W. K. (1914–1940) 1925: 313, 315, 319, 324, 325, pl. 22 fig. 7.

E 3352 Lower Devonian. Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Figg Spencer, W. K. (1914–1940) 1925: 245, 313, 319, 325, pl. 22 fig. 8.

E 3354 Lower Devonian. Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Figg Stürzt, B. 1890: 211–213, pl. 26 figs 10, 10a, 11 as *Ophiura (Eoluidia) decheni* Stürzt. The specimen was used, together with E 3360, as the basis for the detailed reconstructions in the figures by Stürzt.

E 3360 Lower Devonian. Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Figg Stürzt, B. 1890: 211–213, pl. 26 fig. 10 as *Ophiura (Eoluidia) decheni* Stürzt. The specimen was used, together with E 3354, as the basis for the detailed reconstructions in the figures by Stürzt.

E 3364 Lower Devonian. Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Figg Stürzt, B. 1890: 214, pl. 31 fig. 40a as *Furcaster palaeozoicus* Stürzt. Figg Gregory, J. W. in Lankester, E. R. (editor) 1900: 275, text fig. 31. Stürzt based his figure on this specimen and E 3365. His figure was also used by Gregory.

E 3365 Lower Devonian. Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Figg Stürzt, B. 1890: 214, pl. 31 fig. 40a as *Furcaster palaeozoicus* Stürzt. Figg Gregory, J. W. in Lankester, E. R. (editor) 1900: 275, text fig. 31. Figg Spencer, W. K. (1914–1940) 1925: 314, 316, 319, 322, 324, text fig. 208. Stürzt based the figure on this specimen and E 3364. His figure was also used by Gregory.

E 3366 Lower Devonian. Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Figg Stürzt, B. 1890: 214, pl. 31

fig. 40 as *Furcaster palaeozoicus* Stürzt. Figg Spencer, W. K. (1914–1940) 1925: 313, 314, 319, 324, text fig. 207. Stürzt based his figure on this specimen and E 3805.

E 3487 Lower Devonian. Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Figg Spencer, W. K. (1914–1940) 1925: 313, 319, 325, pl. 22 fig. 6.

E 3805 Lower Devonian. Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Figg Stürzt, B. 1890: 214, pl. 31 fig. 40 as *Furcaster palaeozoicus* Stürzt. Figg Spencer, W. K. (1914–1940) 1925: 319, 325, pl. 22 fig. 5. Stürzt based his figure on this specimen and E 3366. Gregory, 1897: 1038 referred to the specimen as the type, but the type series are in the Berlin Museum.

E 5036 Holotype of *Sympterura minveri* Bather. Type species of *Sympterura* Bather 1905: 168. Lower Devonian, 'Coblenian'. Blue slate. Ephaven Cove, between Lundy Beach and Trevan Point, Portquin Bay, St. Minver Parish, near Padstow, North Cornwall, England. Colld Legg, Miss B. Presd Fox, H. March 1905. Type figd Bather, F. A. 1905: 161–169, pl. 6 fig. 6 as *Sympterura minveri* Bather.

E 13698 Lower Devonian. Dachschiefer. Bundenbach, Hunsrückgebirge, Germany. Stürzt, B. Colln. Purchd 28th October 1922. Figg Spencer, W. K. (1914–1940) 1925: 313, 316, 319, 325, pl. 22 fig. 9.

E 20250a–c (ex. Ludlow Museum nos D/d/23 (=E 20250a), D/d/22 XXIII (=E 20250b), D/d/21 VII (=E 20250c)) Silurian, Lower Ludlow. Church Hill, Leintwardine, Herefordshire, England. Ludlow Museum Colln. Purchd January 1947. Figg Spencer, W. K. (1914–1940) 1925: 314, 316, 319, 320, 321, 322, text fig. 212c (E 20250c) as *Lapworthura miltoni* (Salter). Text fig. 212a, p. 321 is identified by its Ludlow Museum number III, which is in fact a specimen of *Lapworthura miltoni* (Salter), BMNH numbers E 20231–2. This is probably an error for VII, and if so, a further page reference will include text fig. 212a on p. 321.

E 20258 Silurian, Lower Ludlow. Church Hill, Leintwardine, Herefordshire, England. Ludlow Museum Colln. Purchd January 1947. Figg Spencer, W. K. (1914–1940) 1925: 316, 319, 321, 322, 325, text fig. 212e.

E 20260 Silurian, Lower Ludlow. Church Hill, Leintwardine, Herefordshire, England. Marston, A. Colln in Ludlow Museum Collection. Purchd January 1947. Figg Spencer, W. K. (1914–1940) 1925: 314, 319, pl. 18 fig. 4.

E 52839a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1925: 315, 317, 318, text fig. 210 as *Furcaster trepidans* Spencer; 1927: 325 (E 52839a) as *Furcaster leptosoma* (Salter).

Furcaster palaeozoicus Stürzt

E 3364, E3365, E 3366, E 3805 See: *Furcaster leptosoma* (Salter)

Furcaster trepidans Spencer

E 52413a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1925: 316, 317, pl. 22 fig. 1 (E 52413a).

E 52511 Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1925: 315, 316, 317, text fig. 209.

E 52685a,b Holotype of *Squamaster trepidans* Spencer. Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Type figd Spencer, W. K. (1914–1940) 1925: E 52685a — 250, 290, text fig. 197c as *Squamaster trepidans* Spencer; 315, 317, as *Furcaster trepidans* Spencer; E 52685b — 250, 272, 273, 274, text fig. 192 as *Furcaster trepidans* Spencer; 290, text fig. 197c as *Squamaster trepidans* Spencer; 309, 313, 317, 318, pl. 22 fig. 2 as *Furcaster trepidans* Spencer.

Furcaster trepidans Spencer

E 52839a,b See: *Furcaster leptosoma* (Salter)

H

Hallaster cylindricus (Billings)

E 52394a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1925: 249, 251, 256, 257, 293, 295, text figs 178, 185, pl. 19 figs 1, 2, pl. 21 fig. 3; 1927: 335 (E 52394a); 1925: 249, 250, 251, 256, 257, 290, 291, 293, 295, 296, 315, text figs 178, 185, 197a, pl. 21 figs 1, 2; 1927: 335 (E 52394b).

E 52420a,b Ordovician, Caradoc. Balclatchie Group. Dow Hill, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1925: 246, 259, 265, 274, 292, 293, 295, 296, 315, text fig. 200; 1927: 325, 420; 1940: 524 (E 52420a).

E 52682 Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figg Spencer, W. K. (1914–1940) 1925: 251, 254, 293, 307, text fig. 179; 1930: 410.

Hemieuryale? lunaris Hess

E 52983–9 (ex. E 13085) Jurassic. Middle Lias. Aston Magna, Worcestershire, England. Slatter Colln. Purchd Slatter, Miss July 1896. Figg Hess, H. 1964: 763, 764, 765, text figs 4 (E 52983), 5 (E 52984), 6 (E 52985), 7 (E 52986), 8 (E 52987), 9 (E 52988), 10 (E 52989).

Hudsonaster batheri Schuchert

E 52391 See: *Stenaster obtusus* (Forbes)

L

Lapworthura miltoni (Salter)

E 20231–2 Syntypes of *Lapworthura sollasi* Spencer. Silurian, Lower Ludlow. Church Hill, Leintwardine, Herefordshire, England. Pardoe, H. & Ludlow Museum Colln of Collection. Purchd January 1947. Type figd Spencer, W. K. (1914–1940) 1914: 25, 31, 32, 33, 37, pl. 1 fig. 10 as *Lapworthura sollasi* Spencer; 1916: 106; 1918: 118; 1925: 302, 303 as *Lapworthura miltoni* (Salter). See also note for E 20250a–c, *Furcaster leptosoma* (Salter).

E 20235a,b Neotype. Type species of *Lapworthura* Gregory 1897: 1037. Silurian, Lower Ludlow. Church Hill, Leintwardine, Herefordshire, England. Ludlow Museum Colln. E 20235a, Purchd January 1947; E 20235b, Exchd Ipswich Museum per Spencer, H. E. P. 1964. Type refd Gregory, J. W. 1897 (for 1896): 1037. Type figd Spencer, W. K. (1914–1940) 1925: 302, 304–305, 309, pl. 20 fig. 2 (E

2023b). E 20235a was not referred to by Spencer. E 20235b was selected by Spencer, p.304, to be the 'holotype' in place of the original Salter specimen which was lost. The 'holotype' therefore is the neotype.

E 20250a-c See: *Furcaster leptosoma* (Salter)

E 52442a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1925: 302, 303, pl. 21 fig. 7 (E 52442a); 303, 309 (E 52442b).

E 52973a,b Silurian, Lower Ludlow. Quarry at Martins Shell, Leintwardine, Herefordshire, England. Spencer, W. K. ex Beale, A. R. Colln. Presd April 1964. Figd Spencer, W. K. (1914–1940) 1925: 302, pl. 20 fig. 3 (E 52973a).

E 52982 Silurian, Lower Ludlow. Quarry at Martins Shell, Leintwardine, Herefordshire, England. Spencer, W. K. Colln ex Beale, A. R. Collection. Presd April 1964. Figd Spencer, W. K. (1914–1940) 1925: 243, 256, 302, 305, 306, 308, text fig. 204C; 1927: 327.

OR 57425 Silurian, Lower Ludlow. Church Hill, Leintwardine, Herefordshire, England. Old Colln. Figd Gregory, J. W. 1897 (for 1896): 1037 fig. 5.

Lapworthura sollasi Spencer

E 20231–2 See: *Lapworthura miltoni* (Salter)

Loriolaster mirabilis Stürzt

E 3474 Lower Devonian. Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Figd Spencer, W. K. (1914–1940) 1934: 439, 448, pl. 29 fig. 5.

E 3804 Lower Devonian. Bundenbach, Germany. Purchd Damon, R. March 1888. Figd Spencer, W. K. (1914–1940) 1934: 447, 448, text figs B,C.

E 13662a,b (ex. E 326) Lower Devonian. Dachschiefer. Bundenbach, Hunsrückgebirge, Germany. Purchd Braun, F. 1883. Figd Spencer, W. K. (1914–1940) 1934: 439, 447, 448, text figs 283B, 290A (E 13662a). Originally the two slabs containing the part and counterpart of E 13662a,b were numbered as E 326. Later on, they were given two registration numbers — E 13660 and E 13662. E 13660 contained one specimen plus the counterpart of E 13662, and E 13662 contained one specimen plus the counterpart of E 13660. To avoid confusion, suffixes a and b have been added to the specimens of each slab. Slab previously numbered E 13660 now contains E 13660a and E 13662b. Slab E 13662 now contains E 13662a and E 13660b.

E 13789 (ex. E 1029) Lower Devonian. Dachschiefer. Bundenbach, Hunsrückgebirge, Germany. Purchd Damon, R. 29th January 1886. Figd Spencer, W. K. (1914–1940) 1934: 439, 440, 441, 446, 448, text fig. 285.

M

Mastigactis aranea (Ruedemann)

E 52616a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1930: 427, 428, text fig. 275A, pl. 28 fig. 8; 1940: 504 (E 52616a); 1930: 427, 429, text fig. 275B; 1940: 504 (E 52616b).

E 52621 Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd

Spencer, W. K. (1914–1940) 1930: 427, 428, 429, pl. 28 figs 5, 6.

E 52690 Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1930: 427, pl. 28 fig. 7.

Medusaster parvus Whidborne

E 53296 Holotype. Upper Devonian. North-east of Hartford Landkey, Devon, England. Hamling Colln. Presd Trustees, Torquay Museum November 1935. Type figd Whidborne, G. F. (1896–1907) 1898: 205–206, pl. 37 fig. 4.

Medusaster rhenanus Stürzt

E 3481 Syntype. Type species of *Medusaster* Stürzt 1890: 229–230. Lower Devonian. Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Type figd Stürzt, B. 1890: 229–230, pl. 31 figs 34, 35.

E 3496–98 Syntypes. Type species of *Medusaster* Stürzt 1890: 229–230. Lower Devonian. Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Type refd Stürzt, B. 1890: 229–230. These are three of the four specimens referred to by Stürzt on page 229.

Miospondylus rhenanus (Stürzt)

E 3723 Holotype. Type species of *Miospondylus* Gregory 1897: 1039. Lower Devonian. Bundenbach, Germany. Stürzt, B. Colln. Purchd 1894. Type figd Stürzt, B. 1893: 7–8, pl. 1 figs 1–3 as *Ophiura rhenana* Stürzt. Type refd Gregory, J. W. 1897 (for 1896): 1039. Figd Spencer, W. K. (1914–1940) 1925: 299–301, text fig. 202, pl. 21 fig. 6.

N

? var *nana*

E 2593 See: *Sturtzaster marstoni* (Salter)

O

Ophiochiton? prattii (Forbes)

OR 24682 Jurassic, Oxfordian. Oxford Clay. Chippingham, Wiltshire, England. Buy, W. Colln 1850. Figd Wright, T. (1863–1880) 1880: 158–159, pl. 18 figs 1a–d as *Amphiura prattii* Forbes. Figd Hess, H. 1964: 796–799, pl. 10 figs 1a–d.

Ophiocoma hessii Rasmussen

E 53635 Holotype. Eocene, Bartonian. Lower Barton Beds, Highcliffe Sands, horizon A3. Highcliffe-on-Sea, Hampshire, England. Colld Rundle, A. J. Presd. Type figd Rasmussen, H. W. 1972: 76–77, pl. 6 figs 6a–c.

E 53636 Paratype. Eocene, Bartonian. Lower Barton Beds, Highcliffe Sands, horizon A3. Highcliffe-on-Sea, Hampshire, England. Colld Rundle, A. J. Presd. Figd Rasmussen, H. W. 1972: 76–77, pl. 6 fig. 7.

Ophiocoma? nereida (Wright)

E 1065 Holotype of *Ophiurella nereida* Wright. Jurassic, Corallian. Calciferous Grit. Sandsfoot Castle, Weymouth, Dorset, England. Colld Buckman, Prof. J. Presd June 1886. Type figd Wright, T. (1863–1880) 1880: 156–157, text figs 39, 40 as *Ophiurella nereida* Wright. Figd Wright, T. 1882: 56–57, text fig. opposite p. 56 as *Ophiurella nereida* Wright. Figd Wright, T. 1886b: 53–55, text fig. on p. 54 as *Ophiurella nereida* Wright. The specimen has been damaged since figuring by Wright.

Ophiocoma? rasmusseni Hess

E 13734B **Holotype.** Cretaceous, Cenomanian. Lower Chalk, Grey Chalk. Dover, or Folkestone, perhaps Abbotscleif, about midway between Dover and Folkestone, Kent, England. Dibley, G. E. Colln. Purchd October 1922. Type figd Hess, H. 1960b: 747, 748, 752, 753–756, text figs 1B, 5–7.

Ophiocota? sp.

E 52997 (ex. E 13085) Jurassic. Middle Lias. Aston Magna, Worcestershire, England. Slatter Colln. Purchd Slatter, Miss, July 1896. Figd Hess, H. 1964: 768, 771, text fig. 18.

Ophioderma gaveyi Wright

E 1640, E 2655 See: *Palaeocoma gaveyi* (Wright)

Ophioderma griesbachii Wright

E 1561, E 1615 See: *Ophiohybris griesbachii* (Wright)

'Ophioderma' tenuibrachiata Forbes

E 1641 Jurassic, Pliensbachian, *margaritatus* Zone. Middle Lias, Starfish Bed. Down Cliff, near Bridport Harbour, Dorset, England. Wright, T. Colln. Purchd Butler, F. H. 1887. Figd Wright, T. (1863–1880) 1866: 146, pl. 18 figs 5a–c.

Ophioglypha wetherelli (Forbes)

E 13702 See: *Ophiura wetherelli* Forbes

Ophiohybris griesbachii (Wright)

E 1561 **Syntype** of *Ophioderma griesbachii* Wright. **Lectotype.** Jurassic, Bathonian. Forest Marble. Oundle, Northamptonshire, England. Colld Griesbach, Rev. A. W. Wright, T. Colln. Purchd Butler, F. H. 1887. Type figd Wright, T. 1854: 378–380, pl. 13 figs 2a,b (figures reversed) as *Ophioderma griesbachii* Wright. Figd Wright, T. (1863–1880): 131, pl. 18 figs 3a,b, and possibly fig. 4; 1880: 155 as *Ophiurella griesbachii* Wright. Type refd Hess, H. 1964: 787. Hess referred to the specimen as the holotype, but as it is one of the figured syntypes of Wright, the specimen is in fact the lectotype.

E 1615 **Syntype?** of *Ophioderma griesbachii* Wright. Jurassic, Bathonian. Forest Marble. Oundle, Northamptonshire, England. Colld Griesbach, Rev. A. W. Wright, T. Colln. Purchd Butler, F. H. 1887. Type refd Wright, T. 1854: 378–380 as *Ophioderma griesbachii* Wright. This is probably one of the specimens from which the species was described by Wright. It is probably therefore an unfigured syntype.

E 52373 (ex. 56865) Jurassic. Great Oolite, Forest Marble. Oundle, Northamptonshire, England. Morris Colln. Figd Hess, H. 1964: 787, 788, pl. 5.

Ophiolepis murravii Forbes

E 1560, E 1859 See: *Ophiomusium murravii* (Forbes)

Ophiolepis ramsayi Wright

E 1862 See: *Ophiomusium? ramsayi* (Wright)

Ophiomusium murravii (Forbes)

E 1560 Jurassic. Middle Lias, [top Lower Lias]. Near Staithes, Coast of Yorkshire, England. Colld Murray, Dr. Wright, T. Colln. Purchd Butler, F. H. 1887. Figd Wright, T. (1863–1880) 1866: 151–152, pl. 14 figs 1a,b, pl. 19 fig 2 as *Ophiolepis murravii* Forbes.

E 1859 Jurassic. Middle Lias, [top Lower Lias]. Near Staithes, Coast of Yorkshire, England. Colld Murray, Dr. Wright, T. Colln. Purchd Butler, F. H. 1887. Figd Wright, T. (1863–1880) 1866: 151–152, pl. 17 figs 2a,b as *Ophiolepis murravii* Forbes.

Ophiomusium cf murravii (Forbes)

E 52990–93 (ex. E 13085) Jurassic. Middle Lias. Aston Magna, Worcestershire, England. Slatter Colln. Purchd Slatter, Miss, July 1896. Figd Hess, H. 1964: 765, 766, text figs 11 (E 52990), 12 (E 52991), 13 (E 52992), 14 (E 52993).

E 53001–2 (ex. E 13085) Jurassic. Middle Lias. Aston Magna, Worcestershire, England. Slatter Colln. Purchd Slatter, Miss, July 1896. Figd Hess, H. 1964: 765, 767, 769, text figs 22 (E 53001), 23 (E 53002).

Ophiomusium cf murravii (Forbes) or Ophiura? astonensis Hess

E 53014 (ex. E 13085) Jurassic. Middle Lias. Aston Magna, Worcestershire, England. Slatter Colln. Purchd Slatter, Miss, July 1896. Figd Hess, H. 1964: 773, 774, 775, text fig. 35.

Ophiomusium sp.

E 13734C Cretaceous, Cenomanian. Grey Chalk. Dover, or Folkestone, perhaps Abbotscleif, about midway between Dover and Folkestone, Kent, England. Dibley, G. E. Colln. Purchd October 1922. Figd Hess, H. 1960b: 747, 748, 756, text figs 1C, 8.

Ophiomusium weymouthiense (Damon)

E 1607a Jurassic. Oxford Clay. Weymouth, Radipole Backwater, or Ham Cliff, Dorset, England. Wright, T. Colln. Purchd Butler, F. H. 1887. Figd Hess, H. 1964: 782, pl. 2 fig. 2.

E 1607b **Neotype.** Jurassic. Oxford Clay. Weymouth, Radipole Backwater, or Ham Cliff, Dorset, England. Wright, T. Colln. Purchd Butler, F. H. 1887. Type figd Hess, H. 1964: 780–783, text fig. 41, pl. 4.

E 3500A Jurassic, Oxfordian. Weymouth, Radipole Backwater, or Ham Cliff, Dorset, England. Purchd Damon, R. Figd Hess, H. 1964: 782, pl. 3.

Ophiomusium? ramsayi (Wright)

E 1862 **Syntype** of *Ophiolepis ramsayi* Wright. Jurassic. Lower Lias, associated with *Isocrinus tuberculatus*. Down Hatherley, Vale of Gloucester, Gloucestershire, England. Wright, T. (ex Brodie, Rev. P. B.) Colln. Purchd Butler, F. H. April 1888. Type figd Wright, T. (1863–1880) 1866: 150–151, pl. 14 fig. 3 as *Ophiolepis ramsayi* Wright.

Ophiopetra bathonica Hess

E 52353 **Holotype.** Jurassic, Bathonian. Forest Marble. Chippenham, Wiltshire, England. Spath, L. F. Colln. Presd Spath, J. May 1957. Type figd Hess, H. 1964: 793–795, text figs 46–48, pl. 8.

Ophiotitanos laevis Spencer

E 5053 (ex. 57512) **Holotype.** Cretaceous, Cenomanian, *subglobosus* Zone. Grey Chalk. Dover, Kent, England. Purchd Griffiths, W. Type figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 105, pl. 28 figs 3, 3a.

E 5058 (ex. 76004) Cretaceous, Cenomanian, *subglobosus* Zone. Grey Chalk. Folkestone, Kent, England. Purchd Capron, J. R. 1879. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 104, 105, pl. 28 figs 4, 4a.

Ophiotitanos magnus Spencer

E 5060 (ex. 76004) **Holotype.** Cretaceous, Cenomanian, *subglobosus* Zone. Grey Chalk. Folkestone, Kent, England. Capron Colln. Purchd 1879. Type figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 106, pl. 28 figs 5, 5a.

Ophiotitanos tenuis Spencer

E 5056 (ex. 76004) **Holotype.** Type species of *Ophiotitanos* Spencer 1907: 104. Cretaceous, Cenomanian, *subglobosus* Zone. Grey Chalk. Folkestone, Kent, England. Capron Colln. Purchd 1879. Type figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 104–105, pl. 28 figs 1, 1a.

E 5057 (ex. 76004) **Paratype.** Cretaceous, Cenomanian, *subglobosus* Zone. Grey Chalk. Folkestone, Kent, England. Capron, J. R. Colln. Purchd 1879. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 104, pl. 28 figs 2, 2a.

E 13734A Cretaceous. Grey Chalk. Dover, or Folkestone, perhaps Abbotsciff, about midway between Dover and Folkestone, Kent, England. Dibley, G. E. Colln. Purchd October 1922. Figd Hess, H. 1960b: 747, 748, 749, 750, 751, text figs 1A, 2–4.

Ophiura bartonensis Rasmussen

E 52158 (ex. 33394) **Holotype.** Eocene, Bartonian. Barton Beds, Highcliffe Sands. Highcliffe-on-Sea, near Barton-on-Sea, Hampshire, England. Presd d'Urban, J. May 1854. Type figd Rasmussen, H. W. 1972: 68–70, pl. 9 fig. 2, pl. 14 fig. 2.

E 53651–2 Eocene, Bartonian. Barton Beds, horizon A3. Highcliffe-on-Sea, near Barton-on-Sea, Hampshire, England. Colld Rundle, A. J. Presd. Figd Rasmussen, H. W. 1972: pl. 9 figs 3a–d (E 53651), 4 (E 53652).

E 53653–7 Eocene, Bartonian. Middle Barton Beds, horizon E. Barton-on-Sea, Hampshire, England. Davis, A. G. Colln. Figd Rasmussen, H. W. 1972: pl. 9 figs 5 (E 53653), 6a–c (E 53654), 7a,b (E 53655), 8a,b (E 53656), 9a–c (E 53657).

E 53673–4 Eocene, Bartonian. Lower Barton Beds, horizon A3. Highcliffe-on-Sea, near Barton-on-Sea, Hampshire, England. Colld Rundle, A. J. Presd. Figd Rasmussen, H. W. 1972: pl. 14 figs 3 (E 53673), 4 (E 53674).

Ophiura bognoriensis Rasmussen

E 13761 **Holotype.** Eocene. London Clay, Starfish Bed. Bognor Regis, Sussex, England. Colld Venables, E. M. Presd March 1928. Type figd Rasmussen, H. W. 1972: 66–68, pl. 8 figs 1a–b.

E 53642–50 **Paratypes.** Eocene. London Clay, *Astarte* Bed (E 53642–46), Starfish Bed (E 53647–50). Bognor Regis, Sussex, England. Rundle, A. J. Colln. Figd Rasmussen, H. W. 1972: 67, pl. 8 figs 2a–c (E 53642), 3a–d (E 53643), 4 (E 53644), 5 (E 53646), 7a–c (E 53647), 8a,b (E 53648), 9a,b (E 53649), 10a–c (E 53650).

Ophiura carpelloides Rasmussen

E 53658 **Holotype.** Eocene, Bartonian. Middle Barton Beds, horizon E. Barton-on-Sea, Hampshire, England. Davis, A. G. Colln. Type figd Rasmussen, H. W. 1972: 71–75, pl. 10 figs 1a–d.

E 53659–66 **Paratypes.** Eocene, Bartonian. Middle Barton Beds, horizon E. Barton-on-Sea, Hampshire, England. Davis, A. G. Colln. Figd Rasmussen, H. W. 1972: 71, pl. 10 figs 2a,b (E 53659), 3a–c (E 53660), 4a,b (E 53661), 5 (E 53662), 6a,b (E 53663), 7a,b (E 53664), 8a,b (E 53665), 9a–c (E 53666).

Ophiura costata Rasmussen

E 53637 **Holotype.** Eocene, Bartonian. Middle Barton Beds, horizon E. Barton Cliff, Barton-on-Sea, Hampshire, England. Davis, A. G. Colln. Type figd Rasmussen, H. W. 1972: 70–71, pl. 6 figs 8a–c.

E 53638 **Paratype.** Eocene, Bartonian. Middle Barton

Beds, horizon E. Barton Cliff, Barton-on-Sea, Hampshire, England. Davis, A. G. Colln. Figd Rasmussen, H. W. 1972: 70–71, pl. 6 figs 9a–c.

Ophiura davisi Rasmussen

E 53667 **Paratype.** Eocene, Bartonian. Middle Barton Beds, horizon E. Barton-on-Sea, Hampshire, England. Davis, A. G. Colln. Figd Rasmussen, H. W. 1972: 75, pl. 10 figs 10a–c.

E 53668 **Holotype.** Eocene, Bartonian. Middle Barton Beds, horizon E. Barton-on-Sea, Hampshire, England. Davis, A. G. Colln. Type figd Rasmussen, H. W. 1972: 75, pl. 10 figs 11a–c.

E 53669–72 **Paratypes.** Eocene, Bartonian. Middle Barton Beds, horizon E. Barton-on-Sea, Hampshire, England. Davis, A. G. Colln. Figd Rasmussen, H. W. 1972: 75, pl. 10 figs 12a–c (E 53669), 13a,b (E 53670), 14a,b (E 53671), 15a,b (E 53672).

Ophiura (Eoluidia) decheni Stürz

E 3354, E 3360 See: *Furcaster leptosoma* (Salter)

Ophiura (Ophiurella) primigenia Stürz

E 3355, E 3357 See: *Eospondylus primigenius* (Stürz)

Ophiura (Palastropecten) zitteli Stürz

E 3351 See: *Furcaster leptosoma* (Salter)

Ophiura parvisentis Spencer

E 5052 See: *Ophiura serrata* Roemer

Ophiura rhenana Stürz

E 3723 See: *Miospondylus rhenanus* (Stürz)

Ophiura serrata Roemer

E 5043 (ex. 48082) Cretaceous. Upper Chalk. Bromley, Kent, England. Dixon, F. Colln. Figd Forbes, E. in Dixon, F. 1850: 337, pl. 23 fig. 2. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: 369, 370, pl. 23 fig. 2. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 102, 103, pl. 27 figs 3, 3a.

E 5044 (ex. 48082) Cretaceous. Upper Chalk. Bromley, Kent, England. Dixon, F. Colln. Figd Forbes, E. in Dixon, F. 1850: pl. 23 fig. 3. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: pl. 23 fig. 3.

E 5045 (ex. 48082) Cretaceous. Upper Chalk. Bromley, Kent, England. Dixon, F. Colln. Figd Forbes, E. in Dixon, F. 1850: pl. 23 fig. 3a. Figd Forbes, E. in Dixon, F. & Jones, T. R. 1878: pl. 23 fig. 3a.

E 5046 (ex. 46778) Cretaceous, Santonian, *coranguinum* Zone. Chalk. Northfleet, Kent, England. Purchd Tennant, J. 1869. Figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 102, 103, pl. 27 figs 3b–e.

E 5052 (ex. 46776) **Holotype** of *Ophiura parvisentis* Spencer. Cretaceous, Senonian. Upper Chalk. Bromley, Kent, England. Purchd Simmons, J. 1869. Type figd Sladen, W. P. & Spencer, W. K. (1891–1908) 1907: 103–104, pl. 27 figs 4, 4a as *Ophiura parvisentis* Spencer. The specimen was recorded by Rasmussen, H. W. 1950: 113 as *Ophiura serrata* Roemer, and in a note included with the specimen he wrote ‘... Ventral side. *O. parvisentum* must be a synonym . . .’, and dated 22/4/1948.

E 13733a,b Cretaceous, Santonian, *coranguinum* Zone. Northfleet, Kent, England. Dibley, G. E. Colln October 1922. Figd Rasmussen, H. W. 1950: 113, pl. 16 figs 1a–c (E 13733a), 2a–e (E 13733b).

Ophiura wetherelli Forbes

E 2650-52 Syntypes? Eocene. London Clay. Highgate Archway, North London, England. Presd Wetherell, J. W. 1871? Type refd? Forbes, E. 1852: 32-33. These specimens from the Wetherell Collection may be the ones referred to by Forbes on p. 32; if so, they are syntypes. E 2650 figured herein, fig. 5.

E 2670 Syntype. Eocene. London Clay. Highgate Archway, North London, England. Presd Wetherell, J. W. 1871. Type figd Forbes, E. 1852: 32-33 pl. 4 figs 7. Figd Busk, G. 1866: pl. 12 figs 4a-d. Although the original label reads '... original figured specimen ...', the specimen does not resemble any figure by Forbes on pl. 4 figs 7, only that by Busk on pl. 12 fig. 4. Figured herein, fig. 4.

E 13702 Eocene. London Clay, division 4. Base of Norbiton Pottery Section, New Maldon, Surrey, England. Colld Davis, A. G. Presd December 1923. Figd Davis, A. G. 1923: 113-115, pl. 3 as *Ophioglypha wetherelli* (Forbes). Figd Rasmussen, H. W. 1972: 65, pl. 7 figs 2a,b, pl. 13 fig. 3.

E 53243a,b Eocene, Ypresian. London Clay, 2 inches above the basal shell bed, of the Oldhaven Beds. Medway Brick and Sand Company, 'Arethusa Sand Pit', 200 yards west of pier at south end of Beacon Hill, Lower Upnor, Friendsbury Extra, Kent, TQ 759 712. England. Colld Members of the Ninth Symposium on Vertebrate Palaeontology and Comparative Anatomy September 1961. Presd October 1964. Figd Rasmussen, H. W. 1972: 65, pl. 7 fig. 1, pl. 13 fig. 2.

E 53639-41 Eocene. London Clay, division 2. Victoria Line shaft, Brixton, London, England. Rundle, A. J. Colln. Presd. Figd Rasmussen, H. W. 1972: 65, pl. 7 figs 3a-d (E 53639), 4 (E 53640), 5a,b (E 53641).

Ophiura? astonensis Hess

E 52994-5 (ex. E 13085) Jurassic. Middle Lias. Aston Magna, Worcestershire, England. Slatter Colln. Purchd Slatter, Miss, July 1896. Figd Hess, H. 1964: 766, 767, 768, text figs 15 (E 52994), 16 (E 52995).

E 52996 (ex. E 13085) Holotype. Jurassic. Middle Lias. Aston Magna, Worcestershire, England. Slatter Colln. Purchd Slatter, Miss, July 1896. Type figd Hess, H. 1964: 767-768, text fig. 17.

Ophiura? astonensis Hess

E 53014 See: *Ophiomusium cf murravii* (Forbes)

Ophiura? substriata Rasmussen

E 13116 Holotype. Cretaceous, Lower Senonian. Chalk. Dover, Kent, England. Bequeathed Cockburn, C. F. 1909. Type figd Rasmussen, H. W. 1950: 116-118, pl. 18 figs 1-6.

Ophiurella griesbachii Wright

E 1561 See: *Ophiohybris griesbachii* (Wright)

Ophiurella nereida Wright

E 1065 See: *Ophiocoma? nereida* (Wright)

Ophiurina lymani Stürzt

E 3482 Syntype. Lectotype. Type species of *Ophiurina* Stürzt 1890: 232. Lower Devonian, Siegenian. Lower Hunsrückchiefer, Asterien-schiefer. Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Type figd Stürzt, B. 1890: 232, pl. 31 figs 36, 36a. Type refd Owen, H. G. 1965: 558, 559, text fig. 349. Selected as lectotype by Owen, who also suggested the details of the stratigraphy.

E 3483(0-2) Syntypes. Paralectotypes. Lower Devonian.

Bundenbach, Germany. Stürzt, B. Colln. Purchd July 1891. Type figd Stürzt, B. 1890: 232, pl. 21 fig. 37. Figd Spencer, W. K. (1914-1940) 1925: 284, 288, 289, text figs 196a,b, pl. 20 figs 7 (E 3483(1)), 8 upper (E 3483), lower (E 3483(2)). See also E 3482 which is the lectotype.

P

Palaeocoma egertoni (Broderip)

E 21 Jurassic. Lower Lias. Lyme Regis, Dorset, England. Purchd Executors of Tennant, J. June 1881. Figd Hess, H. 1960c: 780-781, text fig. 16.

E 204 Jurassic. Lower Lias. Lyme Regis, Dorset, England. Tennant Colln. Purchd May 1862. Figd Galopin, R., Lantero, E. & Célébonovic, S. 1955: 60, pl. 40.

Palaeocoma gaveyi (Wright)

E 1640 Jurassic, Pliensbachian, *capricornus* Zone. Mickleton Tunnel, near Chipping Camden, Gloucestershire, England. Wright, T. Colln. Purchd Butler, F. H. May 1887. Figd Wright, T. (1863-1880) 1866: 147-148, pl. 15 fig. 1 as *Ophiiderma gaveyi* Wright.

E 1903 Jurassic, Pliensbachian, *davoei* Zone, (according to Hess: 784). Middle Lias [top Lower Lias]. Mickleton Tunnel, near Chipping Camden, Gloucestershire, England. Wright, T. Colln. Purchd Butler, F. H. April 1885. Figd Hess, H. 1960c: 783, 784, 785, text figs 19a,b.

E 2655 Holotype of *Ophiiderma gaveyi* Wright. Jurassic, Pliensbachian, *capricornus* Zone. 'Upper Shales of the Lower Lias'. Mickleton Tunnel, near Chipping Camden, Gloucestershire, England. Gavey, G. E. Colln 1880. Type figd Wright, T. 1854: 376-378, pl. 13 fig. 1 (figure is reversed) as *Ophiiderma gaveyi* Wright. 'Collected by Mr. Gavey ... whilst making the Oxford, Worcester and Wolverhampton Railway ...', (later to be part of the Great Western Railway). The specimen has been damaged since figuring.

E 52363 (ex. E 3342) Jurassic, *davoei* Zone. Lower Lias. Mickleton Tunnel and cuttings, Gloucestershire, England. Gavey Colln. Purchd Butler, F. H. March 1890. Figd Hess, H. 1960c: 783, 787, text figs 21a,b.

E 52364 (ex. E 3342) Jurassic, Pliensbachian, *davoei* Zone. Lower Lias. Mickleton Tunnel and cuttings, Gloucestershire, England. Gavey Colln. Purchd Butler, F. H. March 1890. Figd Hess, H. 1960c: 783, 786, 787, text figs 20a,b.

Palaeocoma milleri (Phillips)

E 53000 (ex. E 13085) Jurassic. Middle Lias. Aston Magna, Worcestershire, England. Slatter Colln. Purchd Slatter, Miss, July 1896. Figd Hess, H. 1964: 765, 769, text fig. 21.

E 53015 (ex. E 13085) Jurassic. Middle Lias. Aston Magna, Worcestershire, England. Slatter Colln. Purchd Slatter, Miss, July 1896. Figd Hess, H. 1964: 765, 774, text fig. 36.

E 53101-3 (ex. 19513) Jurassic, Pliensbachian. Kilsby Tunnel, Northamptonshire, England. Purchd Baker, Miss 1845. Figd Hess, H. 1964: 757, 759, 760, text fig. 1 (E 53101, fig. reversed); 758, 759, text fig. 2 (E 53102); 759, 761, text fig. 3 (E 53103).

E 53826 Jurassic, Pliensbachian. Middle Lias, Rock Bed. No locality data, ?England. No collection data. Figd Smith, A. B. in Murray, J. W. (editor) 1985: pl. 7.7.3.

Palaeophiura simplex Stürzt

E 3484 Holotype. Type species of *Palaeophiura* Stürzt 1890: 233. Lower Devonian. Bundenbach, Germany. Stürzt,

B. Colln. Purchd July 1891. Type figd Stürz, B. 1890: 233, pl. 31 figs 38, 38a, 39. Figd Spencer, W. K. (1914–1940) 1940: 503, 504, text fig. 329.

Phragmactis grayae Spencer

E 52414a,b Holotype. Type species of *Phragmactis* Spencer 1940: 529–532. Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Type figd Spencer, W. K. (1914–1940) 1940: 507–509, 513, 530–532, text figs 331A, 344, pl. 37 fig. 2 (E 52414a); 510, 532–534, text fig. 345, pl. 37 fig. 1 (E 52414b).

E 52494 Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1940: 530, 532, 539, text fig. 343, pl. 37 fig. 3.

E 52614a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1940: 532, pl. 37 fig. 4 (E 52614a); 534 (E 52614b).

E 52941a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Presd Misses Gray June 1937. Figd Spencer, W. K. (1914–1940) 1940: 534, pl. 37 fig. 5 (E 54955a). Gray colln no. K99 was given in the plate explanation, but K98 was given on page 534.

Protaster piltonensis Spencer

E 13835a,b (ex. Torquay Museum nos 1291 (E 13835a), 1292 (E 13835b)) Holotype. Lower Carboniferous, Tournaisian, *Cleistopora* Zone, (according to Spencer 1934: 471 Upper Devonian or Lower Carboniferous, *Cleistopora* Zone). Top Orchard Quarry, Pilton, Devon, England. Presd Torquay Natural History Society per Milton, E. (curator) November 1936. Figd Whidborne, G. F. (1896–1907) 1898: 208–209, pl. 27 figs 2, 2a–c (E 13835a); 208–209, pl. 27 figs 1, 1a (E 13835b) as *Protaster?* (*Drepanaster*) *scabrosus* Whidborne var. Type figd Spencer, W. K. (1914–1940) 1934: 469–471 (E 13835a); 455, 469–471, text figs 303a, 304, pl. 33 fig. 1 (E 13835b).

Protaster salteri (Forbes)

E 13701 Near base of Upper Ordovician, Caradocian, *Mesograptus multidens* Zone, (according to Spencer: 469). Meadowtown Beds. Said to have been picked up from road near Rorrington, Shelve district, Shropshire, England. Colld Jones, J. Presd 13th August 1923. Figd Spencer, W. K. (1914–1940) 1934: 466, 468, 469, pl. 31 fig. 8.

Protaster? (*Drepanaster*) *scabrosus* Whidborne var

E 13835a,b See: *Protaster piltonensis* Spencer

R

Rhopalocoma pyrotechnica Salter

E 5013a,b Silurian, Lower Ludlow. Shales. Church Hill, Leintwardine, Herefordshire, England. Bather, F. A. Colln. Presd 1901. Figd Spencer, W. K. (1914–1940) 1940: 511, 512, 535, 536, 539, text figs 335E, 346, pl. 36 fig. 1 (E 5013a); 539, 540 (E 5013b). The reference to text fig. 345 on p. 512 is incorrect and should be text fig. 346.

OR 40293 Neotype. Type species of *Rhopalocoma* Salter 1857: 324–325. Silurian, Lower Ludlow. Shales. Church Hill,

Leintwardine, Herefordshire, England. Marston, N. A. Colln. Type refd Salter, J. W. 1857: 324–325. Type figd Spencer, W. K. (1914–1940) 1940: 507, 509, 510, 513, 537–540, text figs 331D, 332, 347, 348, pl. 36 fig. 2.

S

Sinosura brodiei (Wright)

E 3769 Holotype of *Acroura brodiei* Wright. Jurassic, Pliensbachian, *capricornus* Zone. Middle Lias [top of Lower Lias]. Hewletts Hill, near Cheltenham, Gloucestershire, England. Purchd Brodie, Rev. P. B. October 1895. Type figd Wright, T. (1863–1880) 1866: 153, pl. 17 figs 5a–b (and probably fig. 5c, which is not referred to in the plate explanation, but is referred to on p. 153) as *Acroura brodiei* Wright.

E 52852a–e (ex. 18846n) Jurassic. Upper part of Lower Lias. Kilsby Tunnel, Northamptonshire, England. Purchd Baker, Miss 1845. Figd Hess, H. 1964: 775, 778, text fig. 37 (E 52852a); 775, 778, text figs 38–40 (E 52852b–d); 771, 778, pl. 1 (E 52852e).

E 52854A (ex. 19511) Jurassic. Upper part of Lower Lias. Kilsby Tunnel, Northamptonshire, England. Purchd Baker, Miss, 1845. Figd Hess, H. 1964: 777, pl. 2 fig. 1.

E 53003–6 (ex. E 13085) Jurassic. Middle Lias. Aston Magna, Worcestershire, England. Slatter Colln. Purchd Slatter, Miss, July 1896. Figd Hess, H. 1964: 770, text fig. 24 (E 53003); 770, text fig. 25 (E 53004); 770, 772, text fig. 26 (E 53005); 770, 772, text fig. 27 (E 53006).

E 53013 (ex. E 13085) Jurassic. Middle Lias. Aston Magna, Worcestershire, England. Slatter Colln. Purchd Slatter, Miss, July 1896. Figd Hess, H. 1964: 773–775, text fig. 34.

Squamaster trepidans Spencer

E 52685a,b See: *Furcaster trepidans* Spencer

Stenaster obtusus (Forbes)

E 13531a–c Upper Ordovician, Caradoc, Lower Bala, *Strophomena expansa* Zone. In lane to Gelli Grin Farmhouse, 2.5 miles southeast of Bala, Gwynedd, North Wales. Ruddy, T. Colln January 1915. Figd Spencer, W. K. (1914–1940) 1916: 80, 81, text fig. 42, pl. 3 fig. 7 (E 13531c); text fig. 43 (E 13531b); 84, 179, pl. 3 fig. 8 (E 13531a) as *Caractacaster caractaci* Gregory.

E 13532 Upper Ordovician, Caradoc, Lower Bala, *Strophomena expansa* Zone. In lane to Gelli Grin Farmhouse, 2.5 miles southeast of Bala, Gwynedd, North Wales. Ruddy, T. Colln January 1915. Figd Spencer, W. K. (1914–1940) 1916: 74, 75, 179, text fig. 37 pl. 3 fig. 4 as *Belaster ordovicus* Spencer.

E 52376 Syntype of *Tetraster wyvillethomsoni* Nicholson & Etheridge. Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Type figd Nicholson, H. A. & Etheridge, R. 1880: 324–325, pl. 21 figs 7, 8 as *Tetraster wyville-thomsoni* Nicholson & Etheridge.

E 52377 Syntype of *Tetraster wyvillethomsoni* Nicholson & Etheridge. Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Type figd Nicholson, H. A. & Etheridge, R. 1880: 324–325, pl. 21 figs 5, 6 as *Tetraster wyville-thomsoni* Nicholson & Etheridge.

E 52381a,b Syntype of *Tetraster wyvillethomsoni* Nicholson & Etheridge. Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Type figd Nicholson, H. A. & Etheridge, R. 1880: 324–325, pl. 21 figs 3, 4 (E 52381a) as *Tetraster wyville-thomsoni* Nicholson & Etheridge. On the same block is a specimen figd by Nicholson & Etheridge, pages 328–330, pl. 22 fig. 12, as *Glyptocrinus* sp., no. E 69381a,b. E 69381a is the figured specimen of the crinoid.

E 52391 Syntype of *Tetraster wyvillethomsoni* Nicholson & Etheridge. Holotype of *Hudsonaster batheri* Schuchert. Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Type figd Nicholson, H. A. & Etheridge, R. 1880: 324–325, pl. 21 figs 1, 2 as *Tetraster wyville-thomsoni* Nicholson & Etheridge. Type figd Schuchert, C. 1915: 65, pl. 3 fig. 3 as *Hudsonaster batheri* Schuchert.

E 52398a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1914: 22, 23, 31, pl. 1 fig. 6; 1919: 173; 1927: 351, 354–356, text figs 225, 231B (E 52398b).

E 52400a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1927: 347, 349, 356, 358, text fig. 223, pl. 23 figs 2, 3 (E 52400a); 347, 349, 356, 358, text fig. 222, pl. 23 fig. 1 (E 52400b).

E 52409a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1914: 23, 31, 49, pl. 1 fig. 7; 1925: 263; 1927: 329, 352, 353, 355, 356, 358, 359, text figs 228A, 231A, pl. 24 fig. 10; 1930: 416 (E 52409a); 1927: 345, 353, 356, 358, 359, text fig. 229A, pl. 23 fig. 4 (but not pl. 26 fig. 4 as mentioned on page 356) (E 52409b).

E 52410a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Hotchkiss, F. H. 1976: 10, pl. 9 fig. 2 (E 52410b).

E 52431a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1927: 353, 355, 356, 358, text fig. 230, pl. 23 fig. 6 (E 52431a).

E 52480a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1927: 355, 356, text fig. 231c (E 52480b).

E 52486 Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1927: 345, 349, 350, 352, 354, 358, text fig. 224; 1934: 452, 453, text fig. 249A.

E 52570a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1927: 351, 352, 353, 356, text fig. 229B; 1934: 470.

E 52571 Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan,

Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1927: 353, 356, text fig. 229C.

E 52628 Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1927: 345, 356, text fig. 221.

E 54348 Syntype of *Tetraster wyvillethomsoni* Nicholson & Etheridge. Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Type refd Nicholson, H. A. & Etheridge, R. 1880: 324–325 as *Tetraster wyville-thomsoni* Nicholson & Etheridge.

Sturtzaster colvini (Salter)

E 13950 Silurian, Lower Ludlow. Church Hill, Leintwardine, Herefordshire, England. Ludlow Museum Colln. Purchd January 1947. Figd Spencer, W. K. (1914–1940) 1940: 521, 523, text fig. 340A, pl. 35 fig. 2. Spencer chose two neotypes on p. 521. E 52859 was chosen by Owen, 1965: 547 as the neotype, so E 20648 is the neosyntype.

E 20648 Neosyntype of *Sturtzaster colvini* (Salter). Silurian, Lower Ludlow. Church Hill, Leintwardine, Herefordshire, England. Ludlow Museum Colln. Purchd January 1947. Figd Spencer, W. K. (1914–1940) 1940: 521, 523, text fig. 340B, pl. 35 fig. 2. Spencer chose two neotypes on p. 521. E 52859 was chosen by Owen, 1965: 547 as the neotype, so E 20648 is the neosyntype.

E 52859 Neotype. Silurian, Lower Ludlow. Church Hill quarry, Leintwardine, Herefordshire, England. Hawkins, H. L. Colln. Presd Department of Geology, Reading University, per Goldring, R. March 1964. Type figd Spencer, W. K. (1914–1940) 1940: 508, 509, 511, 512, 514, 515, 521, 522, 523, text figs 335B, 339, pl. 35 fig. 1, pl. 37, fig. 7. Type refd Owen, H. G. 1965: 547. Spencer chose two neotypes on p. 521. Owen selected E 52859 as the neotype. See also E 20648.

Sturtzaster marstoni (Salter)

E 2593 Silurian, Lower Ludlow. Shales. Church Hill, Leintwardine, Herefordshire, England. Holl, H. G. Colln. Purchd from his executors 1887. Figd Spencer, W. K. (1914–1940) 1940: 517, pl. 33 fig. 3 as? var *nana*.

E 13948 Silurian, Lower Ludlow. Church Hill, Leintwardine, Herefordshire, England. Pardoe, H. Colln. Purchd Ludlow Museum Collection January 1947. Figd Spencer, W. K. (1914–1940) 1940: 518, pl. 37 fig. 6.

Sturtzaster spinosissimus (Roemer)

E 13699 Lower Devonian. Dachschiefer. Bundenbach, Hunsrückgebirge, Germany. Stürztz, B. Colln. Purchd 25th November 1922. Figd Spencer, W. K. (1914–1940) 1940: 507, 511, 512, 513, 524, text figs 331B, 335A.

Symptera minveri Bather

E 5036 See: *Furcaster leptosoma* (Salter)

T

Taeniaster beneckeii (Stürztz)

E 3461 Lower Devonian. Bundenbach, Germany. Stürztz, B. Colln. Purchd July 1891. Figd Spencer, W. K. (1914–1940) 1934: pl. 330 fig. 7 as 1940: 503 as *Bundenbachia beneckeii* (Stürztz).

E 3494 Lower Devonian. Bundenbach, Germany. Stürztz, B. Colln. Purchd July 1891. Figd Spencer, W. K. (1914–1940) 1940: 501, 502, text fig. 327 as *Bundenbachia beneckeii* (Stürztz).

E 3495 Lower Devonian. Bundenbach, Germany. Stürztz,

B. Colln. Purchd July 1891. Figd Gregory, J. W. 1897 (for 1896): 1034, text fig. 4 (based on the specimen) as *Bundenbachia* sp.

Taeniaster spinosus Billings

E 13120 Ordovician. Trenton Limestone. Belleville, Ontario, Canada. Purchd Smith, W. R. 1st March 1909. Figd Spencer, W. K. (1914–1940) 1925: 254; 1934: 485, 486, 488, text fig. 316.

E 13187 Ordovician. Trenton. Trenton Limestone. Belleville, Ontario, Canada. Purchd Smith, W. R. February 1909. Figd Spencer, W. K. (1914–1940) 1925: 254; 1934: 451, 454, 462, 474, 484–490, 497, text figs 292, 315, 317, 318, 319; 1940: 502.

Tetraster wyville-thomsoni Nicholson & Etheridge

E 52376, E 52377, E 52381a,b, E 52391, E 54348 See: Stenaster obtusus (Forbes)

Tetraster wyville-thomsoni Nicholson & Etheridge

E 52376, E 52377, E 52381a,b, E 52391, E 54348 See: Stenaster obtusus (Forbes)

U

Urosoma hirudo (Forbes)

E 13480 Lower Devonian, Siegenian, [recorded on label as Lower Coblenian]. Heiligenberg bei Oberstadtfeld, Eifel, Germany. Purchd Dohm, S. 23rd May 1914. Figd Spencer, W. K. (1914–1940) 1934: 437, 438, text figs 282B,C, pl. 29 fig. 2.

E 13792 Lower Devonian, Gedinnian/Siegenian. *Orthis monieri* Beds. La Boë en Gahard, Ille et Vilaine, France. Original in the University of Rennes, Faculty of Science. Figd Spencer, W. K. (1914–1940) 1934: 438, pl. 29 fig. 3. The figured specimen is a wax squeeze.

E 52462a,b Upper Ordovician, Ashgill. Ardmillan Series, Drummuck Group, Starfish Bed. Thraive Glen, Girvan, Ayrshire, Scotland. Gray, Mrs R. Colln. Purchd 1920. Figd Spencer, W. K. (1914–1940) 1930: 436, text fig. 280; 1934: 437, text fig. 281 (E 52462a); 1930: 436, text fig. 279, pl. 27 fig. 3; 1934: 437, 438, text fig. 282A (E 52462b).

REFERENCES

- Bather, F. A. 1905. *Sympterura Minveri*, n.g. et sp.: a Devonian Ophiurid from Cornwall. *The Geological Magazine*, (dec. V) 2 (490): 161–169, pl. 6.
 —— 1909. Triassic Echinoderms of Bakony. *Resultate der wissenschaftlichen Erforschung des Balatonsees*, 1 (1) Pal. Anhang.: 3–289, pls 1–18, 63 text figs.
- Blake, J. F. 1887. On a New Specimen of *Solaster Murchisoni* from the Yorkshire Lias. *The Geological Magazine*, (new series dec. III) 4 (12): 529–531, pl. 15.
- Breton, G. 1979. Les Astéries du Crétacé de Normandie. *Bulletin Trimestriel de la Société Géologique de Normandie et des Amis du Muséum du Havre*, 65 (4): 5–87, pls 1–8.
 —— 1985. Valemaster? Sphaerasteridae Mesozoique. *Bulletin Trimestriel de la Société Géologique de Normandie et des Amis du Muséum du Havre*, 72: 91–99.
- Busk, G. 1866. Description of Three Species of Polyzoa from the London Clay at Highgate in the Collection of N. T. Wetherell, Esq., F. G. S. *The Geological Magazine*, (dec. I) 3: 298–301, pl. 12.
- Carpenter, P. H. 1882. Notes on *Oreaster bulbiferus*, Forbes, from the Upper Chalk, Bromley, Kent. *The Geological Magazine*, (new series dec. II) 9: 529–533, pl. 12.
- Davis, A. G. 1923. Note on the Occurrence of *Ophioglypha wetherelli* (Forbes) in the London Clay at New Malden, Surrey. *Proceedings and Transactions of the Croydon Natural History and Scientific Society*, 9 (3): 113–115, pl. 3.
- Forbes, E. 1848. On the Asteriidae found fossil in British Strata. *Memoirs of the Geological Survey of Great Britain, and of the Museum of Practical Geology in London*, 2 (2): 457–482.
 —— 1849. British Organic Remains. Decade 1 Plate 3; Tertiary (Eocene) Species of Astropecten. *Memoirs of the Geological Survey of Great Britain, and of the Museum of Practical Geology in London*, (dec. I) (pl. 3): 1–4.
 —— 1850a. British Organic Remains. Decade III. *Lepidaster grayi*. *Memoirs of the Geological Survey of Great Britain, and of the Museum of Practical Geology in London*, (dec. III): 1–2, pl. 1.
 —— 1850b. British Organic Remains. Decade III. *Uraster Gaveyi*. *Memoirs of the Geological Survey of Great Britain, and of the Museum of Practical Geology in London*, (dec. III): 1–2, pl. 2.
 —— 1850c. British Organic Remains. Decade III. *Tropidaster pectinatus*. *Memoirs of the Geological Survey of Great Britain, and of the Museum of Practical Geology in London*, (dec. III): 1–2, pl. 3.
 —— 1852. Monograph of the Echinodermata of the British Tertiaries. *Monograph of the Palaeontographical Society*, v–vii, 1–36, pls 1–4.
 —— 1856. British Organic Remains. Decade V. *Solaster moretonis*. *Memoirs of the Geological Survey of Great Britain, and of the Museum of Practical Geology in London*, (dec. V): 1–3, pl. 1. In Dixon, F. 1850. *The Geology and Fossils of the Tertiary and Cretaceous Formations of Sussex*. Notes on Cretaceous Echinodermata: 325–343, pls 19–25. London.
 —— in Dixon, F. & Jones, T. R. 1878. *The Geology of Sussex*. Notes on the Cretaceous Echinodermata: 361–377, pls 19–25. New edition, Brighton.
- Gale, A. S. 1986. Goniasteridae (Asteroidea, Echinodermata) from the Late Cretaceous of north-west Europe. 1. Introduction. The genera *Metopaster* and *Recurvaster*. *Mesozoic Research*, 1 (1): 1–69, pls 1–9.
 —— 1987a (1988). Goniasteridae (Asteroidea, Echinodermata) from the Late Cretaceous of north-west Europe. 2. The genera *Calliderma*, *Crateraster*, *Nymphaster* and *Chomataster*. *Mesozoic Research*, 1 (4): 151–186, pls 1–7.
 —— 1987b. Phylogeny and classification of the Asteroidea (Echinodermata). *Zoological Journal of the Linnean Society*, 89: 107–132.
 —— in Smith, A. B., Paul, C. R. C., Gale, A. S. & Donovan, S. K. 1988. Cenomanian and Lower Turonian echinoderms from Wilmington, southeast Devon, England. *Bulletin of the British Museum (Natural History)*, (Geology) 42: 1–245, pls 1–50.
 Smith: Echinoids: 16–189, pls 1–40;
 Gale: Asteroids: 189–208, pls 41–43;
 Paul & Donovan: Crinoids: 208–234, pls 44–50.
- Galopin, R., Lantero, E. & Célébonovic, S. 1955. *Pierres...minéraux et fossiles*: 93 pages, 64 plates. Genève — Paris.
- Gislén, T. 1925. Some Mesozoic Comatulids. *The Annals and Magazine of Natural History*, 9 (16) (91): 1–30, 59 text figs.
- Gray, J. E. 1840. A Synopsis of the Genera and Species of the Class Hypostoma (Asterias Linnaeus). *The Annals and Magazine of Natural History*, 6: 175–184, 275–290.
- Gregory, J. W. 1897 (for 1896). On the classification of the Palaeozoic Echinoderms of the Group Ophiuroidea. *Proceedings of the Zoological Society of London*,: 1028–1044.
 —— 1889. On a New Species of the Genus *Protaster* (*P. brisingoides*) from the Upper Silurian of Victoria, Australia. *The Geological Magazine*, (dec. III) 6 (1): 24–27.
 —— 1899. On *Lindstromaster* and the Classification of the Palaeasterids. *The Geological Magazine*, (dec. IV) 6: 341–353, pl. 16.
 —— in Lankester, E. R. (editor) 1900. *A Treatise on Zoology; Part 3, The Echinodermata. Chapter 14, The Stellerioidea*: 237–281. London.
- Hess, H. 1955. Die fossilen Astropectiniden (Asteroidea). *Schweizerische Paläontologische Abhandlungen*, 71: 3–113, pls 1–4.
- 1960a. *Pentasteria (Archastropecten) procura* n. sp. (Asteroidea, Astropectinidae) aus dem Bajocien von Cheltenham (England). *Eclogae geologicae Helvetiae*, 53 (1): 331–334, pl. 1.
 — 1960b. Über zwei Ophiuren (*Ophiocoma? rasmusseni* n. sp. und *Ophiotianos tenuis* Spencer) aus der englischen Kreide. *Eclogae geologicae Helvetiae*, 53 (2): 747–757.
- 1960c. *Ophioderma escheri* Heer aus dem unteren Lias der Schambelen (Kt. Aagau) und verwandte Lias-Ophiuren aus England und Deutschland. *Eclogae geologicae Helvetiae*, 53 (2): 757–793.
 — 1964. Die Ophiuren des englischen Jura. *Eclogae geologicae Helvetiae*, 57 (2): 755–802, pls 1–10.
 — 1965. Trias-Ophiuren aus Deutschland, England, Italien und Spanien. *Mitteilungen der Bayerischen Staatssammlung für Paläontologie und Historische Geologie*, 5: 151–177, pls 13–16.
- 1974. Neue Funde des Scesters *Terminaster Cancriformis* (Quenstedt) aus Callovien und Oxford von England, Frankreich und der Schweiz. *Eclogae geologicae Helvetiae*, 67 (3): 647–659, pls 1–3.
- Hotchkiss, F. H. 1976. Devonian Ophiuroids from New York State: Reclassification of *Klasmura*, *Antiquaster* and *Stenaster* into the Suborder Scalarina

- nov., Order Stenurida. *Bulletin of the New York State Museum*, 425: 1-39, pls 1-10.
- Lambert, J. 1914. Echinoderms. *Revue Critique de Paléozoologie*, 18: 25-32.
- La Touche, J. de 1884. *A handbook of the Geology of Shropshire*.: 1-91, 22 plates. London & Shrewsbury.
- Loriol, P. de in Loroli, P. de & Pellat, E. 1875. Monographie Paléontologique et Géologique des Étages Supérieur de la Formation Jurassique des Environs de Boulogne-sur-Mer; Echinoderms. *Mémoires de la Société de Physique et d'histoire Naturelle de Genève*, 24: 244-299, pls 25-26.
- Nicholson, H. A. & Etheridge, R. 1880. *A monograph of the Silurian Fossils of the Girvan District in Ayrshire*. Fasciculus III.: vi, 237-341, pls 21-22 (echinoderms only). Edinburgh & London.
- Nielsen, K. B. 1943. The Asteroids of the Senonian and Danian Deposits of Denmark. *Biologiske Skrifter udgivet af Det Kongelige Danske Videnskabernes Selskab*, 2 (5): 3-68, pls 1-4.
- Owen, H. G. 1965. Supplement to a Monograph of the British Palaeozoic Asterozoa. *Monograph of the Palaeontographical Society*,: 541-583 (see also Spencer, W. K. 1913-1940).
- Rasmussen, H. W. 1950. Cretaceous Asteroidea and Ophiuroidea, with Special Reference to the Species Found in Denmark. *Danmarks Geologiske Undersøgelse*, (II) 77: 3-134, 18 plates.
- 1972. Lower Tertiary Crinoidea, Asteroidea, and Ophiuroidea from Northern Europe and Greenland. *Biologiske Skrifter udgivet af Det Kongelige Danske Videnskabernes Selskab*, 19 (7): 3-83, pls 1-14.
- Salter, J. W. 1857. On some new Palaeozoic Star-fishes. *The Annals and Magazine of Natural History*, (2) 20 (119): 321-334.
- Schuchert, C. 1915. Revision of Palaeozoic Stellarooidea with special reference to North American Asteroidea. *Bulletin of the United States National Museum*, 88: 5-311, pls 1-38.
- Schulz, M.-G. & Weitschat, W. 1975. Phylogenie und Stratigraphie der Asteroideen der nordwestdeutschen Schreibkreide. *Mitteilungen aus dem Geologisch-Paläontologischen Institut der Universität Hamburg*, 44: 249-284, pls 24-31.
- Sladen, W. P. & Spencer, W. K. 1891-1908. A Monograph on the British Fossil Echinodermata from the Cretaceous Formations. Volume Second. The Asteroidea and Ophiuroidea. *Monograph of the Palaeontographical Society*,: 1-138, pls 1-29.
- Part 1, 1891: 1-28, pls 1-8 by Sladen;
- Part 2, 1893: 29-66, pls 9-16 by Sladen;
- Part 3, 1905: 67-90, pls 17-26 by Spencer;
- Part 4, 1907: 91-132, pls 27-29 by Spencer;
- Part 5, 1908: 133-138, index by Spencer.
- Smith, A. B. in Murray, J. W. (editor) 1985. *Atlas of Invertebrate Macrofossils: Echinodermata*: 153-190. The Palaeontological Association. Longman; Harlow, Essex.
- Spencer, W. K. 1913. The Evolution of the Cretaceous Asteroidea. *Philosophical Transactions of the Royal Society of London*, (B) 204: 99-177, pls 10-16.
- 1914-1940. A Monograph of the British Palaeozoic Asterozoa. *Monograph of the Palaeontographical Society*,: i-xii, 1-540, pls 1-37.
- Part 1, 1914: 1-56, pl. 1;
- Part 2, 1916: 57-108, pls 2-5;
- Part 3, 1918: 109-168, pls 6-13;
- Part 4, 1919: 169-196;
- Part 5, 1922: 197-236, pls 14-17;
- Part 6, 1925: 237-324, pls 18-22;
- Part 7, 1927: 325-388, pls 23-24;
- Part 8, 1930: 389-436, pls 25-28;
- Part 9, 1934: 437-494, pls 29-32;
- Part 10, 1940: 495-540, pls 33-37;
- (See also the supplement by Owen, H. G. 1965: 541-583).
- Stürz, B. 1890. Neuer Beitrag zur Kenntnis palaeozoischer Seesterne. *Palaeontographica*, 36: 203-247, pls 26-31.
- 1893. Ueber versteinerte und lebende Seesterne. *Verhandlungen des naturhistorischen Vereins der preussischen Rheinland, Westfalens und des Reg.-Bezirks Osnabrück*, 50: 1-92, pl. 1.
- 1900 (1899). Ein weiterer Beitrag zur Kenntnis palaeozoischer Asteroiden. *Verhandlungen des naturhistorischen Vereins der preussischen Rheinland, Westfalens und des Reg.-Bezirks Osnabrück*, 56: 176-240, pls 2-4.
- Sykes, J. H., Cargill, J. S. & Fryer, H. G. 1970. The stratigraphy and palaeontology of the Rhacite Beds (Rhacite: Upper Triassic) of Barnstone, Nottinghamshire. *The Mercian Geologist*, 3 (3): 233-264, pls 15-17.
- Whidborne, G. F. 1896-1907. A Monograph of the Devonian Fauna of the South of England. Vol. III. The fauna of the Marwood and Pilton Beds of North Devon and Somerset. *Monograph of the Palaeontographical Society*,: 1-247, pls 1-38.
- General Title-page and Index: 1907.
- Part 1, 1896: 1-112, pls 1-16;
- Part 2, 1897: 113-178, pls 17-21;
- Part 3, 1898: 179-236, pls 22-38; Index to part 3: 237-247.
- Woodward, H. 1874. Description of a New Species of Starfish from the Devonian of Great Inglebourne, Harberton, South Devon. *The Geological Magazine*, (dec. II) 3 (1): 6-10.
- Wright, C. W. & Smith, A. B. 1987. *Fossils of the Chalk*; 10. *Echinoderms*.: 201-237, pls 44-53. Palaeontological Association Field Guides to Fossils, Number 2. London.
- & Wright, E. V. 1940. Notes on Cretaceous Asteroidea. *Quarterly Journal of the Geological Society of London*, 96: 231-248, pls 13-17.
- Wright, T. 1854. Contributions to the Palaeontology of Gloucestershire:— A description, with Figures, of some new Species of Echinodermata from the Lias and Oolites. *The Annals and Magazine of Natural History*, (2) 13: 161-173, 312-324, 376-383, pls 11-13.
- 1863-1880. Monograph on the British Fossil Echinodermata of the Oolitic Formations. Vol. II — The Asteroidea and Ophiuroidea. *Monograph of the Palaeontographical Society*,: i-iv, 1-203, pls 1-21.
- Part 1, 1863 (for 1861): 1-130, pls 1-10, 10A, 11, 12; Part 2, 1866 (for 1864): 131-154, pls 13-18; Part 3, 1880: i-iv, 155-203, pls 19-21.
- 1882. On a New Species of *Ophiurella*. *Proceedings of the Dorset Natural History and Antiquarian Field Club*, 4: 56-57.
- 1886a. On a New Species of Star Fish, from the Forest Marble, Wilts. *Proceedings of the Dorset Natural History and Antiquarian Field Club*, 8: 50-52.
- 1886b. On a New Species of Brittle Star, from the Coral Rag of Weymouth. *Proceedings of the Dorset Natural History and Antiquarian Field Club*, 8: 53-55.

INDEX OF SPECIES

[A] = Asteroid; [O] = Ophiuroid

- abbreviatus, *Hadrandaster* [A]
- , *Pentaceros* [A]
- acules, *Chomaster* [A]
- albocervus, *Metopaster* [A]
- andreae, *Metopaster* [A]
- angustatus, *Nymphaster* [A]
- , *Pycinaster* [A]
- , *Pycnaster* [A]
- antiqua, *Palasterina* [A]
- aranea, *Mastigactis* [O]
- argus, *Stauranderaster* [A]
- , *Tholaster* [A]
- , *Valettaster* [A]
- armatus, *Astropecten* [A]
- astonensis, *Ophiura?* [O]
(see also *murravii*, *Ophiomusium*)
- bartonensis, *Ophiura* [O]
- batheri, *Hudsonaster* [O]
- bathonica, *Ophiopetra* [O]
- benecke, *Bundenbachia* [O]
- , *Taeniaster* [O]
- bispinosus, *Pentaceros* [A]
- , *Stauranderaster* [A]
- blackmorei, *Recurvaster* [A]
- bognoriensis, *Ophiura* [O]
- bonneyi, *Palaeasterina* [A]
- bowerbankii, *Goniaster* (*Goniodiscus*) [A]
- , *Metopaster* [A]
- boysii, *Pentaceros* [A]
- boysii, *Stauranderaster* [A]
- brislingoides, *Protaster* [A]
- , *Sturtzera* [A]
- brodiei, *Acoura* [O]
- , *Metopaster* [A]
- , *Sinosura* [O]
- bromleyi, *Metopaster* [A]
- bulbiferus, *Cocaster* [A]
- , *Oreaster* [A]
- , *Pentaceros* [A]
- , *Stauranderaster* [A]
- calcar, *Metopaster* [A]
- var. calcar, *Metopaster* [A]
- cancriformis, *Terminaster* [A]

CATALOGUE OF FOSSIL ASTEROIDEA AND OPHIUROIDEA

- caractaci, *Caractacaster* [O]
 —, *Palaeaster* [A]
 —, *Siluraster* [A]
carpelloides, *Ophiura* [O]
chilipora, *Metopaster* [A]
cingulatus, *Metopaster* [A]
colei, *Coulonia* [A]
colvini, *Sturtzaster* [O]
complicatus, *Mesopalaearaster* [A]
comptoni, *Comptonia* [A]
 —, *Comptoniaster* [A]
 —, *Goniaster (Stellaster)* [A]
concavus, *Lophidiaster* [A]
coombii, *Chomataster* [A]
 —, *Goniaster (Astrogonium)* [A]
 —, *Nymphaster?* [A]
 —, *Nymphaster* [A]
cornutus, *Metopaster* [A]
coronatus, *Pentaceros* [A]
 —, *Oreaster* [A]
 —, *Stauranderaster* [A]
costata, *Ophiura* [O]
cottewoldiae, *Astropecten* [A]
 —, *Pentasteria* [A]
 —, var. *stamfordensis*, *Astropecten* [A]
 —, var. *stonesfieldenses*, *Astropecten* [A]
 —, var. *stonesfieldensis*, *Astropecten* [A]
crassus, *Pycinaster* [A]
cretacea, *Amphiura* [O]
crispatus, *Astropecten* [A]
cristatus, *Arthraster* [A]
cylindricus, *Hallaster* [O]
davidsoni, *Ophidiaster?* [A]
davisi, *Ophiura* [O]
decheni, *Ophiura (Eoluidia)* [O]
decipiens, *Metopaster* [A]
devonicus, *Balictis* [A]
 —, *Palasteriscus* [A]
dixoni, *Arthraster* [A]
egertoni, *Palaeocoma* [O]
elegans, *Comptonia* [A]
 —, *Metopaster* [A]
elizae, *Promopalaearaster* [A]
exsculptus, *Metopaster* [A]
favosus, *Crateraster* [A]
 —, *Teichaster* [A]
filiciformis, *Devonistella* [A]
 —, *Helianthaster* [A]
flexilis, *Onychaster* [A]
follmanni, *Palasterina* [A]
gaveyi, 'Asterias' [A]
 —, *Ophioderma* [O]
 —, *Palaeocoma* [O]
 —, *Uraster* [A]
gibbosus, *Stauranderaster* [A]
giganteus, *Cheiropteraster* [O]
girvanensis, *Nemidactis* [A]
 —, *Urasterella* [A]
grandis, *Phocidaster* [A]
granulatus, *Astropecten* [A]
grayae, *Archophiactis* [A]
 —, *Aspidosoma* [O]
 —, *Drepanaster* [O]
 —, *Encrinaster* [O]
 —, *Phragmactis* [O]
grayi, *Lepidaster* [A]
gregoryi, *Palaeosolaster* [A]
griesbachii, *Ophioderma* [O]
 —, *Ophiohybris* [O]
 —, *Ophiurella* [O]
hamptonensis, *Calliderma* [A]
 —, *Goniaster* [A]
hessi, *Ophiocoma* [O]
hirudo, *Urosoma* [O]
- humilis*, *Chomataster* [A]
 —, *Nymphaster* [A]
 —, *Pycinaster* [A]
hunteri, *Metopaster* [A]
 —, *Mitraster* [A]
huxleyi, *Archastropecten* [A]
 —, *Astropecten* [A]
 —, *Pentasteria* [A]
 cf *huxleyi*, *Archastropecten* [A]
 —, *Pentasteria* [A]
kinahani, *Petraster* [A]
laevis, —, *Ophiotitanos* [O]
latum, *Calliderma* [A]
latus, *Gontaster (Astrogonium)* [A]
laxata, *Schuchertia* [A]
leintwardinensis, *Arisaigaster* [A]
 —, *Mesopalaearaster?* [A]
leptosoma, *Furcaster* [O]
loirensis, *Metopaster* [A]
lorioli, *Astropecten* [A]
 —, *Pentasteria* [A]
lunaris, *Hemieuryale?* [O]
lunatus, *Goniaster (Astrogonium)* [A]
lymani, *Ophiurina* [O]
magnificus, *Pycinaster* [A]
magnus, *Ophiotitanos* [O]
 —, *Ophryaster* [A]
magrumi, *Antiquaster* [O]
mantana, *Urasterella* [A]
mantelli, *Goniaster* [A]
 —, *Goniaster (Goniodiscus)* [A]
 —, *Metopaster* [A]
marginatus, *Chomataster* [A]
 —, *Nymphaster* [A]
marstoni, *Sturtzaster* [O]
megaloplax, *Pentagonaster* [A]
milleri, *Palaeocoma* [O]
miltoni, *Lapworthura* [O]
minveri, *Sympterura* [O]
mirabilis, *Loriolaster* [O]
moretonis, *Solaster* [A]
mosaicum, *Calliderma* [A]
multidactylus, *Echinodiscus* [A]
murchisoni, *Solaster* [A]
murravii, *Ophiolepis* [O]
 —, *Ophiomusium* [O]
 cf *murravii*, *Ophiomusium* [O]
 (see also *astonensis*, *Ophiura?*)
- nereida*, *Ophiocoma?* [O]
 —, *Ophiurella* [O]
- obtusus*, *Nymphaster* [A]
 —, *Oreaster* [A]
 —, *Pentagonaster* [A]
 —, *Stenaster* [O]
ocellatus, *Oreaster* [A]
 —, *Pentaceros* [A]
 —, *Valettaster* [A]
oligoplax, *Nymphaster* [A]
 —, *Ophryaster* [A]
orbitoides, *Euzonosoma* [O]
ordovicus, *Balictis* [A]
 —, *Belaster* [O]
 —, *Protopalaearaster* [A]
- palaeozoicus*, *Furcaster* [O]
parkinsoni, *Goniaster (Goniodiscus)* [A]
parkinsoni, *Metopaster* [A]
parkinsoni var. *calcar*, *Metopaster* [A]
 cf *parkinsoni*, *Metopaster* [A]
parvisentis, *Ophiura* [O]
parvus, *Medusaster* [O]
pectinatus, *Tropidaster* [A]
petaliformis, *Compsaster* [A]
 —, *Jackelaster* [A]

- pichleri, 'Astropecten' [A]
 piltonensis, Protaster [A]
 pistilliferus, Oreaster [A]
 —, Pentaceros [A]
 —, Stauranderaster [A]
 polycirra, Gasterometra [A]
 portlandicus, Archastropecten [A]
 —, Pentasteria [A]
 praecursor, Chomataster [A]
 prattii, Amphiura [O]
 —, Ophiochiton? [O]
 primaeva, Palasterina [A]
 primigenia, Ophiura (Ophiurella) [O]
 primigenius, Eospondylus [O]
 primus, Mesopalaester [A]
 procera, Pentasteria [A]
 punctatus, Pentaceros [A]
 pygmaeus, Lophidiaster [A]
 pyrotechnica, Rhopalocoma [O]
 [* Crinoid]
 quadratus, Metopaster [A]
 quinqueloba, Crateraster [A]
 quinqueloba, Pentagonaster [A]
 radiatus, Nymphaster [A]
 —, Spenceraster [A]
 —, Trachyaster [A]
 var. radiatus, Metopaster [A]
 (see tumidus, Metopaster)
 ramsayi, Ophiolepis [O]
 —, Ophiomusium? [O]
 rasmusseni, Ophiocoma? [O]
 rhenana, Ophiura [O]
 rhenanus, Helianthaster [A]
 —, Medusaster [O]
 —, Miospondylus [O]
 robustus, Pentagonaster [A]
 rugatus, Goniaster [A]
 —, Goniaster (Goniodiscus) [A]
 —, Metopaster [A]
 —, Mitraster [A]
 rugissimus, Metopaster [A]
 rugosus, Nymphaster [A]
 —, Spenceraster [A]
 ruthveni var. leintwardinensis, Urasterella [A]
 salteri, Protaster [O]
 scabrosus, Protaster? (Drepanaster) [O]
 scabrosus, Drepanaster [O]
 sculptus, Girvanaster [A]
 —, Protopalaeaster [A]
 senonensis, Pycnaster [A]
 —, Stauranderaster [A]
 ?senonensis, Amphiura [O]
 serrata, Ophiura [O]
 sharpii, 'Metopaster' [A]
 —, Stellaster [A]
 simplex, Eoactis [A]
 —, Palaeophiura [O]
 sladeni, Echinasterella [A]
 smithiae, Calliderma [A]
 —, Goniaster (Astrogonium) [A]
 smithii, Goniaster (Astrogonium) [A]
 solida, Palaeostella [A]
 sollasi, Lapworthura [O]
 spenceri, Metopaster [A]
 spiniger, Compsaster [A]
 —, Uraster [A]
 spinosissimus, Sturtzaster [O]
 spinosus, Echinasterias [A]
 —, Taeniaster [O]
 spryi, Sturtzura [A]
 stokesii, Goniaster [A]
 —, Teichaster [A]
 studlandensis, Nymphaster [A]
 substriata, Ophiura? [O]
 sulcatus, Ophryaster [A]
 —, Tomidaster [A]
 tamarae, Metopaster [A]
 tenuibrachiata, 'Ophioderma' [O]
 tenuis, Ophiotitanos [O]
 thoracifer, Metopaster [A]
 thraivensis, Urasterella [O]
 tischbeinianum, Euzonosoma [O]
 traquairi, Echinostella [A]
 trepidans, Furcaster [O]
 —, Squamaster [O]
 tropidatus, Tropidaster [A]
 tuberculata, Hippasteria [A]
 tumidus (probably var. radiatus), Metopaster [A]
 tumidus, Metopaster [A]
 uncatus, Goniaster [A]
 —, Goniaster (Goniodiscus) [A]
 —, Metopaster [A]
 undulatus, Metopaster [A]
 vermiciformis, Bdellacoma [O]
 villersensis, Mastaster [A]
 wenlocki, Lepidactis [A]
 wetherelli, Ophioglypha [O]
 —, Ophiura [O]
 weymouthiense, Ophiomusium [O]
 wittsii, Astropecten [A]
 —, Pentasteria [A]
 wrighti, Dermocoma [O]
 wyville-thomsoni, Tetraster [O]
 wyville-thomsoni, Tetraster [O]
 zitteli, Ophiura (Palastropecten) [O]
 zonatus, Metopaster [A]